

# VCS-261<sup>Q&As</sup>

Administration of Veritas InfoScale Storage 7.3 for UNIX/Linux

## Pass Veritas VCS-261 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/vcs-261.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Veritas Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





### **QUESTION 1**

How are primary and secondary roles determined in a Cluster File System cluster?

A. All cluster file systems are initially mounted on the same node which is designated as the primary; all other nodes are secondaries.

B. The first node where a cluster file system is mounted is designated as the primary for that file system; all other nodes are secondaries.

C. The Cluster Volume Manager master node is designated as the primary; all other nodes are secondaries.

D. The node with the lowest LLT ID is designated as the primary; all other nodes are secondaries.

Correct Answer: B

Reference: https://www.veritas.com/support/en\_US/article.100017039

#### **QUESTION 2**

After every product installation, the installer creates an installation log file that is used for auditing, debugging, and future use.

What is the location of the installation log file?

- A. /opt/VRTS/install/installer
- B. /opt/VRTS/install/installer/log
- C. /opt/VRTS/install/logs
- D. /opt/VRTS/install

Correct Answer: C

Reference: https://sort.symantec.com/public/documents/sf/5.0/aix/html/sfha\_gsg/getting\_started10.html

#### **QUESTION 3**

Which two physical system resources are assigned to a specific site during the configuration of the site awareness feature? (Choose two.)

- A. Disks
- B. HBA
- C. NIC
- D. Memory
- E. System



#### Correct Answer: AB

Reference: https://www.veritas.com/content/support/en\_US/doc/ka6j0000004GINAA2

### **QUESTION 4**

Which two commands can an administrator use to remove the datadg02 disk from the datadg disk group based on the following configuration? (Choose two.)

dg	datadg	default	default	80000	1086905353.	6.treass	un40	
dm	datadg01	Disk_0	auto	20351	143328960	-		
dm	datadg02	Disk_8	auto	20351	143328960	-		
v	data	-	ENABLED	ACTIVE	6146304	ROUND	-	gen
pl	data-01	data	ENABLED	ACTIVE	6146304	CONCAT	-	RW
sd	datadg01-05	data-01	datadg01	22539839	6146304	0	Disk_0	ENA
pl	data-02	data	ENABLED	ACTIVE	6146304	CONCAT	-	RW
sd	datadg02-03	data-02	datadg02	22539840	6146304	0	Disk_8	ENA

- A. vxdg
- B. vxdiskunsetup
- C. vxplex
- D. vxdisk
- E. vxvol
- Correct Answer: AB

### **QUESTION 5**

Which two methods can an administrator use to control the Veritas SmartIO caching of a file system? (Choose two.)

- A. the smartiomode mount option
- B. the mincache mount option
- C. the sfcache command
- D. the vxcache command
- E. the fsadm command
- Correct Answer: AC

Reference: https://vox.veritas.com/legacyfs/online/veritasdata/smartio\_blueprint\_for\_solaris.pdf



VCS-261 Study Guide

VCS-261 Exam Questions

VCS-261 Braindumps