



VCS-274^{Q&As}

Administration of Veritas NetBackup 7.7

Pass Veritas VCS-274 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/vcs-274.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which command should an administrator use to generate a list of all files backed up on a client for a specific backup job?

- A. bpimage
- B. bplist
- C. bpimagelist
- D. bpdjobs

Correct Answer: B

QUESTION 2

NetBackup has frozen some of the tapes added to the robot. Which log must be enabled to determine why the tapes were frozen?

- A. ltid
- B. robots
- C. bptm
- D. bpdm

Correct Answer: C

QUESTION 3

A policy is created using the Standard policy type. The default settings are used. Linux hosts s1 and s2 are added in the client list and ALL_LOCAL_DRIVES is specified in the Backup Selection. Host s1 has the mount points listed below: /opt /usr /usr/home Host s2 has the mount points listed below: /proc /tmp /usr How many streams will be created when the policy runs for both clients?

- A. two
- B. four
- C. five
- D. eight

Correct Answer: A

QUESTION 4



On which system(s) is the NetBackup 7.7 LiveUpdate agent installed by default?

- A. Master Server only
- B. Master Server and Media Server only
- C. Master Server, Media Server, and client
- D. Media Server and client only

Correct Answer: C

QUESTION 5

An administrator took Media Server, mediaA, offline for maintenance and set up a new Media Server, mediaB, with access to the previously backed up data. When restores are performed for data that was backed up by mediaA, the restores fail.

Which setting in the Host Properties must the administrator modify to allow successful restores?

- A. From the Master Server, run the bpimage command to change the name of the Media Server from mediaA to mediaB.
- B. Verify both Media Servers are set up in the Media Server Host Properties > Restore Failover section.
- C. In the BAR GUI, change the "Server to use for backup and restores" setting to MediaB.
- D. Verify both Media Servers are set up in the Master Server Host Properties > Restore Failover section.

Correct Answer: D

[VCS-274 PDF Dumps](#)

[VCS-274 Exam Questions](#)

[VCS-274 Braindumps](#)