



# VCS-279<sup>Q&As</sup>

Administration of Veritas NetBackup 8.1.2 and NetBackup Appliances  
3.1.2

## Pass Veritas VCS-279 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/vcs-279.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





## QUESTION 1

Refer to the Exhibit.

An administrator is trying to access client properties on the NetBackup Administration Console and receives the following message:



When checking the services on the master server, the administrator sees that the PBX service is down.

Which two commands can the administrator use to increase the PBX log level to determine the reason for the message above? (Choose two.)

- A. vxlogcfg
- B. pbxcfg
- C. vxpbx\_exchanged
- D. pbx\_exchange
- E. vxlogmgr

Correct Answer: AE

## QUESTION 2

Which command should an administrator run on each appliance as part of completing the pre-upgrade tasks?

- A. Support > Cleanup
- B. Manage > Software > UpgradeStatus



C. Support > Test Software

D. Manage > NetBackupCLI > List

Correct Answer: B

---

### QUESTION 3

What is the certificate deployment and management behavior when the security level is set to High?

- A. Certificates are deployed automatically for known hosts and the Certificate Revocation List (CRL) is refreshed every 4 hours.
- B. Certificates are deployed automatically for all hosts and the Certificate Revocation List (CRL) is refreshed every hour.
- C. Certificates are deployed automatically for known hosts and the Certificate Revocation List (CRL) is refreshed every hour.
- D. Certificates are deployed with a token for all hosts and the Certificate Revocation List (CRL) is refreshed every 4 hours.

Correct Answer: A

---

### QUESTION 4

An administrator wants deduplication clients in a remote office to perform backups so less data is sent over the wide area network (WAN).

Which action should the administrator perform to reduce the total amount of data sent over the WAN?

- A. set client attributes to "Always use the media server"
- B. set client attributes to "Always use client-side deduplication"
- C. set the deduplication disk pool to "Limit I/O streams"
- D. enable deduplication stream handlers for the clients

Correct Answer: B

---

### QUESTION 5

Which communication protocol and port does the Appliance Management Server use to communicate with Appliance Management agents?

- A. https (443)
- B. http (80)
- C. https (8443)



D. http (8080)

Correct Answer: A

[VCS-279 PDF Dumps](#)

[VCS-279 Practice Test](#)

[VCS-279 Braindumps](#)