



# VCS-279<sup>Q&As</sup>

Administration of Veritas NetBackup 8.1.2 and NetBackup Appliances  
3.1.2

## Pass Veritas VCS-279 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/vcs-279.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

What is the primary purpose of implementing load balancing media servers with NetBackup appliances?

- A. to distribute the deduplication storage and increase the overall capacity of the MSDP pool
- B. to offload the deduplication processing and reduce the network impact on the appliance
- C. to offload the deduplication processing and reduce the CPU and RAM requirement on the appliance
- D. to distribute the deduplication processing and increase the rehydration performance when restoring data

Correct Answer: A

---

### QUESTION 2

An administrator needs to recover the NetBackup master server catalog at a disaster recovery site, but the DR files are unavailable.

Which command should the administrator use to recreate the DR file?

- A. bprecover
- B. nbcatsync
- C. bpimport
- D. cat\_import

Correct Answer: C

---

### QUESTION 3

An AdvancedDisk storage unit consistently reaches capacity, causing older, staged backups to expire. How can the administrator control the prioritization of images that get removed?

- A. change the priority for secondary storage lifecycle operations
- B. use Data Classification
- C. change the priority of relocation jobs in the staging schedule
- D. modify Retention Levels

Correct Answer: D

---

### QUESTION 4

An administrator has configured a Storage Lifecycle Policy (SLP) to protect a large number of clients which directs



backups to Advanced Disk, then duplicates the images to tape. The administrator is experiencing an SLP backlog, which is causing backups to fail. The current values of key configuration settings are listed below:

Host Properties - Maximum data streams per client = 1 Policy Settings - Maximum jobs per policy = 20 Disk Pool Settings - Maximum I/O streams = 20 Storage Unit Settings - Maximum concurrent jobs = 20 Storage Unit Settings - Multiplexing level = 20

Which parameter should the administrator change to reduce the SLP backlog and allow the backups to complete successfully?

- A. Increase Maximum data streams per client
- B. Increase Maximum jobs per policy
- C. Increase Maximum I/O streams for the disk pool
- D. Increase Maximum concurrent jobs for the storage unit

Correct Answer: B

---

#### QUESTION 5

An administrator is comparing the NetBackup Accelerator and NetBackup FlashBackup features to determine which feature should be used for backup of a very large file system with millions of files.

Which consideration is irrelevant when determining whether to use NetBackup Accelerator or NetBackup FlashBackup in the situation?

- A. the file system change rate
- B. the file system storage capacity
- C. the type of file system being used
- D. the file system folder depth

Correct Answer: A

[VCS-279 Practice Test](#)

[VCS-279 Study Guide](#)

[VCS-279 Exam Questions](#)