

**100%** Money Back  
**Guarantee**

**Vendor:** IBM

**Exam Code:** 000-175

**Exam Name:** IBM WebSphere Lombardi Edition V7.2,  
Development (Entry)

**Version:** Demo

### QUESTION NO: 1

What is the correct JavaScript syntax to initialize a local variable named contact of a complex type Contact?

- A. `contact = new Contact();`
- B. `tw.local.contact = new Contact();`
- C. `tw.local.contact = new tw.local.Contact();`
- D. `tw.local.contact = new tw.object.Contact();`

**Answer: D**

**Explanation:**

### QUESTION NO: 2

The service "Get Request ID" needs to know the number of existing requests of a particular type in order to generate an ID for the request. It uses a nested service named "Get Request Count" for this purpose. What can be determined about data mapping?

- A. The type of the request is an output variable of the 'Get Request ID' service.
- B. The unique ID for the request is an input variable to the 'Get Request ID' service.
- C. The number of existing requests of a particular type is an input variable to the 'Get Request Count' service.
- D. The 'Get Request ID' service has a private variable that maps to the output from 'Get Request Count' service.

**Answer: D**

**Explanation:**

### QUESTION NO: 3

An application has five pieces of data: `creditScore`, `newHomeAddress`, `amountToBorrow`, `creditApproved`, and `appraisalPassed`. The data is organized in a complex variable, `loanApp`. How should the developer reference the credit score?

- A. `tw.local.creditScore`
- B. `tw.loanApp.creditScore`
- C. `tw.local.loanApp.creditScore`
- D. `tw.local.approveCredit.loanApp.creditScore`

**Answer: C**

**Explanation:**

**QUESTION NO: 4**

A bank has a home loan process containing an 'Approve Credit' activity with a service attached with the same name. During the activity 'Approve Credit', a credit check is done and credit approval is based on the amount to be borrowed and the borrower's credit score. The loan application has five pieces of data: creditScore, newHomeAddress, amountToBorrow, creditApproved, and appraisalPassed. The data is organized in a complex variable, loanApp. What is the minimum output from the 'Approve Credit' service?

- A. loanApp
- B. creditApproved
- C. appraisalPassed
- D. amountToBorrow

**Answer: B**

**Explanation:**

**QUESTION NO: 5**

What is the default visibility property for all new controls?

- A. Hidden
- B. Editable
- C. Disabled
- D. Required

**Answer: B**

**Explanation:**

**QUESTION NO: 6**

A developer needs to build the Coach shown in the following Exhibit.

The image shows a web application interface for a 'Coach'. At the top left, there is a profile header with a user icon and the name 'Coach'. Below this is a 'Contact' section. The 'Contact' section is divided into two sub-sections: 'Personal Information' and 'Contact Details'. The 'Personal Information' section contains two input fields: 'Name' and 'Birth Date'. The 'Contact Details' section contains three input fields: 'Phone', 'Mobile', and 'Email'. A 'Submit' button is located at the bottom right of the form.

What is the minimum number of sections the developer needs to create in the Coach?

- A. 1
- B. 2
- C. 3
- D. 4

**Answer: D**

**Explanation:**

#### QUESTION NO: 7

For each section on a Coach, there is an HTML table generated in the background. How are table rows dynamically defined or allocated? Based on the:

- A. number of sections on the Coach.
- B. number of Controls added to each section.
- C. entry specified on the customization property.
- D. Table Override property in the Presentation category.

**Answer: B**

**Explanation:**

#### QUESTION NO: 8

A developer was asked to create a Coach based on the company's form for processing a new

employee. For a copy of the company's form, refer to the Exhibit below.

### Personal Information

---

Name:  
 Street Address:  
 City: State: Zip:  
 Home Phone: Cell Phone:  
 ID Number: \_ \_ \_ \_ \_

### Emergency Contact

---

Name: Relationship:  
 Street Address:  
 City: State: Zip:  
 Home Phone: Cell Phone:

### Employee Availability

---

Circle one:  
 Full-time      Part-time 20 hrs/week      Part-time 10 hrs/week

Days	Start of Availability	End of Availability
Sunday		
Monday		
Tuesday		
Wednesday		
Thursday		
Friday		
Saturday		

Which simple primitive variable types should be used in this process?

- A.** idNumber (Integer), streetAddress (String), state (String), city (String) **B.**  
 idNumber (Integer), streetAddress (Integer), state (String), city (String) **C.**  
 idNumber (String), streetAddress (Address), state (Integer), city (String) **D.**  
 idNumber (String), streetAddress (Address), state (String), city (String)

**Answer: A**

**Explanation:**

### QUESTION NO: 9

An activity is defined as a conditional activity, and a script that returns a Boolean is written in the text box in the Condition tab. What will happen if the script returns true?

- A. The activity will be skipped.
- B. The activity will be performed.
- C. The activity will be performed if it is added to `tw.system.process.selectedConditionalActivities`.
- D. The activity will be skipped even if the activity is added to `tw.system.process.selectedConditionalActivities`.

**Answer: B**

**Explanation:**

#### **QUESTION NO: 10**

To add a custom Coach XSL transformation to artifacts in a process application, the XSL file should be added as:

- A. a managed file.
- B. a localization resource.
- C. an installation service.
- D. process application settings.

**Answer: A**

**Explanation:**

#### **QUESTION NO: 11**

A developer builds the Coach shown in the Exhibit.



The image shows a web form titled "Form #356". On the left, there is a vertical sidebar with a profile icon and the text "Coach". The main form area is divided into two sections: "Personal Information" and "Emergency Contact".

**Personal Information Section:**

- Name:  (with a small blue box containing "tw.local.name" to its right)
- Street Address:
- City:
- State:
- Zip:
- Home phone:
- Cell phone:
- SSN/Government ID:

**Emergency Contact Section:**

- Name:
- Street Address:
- State:
- City:
- Zip:
- Home phone:
- Cell phone:

A "Submit" button is located at the bottom right of the form.

On the developer's first test, it appears an entire section of the Coach is not working correctly. What should the developer do to make the Coach work correctly?

- A. Move the Submit button to the top section.
- B. Add an additional Submit button to the top section.
- C. Nest both sections inside another section containing the Submit button.
- D. Nest both sections inside another section, and move the Submit button outside of all sections.

**Answer: C**

**Explanation:**



A developer needs to obtain the system date in a JavaScript activity. What is a correct syntax?

- A. `var x = tw.local.Date();`
- B. `var x = new tw.local.Date();`
- C. `var x = new tw.object.Date();`
- D. `var x = new tw.system.Date();`

**Answer: C**

**Explanation:**

### **QUESTION NO: 13**

Which category is used to define page-level presentation styles using Cascading Style Sheets (CSS)?

- A. Section
- B. Visibility
- C. Presentation
- D. Customization

**Answer: D**

**Explanation:**

### **QUESTION NO: 14**

A developer is building a Coach where certain controls need to be filled in before the Coach can be submitted. To do this, the developer needs to set the visibility property of the controls to:

- A. Hidden
- B. Editable
- C. Disabled
- D. Required

**Answer: D**

**Explanation:**

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

# Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <b>One Year Free Update</b> <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <b>Money Back Guarantee</b> <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <b>Security &amp; Privacy</b> <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

[Guarantee & Policy](#) | [Privacy & Policy](#) | [Terms & Conditions](#)

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2015, All Rights Reserved.