Exam : 000-581

Title : IBM FileNet Content

Manager V5.1

Version: Demo

- 1. Which tool is used to create a connection point to an existing Process Engine isolated region?
- A. Workplace XT.
- B. Process Administrator.
- C. FileNet Enterprise Manager.
- D. Process Configuration Console.

Answer: C

- 2. When using Workplace XT and a user is out of the office (e.g., vacation), where can they specify an alternate person to receive their Process Engine work items.?
- A. Site Preferences.
- B. Process Configuration Console.
- C. Task Settings under User Preferences.
- D. General Settings under User Preferences.

Answer: C

- 3. Which of the following is NOT reported to IBM FileNet Dashboard?
- A. Remote procedure call counts and durations.
- B. Number of documents stored in the Content Engine.
- C. System specifications, operating system version, and product version.
- D. Real-time graphing of performance data, including CPU load and memory utilization.

Answer: B

- 4. How can you start and stop P8 components?
- A. IBM FileNet Enterprise Manager.
- B. Command-line based instruction only for Unix.
- C. Graphical user interface (GUI) only for Windows.
- D. Graphical user interface (GUI) based or command-line-based instruction.

Answer: D

- 5.In which two scenarios should the Content Consistency Checker be used? (choose two.)
- A. Content Engine is performing slow.
- B. If search templates are not working.
- C. After restoring a storage area from backup media.
- D. To troubleshoot Fixed Content Device connectivity.
- E. If users are unable to view the content of a document when the content is stored in a file storage area, even when they have view-content permissions on the document.

Answer: C.E.

6. Consider the following distributed P8 configuration:

Server A - Content Engine; Content Search Engine

Server B - Process Engine; Workplace XT

Server C - Relational database server

Database files - located on local storage on server C

Index collection files - located on local storage on server A

Objectstore file storage files - located on network attached storage (NAS).

All object stores contain file storage areas and are configured for content based retrieval (CBR). A complete offline backup of the system runs daily at 10 PM. If server A crashes at 2 PM and must be replaced, how should the administrator recover the system?

- A. Restore all files for server A from backup.
- B. Restore all files for server A from backup and re-index the object stores.
- C. Restore all files for server A from backup and restore the database files to server C.
- D. Restore all files for server A from backup and restore the file storage files to the NAS device.

Answer: B

- 7. For documents in which a date based property is a primary identifier, which type of partitioning will reduce query retrieval time?
- A. Date partitioning.
- B. Index partitioning.
- C. Interval partitioning.
- D. Collection partitioning.

Answer: D

- 8. Which of the following actions can be performed within the query builder?
- A. Execute Java code.
- B. Search across object stores.
- C. Perform content-based retrieval.
- D. Save searches in an object store.

Answer: C

- 9. What is the Composite Platform Installation Tool?
- A. A tool that allows you to install P8 components only.
- B. A tool that allows you to install P8 on multiple servers.
- C. A tool that allows you to install P8 components remotely.
- D. A tool that allows you to install P8 components on a single server, including the middleware applications such as the database and web application server software.

Answer: D

- 10. The Process Engine service user (pe_service_user) is used by the Process Engine to connect to the Content Engine. What type of account should you create for the pe_service_user?
- A. Database account.
- B. Directory server account.
- C. Application server account.
- D. Operating system account.

Answer: B

- 11. Content Search Services Client files are installed on which of the following P8 servers?
- A. Content Engine.
- B. Process Engine.
- C. Application Engine.

D. Legacy Content Search Engine.

Answer: A

- 12. FileNet Configuration Manager offers only one JDBC connection for an object store by default. What are the two ways of adding additional JDBC connections for object stores. (choose two.)
- A. It is not possible to create multiple JDBC data source.
- B. Configure a new JDBC data source using the application server console.
- C. Create a new profile, for the JDBC data source in FileNet Configuration Manager .
- D. Add New Task "Configure Object Store JDBC Data Sources" in FileNet Configuration Manager.
- E. The same JDBC data source will work for the preference object store. No need to create a new one.

Answer: B,D

- 13.The Content Engine bootstrap account (ce_bootstrap_admin) is stored in the CEMPBoot.properties file that is archived in the Content Engine EAR file. What type of account should you use for the ce_bootstrap_admin?
- A. Database account.
- B. Directory server account.
- C. Application server account.
- D. Operating system account.

Answer: B

- 14. Component Manager hosts a component that can be used to execute certain content-related operations against the Content Engine. What is this component called?
- A. Event action.
- B. CEOperations.
- C. Integration Tier.
- D. Web Application Toolkit.

Answer: B

- 15. What are the two types of transport protocols supported by the Content Engine? (choose two.)
- A. .NET
- B. Enterprise Java Beans (EJB)
- C. Java 2 Enterprise Edition (J2EE)
- D. Content Engine Web Services (CEWS)
- E. Representational State Transfer (REST)

Answer: B,D

- 16. For which of the following components is it required to set session affinity (sticky session) on a load balancer?
- A. Content Engine.
- B. Process Engine.
- C. Application Engine.
- D. Content Search Engine/Server.

Answer: C

- 17. Which items are associated with a Content Engine site?
- A. Marking sets, storage areas and virtual servers.
- B. Content cache areas, add-ons and object stores.
- C. Object stores, storage areas and fixed content devices.
- D. Storage areas, content cache areas and virtual servers.

Answer: D

- 18.In a High Availability environment for Content Engine, how should IBM FileNet Enterprise Manager be connected to the Content Engine server?
- A. Using Enterprise JavaBeans (EJB) protocol for a specific node.
- B. Using WSI protocol for multiple nodes (e.g. load-balancer URL).
- C. Using Web Service Interoperability (WSI) protocol for a specific node.
- D. Using EJB protocol for multiple nodes (e.g. corbaloc URL for WebSphere).

Answer: C

19. Workplace XT hosts and manages a component that enables the Process Engine to make calls on external components.

What is this component called?

- A. PEOperations
- B. Process Adaptor
- C. Component Manager
- D. Process Administrator

Answer: C

- 20. What two services does the Content Engine supply? (choose two.)
- A. Content storage.
- B. Workflow management. C.

Life cycle management. D.

Thin client user front end.

E. User and group management.

Answer: A,C

Trying our product!

- ★ 100% Guaranteed Success
- ★ 100% Money Back Guarantee
- ★ 365 Days Free Update
- ★ Instant Download After Purchase
- ★ 24x7 Customer Support
- ★ Average 99.9% Success Rate
- ★ More than 69,000 Satisfied Customers Worldwide
- ★ Multi-Platform capabilities Windows, Mac, Android, iPhone, iPod, iPad, Kindle

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:





Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.