



# 050-730<sup>Q&As</sup>

Certified Novell Identity Manager Administrator

## Pass Novell 050-730 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/050-730.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Novell  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

When using Designer, which modeling mode is used to do all low-level operations with driver sets, drivers, policies and applications?

- A. Table Mode
- B. System Mode
- C. DataFlow Mode
- D. Architect Mode
- E. Developer Mode

Correct Answer: E

---

### QUESTION 2

Which Identity Manager reporting component retrieves the data needed for report generation from the Identity Information Warehouse?

- A. Reporting Service
- B. Report Packaging Tool
- C. Data Collection Service
- D. Identity Vault Data Sources
- E. Data Collection Service Driver

Correct Answer: A

---

### QUESTION 3

In which of the following is the directory abstraction layer editor plug-in available?

- A. iMonitor
- B. Designer
- C. iManager
- D. Role Mapping Administrator
- E. User Application Administrator

Correct Answer: B

---



#### QUESTION 4

Which System Role allows members to create, remove, or modify SoD constraints?

- A. Role Auditor
- B. Role Manager
- C. Security Officer
- D. Provisioning Administrator
- E. User Application Administrator

Correct Answer: C

---

#### QUESTION 5

The following options are found within the forms tab of the Provisioning Request Definition Editor:

Form Selection Fields tab Actions tab Events tab Scripts tab

Which option allows you to add, delete, and change the data type, control type, and layout order of the controls on the form?

- A. Fields tab
- B. Events tab
- C. Scripts tab
- D. Actions tab
- E. Form Selection

Correct Answer: A

---

#### QUESTION 6

In which order should you create and start an Active Directory driver?

- A. 1) Import the current driver packages 2) Install the driver packages 3) Deploy the driver 4) Configure the driver 5) Start the driver
- B. 1) Install the driver packages 2) Import the current driver packages 3) Deploy the driver 4) Configure the driver 5) Start the driver
- C. 1) Install the driver packages 2) Import the current driver packages 3) Deploy the driver 4) Start the driver 5) Configure the driver
- D. 1) Import the current driver packages 2) Install the driver packages 3) Configure the driver 4) Deploy the driver 5) Start the driver



E. 1) Import the current driver packages 2) Install the driver packages 3) Deploy the driver 4) Start the driver 5) Configure the driver

Correct Answer: D

---

#### QUESTION 7

What is a purpose of the DAL (Directory Abstraction Layer)?

- A. To process work flows
- B. To grant/revoke entitlements
- C. To store entities attribute data for use in work flows
- D. To provide a customized view of objects and their attributes that are stored in the Identity Vault

Correct Answer: D

---

#### QUESTION 8

Which report cannot be deleted and should not be run by itself?

- A. Template
- B. Identity Vault User Report
- C. Identity Vault Driver Associations Report
- D. Correlated Resource Assignment Events by User

Correct Answer: A

---

#### QUESTION 9

When adding a control to a form that is being created, Designer adds a control-named Field to the bottom line of the form. Where is the name that is entered into this field used? (Choose 3.)

- A. The ECMA expression builder dialog box
- B. The Create Resource Wizard's General tab
- C. The Workflow tab's Data Item Mapping dialog box
- D. In the Role Mapping Administration Authorization panel
- E. An internal XML reference in the provisioning request definition file

Correct Answer: ACE

---



#### QUESTION 10

Which rules need to be followed when adding activities to a workflow? (Choose 3.)

- A. A workflow cannot contain a condition activity.
- B. Each Approval activity must have a Condition activity.
- C. Each Branch activity must have a corresponding Merge activity.
- D. Each workflow must have at least one Entitlement or Entity activity.
- E. Each workflow must have only one Start activity and only one Finish activity.

Correct Answer: CDE

---

#### QUESTION 11

Which application is used to map authorizations to Identity Vault Roles?

- A. iFilter
- B. iManager
- C. Designer
- D. User Applications
- E. Role Mapping Administrator

Correct Answer: E

---

#### QUESTION 12

Which view enables you to view the filters that allow the data to flow between all of the systems and the Identity Vaults as well as view how passwords flow through the different systems?

- A. Project view
- B. Outline view
- C. Dataflow view
- D. Navigator view
- E. Policy Set view

Correct Answer: C

---

#### QUESTION 13



Which statement is true?

- A. When an event occurs in the Identity Vault, Identity Manager creates an XML document that describes the Identity Vault event and submits it through the Publisher channel to a driver shim.
- B. When an event occurs in the Identity Vault, Identity Manager creates an XML document that describes the Identity Vault event and submits it through the Subscriber channel to a driver shim.
- C. When an event occurs in a connected system, Identity Manager creates an XML document that describes the Identity Vault event and submits it through the Subscriber channel to a driver shim.
- D. When an event occurs in the Identity Vault, a driver shim creates an XML document that describes the Identity Vault event and submits it through the Subscriber channel to Identity Manager.
- E. When an event occurs in a connected system, a Driver Shim creates an XML document that describes the Identity Vault event and submits it through the Subscriber channel to Identity Manager.

Correct Answer: B

---

#### QUESTION 14

Which statements are true when using Global Configuration Values (GCVs)? (Choose 2.)

- A. GCVs can only be set on the Driver Set.
- B. If you set GCVs on the Driver Set object, those values cannot be inherited by a driver.
- C. If you set GCVs on the Driver Set object, those values are inherited by a driver and replace any existing values.
- D. If a driver has no settings of its own and inherits the GCVs from the driver set, iManager does not display them.
- E. If you set GCVs on the Driver Set object, those values are inherited by a driver in that driver set if the driver does not have values of its own.

Correct Answer: DE

---

#### QUESTION 15

When is the package catalog created?

- A. When a package is installed
- B. When a driver object is created
- C. When a Driver Set object is created
- D. When a project is created or imported

Correct Answer: D