



1Z0-822^{Q&As}

Oracle Solaris 11 Advanced System Administration

Pass Oracle 1Z0-822 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-822.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1


Select the two requirements of all interfaces in an IP network multipathing group (IPMP).

- A. be statically configured
- B. have test IP addresses configured
- C. have data IP addresses configured
- D. be connected to the same IP subnet
- E. have the same set of STREAMS modules

Correct Answer: BD

QUESTION 2

Your company has set a policy that all Oracle Solaris 11 instances must have a backup boot environment created whenever software packages are added, removed, or updated. The current boot environment must not be modified. The backup boot environment must represent the system image before the procedure and the new boot environment must represent the image before the procedure. The image properties on your system are as follows:



PROPERTY	VALUE
be-policy	default
ca-path	/etc/openssl/certs
check-certificate-revocation	False
flush-content-cache-on-success	True
mirror-discovery	False
preferred-authority	
publisher-search-order	['solaris']
send-uuid	True
signature-policy	verify
signature-required-names	[]
trust-anchor-directory	etc/certs/CA
use-system-repo	False

You are instructed to install the top utility.

Which two will allow the top package to be installed on the system while adhering to the company policy?

- A. pkg property pkg-install=backup-be pkg install top
- B. pkg set-property be-policy create-backup pkg install top
- C. pkg install --be-name BE2 top
- D. pkg set-property be-policy always-new pkg install top
- E. pkg set-property create-backup true pkg install top

Correct Answer: D



QUESTION 3

What are targets for IPMP probe-based failure detection configured by?

- A. responses to SNMP requests
- B. specifying host routes in the routing table
- C. specifying hosts in /etc/default/mpathd
- D. setting the property svc:/network/ipmp/config/transitive-probing

Correct Answer: B

QUESTION 4

Which vmstat field output indicates the effort the system is making to find memory for future processes?

- A. re
- B. sr
- C. free
- D. fr

Correct Answer: A

QUESTION 5

A contractor has been hired by your company to do some application-specific tuning. You are the administrator of the server that the contractor will be working on. You decide to enable Oracle Solaris Auditing. How will auditing help prevent misuse of the server?

- A. prevents attempts to bypass the protection mechanisms
- B. stops unauthorized activity
- C. acts as a deterrent
- D. prevents misuse

Correct Answer: A

QUESTION 6

Which two zpool subcommands will permanently remove a submirror from active storage pool?

- A. remove
- B. detach



- C. destroy
- D. offline
- E. replace
- F. split
- G. zpool does not permit this operation on an active storage pool unless the submirror faults.

Correct Answer: AB

QUESTION 7

You administer an Oracle Solaris 11 server with multiple zones. You want to configure it so that all nonprivileged users in the global zone see only their own process. What must you do to make the change?

- A. Modify the LIMITPRIV variable in the /etc/usr/user_attr file.
- B. Modify the basic privilege ser in the /etc/security/policy.conf file.
- C. Configure the priv= attribute in the /etc/security/prof_attr.d/core-os file.
- D. Configure privileges for the ps command in the /etc/security/exec_attrd/core-os file.

Correct Answer: D

QUESTION 8

A server has a nonglobal zone named zoneA. The following boot environments are listed in the global zone.

```
BE          Active Mountpoint Space  Policy Created
---          -
solaris     N      /          5.90G  static 2012-10-27 14:41
solaris-1   R      -          66.86M static 2012-11-19 09:12

The following boot environments are listed in the nonglobal zone (zoneA):

BE          Active Mountpoint Space  Policy Created
---          -
BE1         -      -          106.47M static 2012-11-19 09:18
solaris     NR     /          25.87M  static 2012-11-03 12:19
solaris-1   !R    -          478.96M static 2012-11-19 09:12
```

Which three statements describe the current state of the system?

- A. The BE1 boot environment cannot be activated from the nonglobal zone.
- B. The nonglobal zone cannot be booted to solaris-1 BE at this time.
- C. The solaris-1 BE cannot be activated from the nonglobal zone.
- D. To boot the nonglobal zone to the solaris-1 BE, the global zone must first be booted to the solaris-1 BE.



- E. The solaris-1 BE has been activated in the nonglobal zone.
- F. The nonglobal zone solaris-1 BE is not bootable and must be repaired.

Correct Answer: ABE

QUESTION 9

Which sequence of commands will create a virtual network interface?

```
A) dladm create-vnic -l net0 vnic0
   ipadm create-ip vnic0
   ipadm create-addr -T static -a 192.168.1.101/24 vnic0/v4

B) dladm create-vnic -l vnic0 net0
   ipadm create-ip net0
   ipadm create-addr -T static -a 192.168.1.101/24 net0/v4

C) dladm create-vlan -l vnic0 -v 111 net0
   ipadm create-ip vnic0
   ipadm create-addr -T static -a 192.168.1.101/24 vnic0/v4

D) dladm create-vnic -l net0 vnic0
   ipadm create-addr vnic0
   ipadm create-ip -T static -a 192.168.1.101/24 net0/v4
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: A

QUESTION 10

You are creating a new SMF service named newservice. You perform the following steps:

-

Create the XML manifest file to define the service.

-

Create a script to be used to start and stop the service and set the execute permissions on this script.

What is the next step that you must perform to install this service?

- A. Enable the service



- B. Export the service
- C. Import the service.
- D. Create a snapshot of the service to be stored in the repository.

Correct Answer: C

QUESTION 11

You and an associate named Frank administer a Solaris server. Frank will be responsible for monitoring system resource usage, so you set up a project entry for his account. Consider the following commands and output:

```
root@sol11-server:~# projects frank
default group.staff clockfix user.frank

root@sol11-server:~# getent user_attr frank
frank:::type=normal;project=clockfix;profiles=Audit Review,Cron Management

root@sol11-server:~# cat /etc/project
system:0:::
user.root:1:::
noproject:2:::
default:3:::
group.staff:10:::
clockfix:510:project-clock:frank::project.cpu-caps=(priv,1.5,deny)
user.frank:501:monitor:frank::task.max-lwps=(priv,100,signal=SIGTERM)
```

Which is Frank's default project?

- A. default
- B. clockfix
- C. user.frank
- D. group.staff

Correct Answer: B

QUESTION 12

Examine the following information:



```
root@sol11-server:~# auditconfig -getflags
active user default audit flags = lo(0x1000,0x1000)
configured user default audit flags = lo(0x1000,0x1000)

root@sol11-server:~# getent user_attr auuser
auuser:::type=normal;profiles=System Administrator, System Admin
Audit;audit_flags=ss\:no

root@sol11-server:~# profiles -p "System Admin Audit" info
Found profile in files repository.
name=System Admin Audit
desc=audit flags profile
always_audit=am,+ss
never_audit=-ss
```

Which statement describes the user auuser audit mask?

- A. All failed and successful lo events, all failed and successful am events will be logged, no ss events will be logged.
- B. All failed and successful lo events, all failed and successful am events and successful ss events will be logged.
- C. All failed and successful lo events, all failed and successful am events and failed ss events will be logged.
- D. All failed and successful lo events and all failed and successful ss events will be logged.

Correct Answer: A

QUESTION 13

Your organization uses NFS to share data from Oracle Solaris servers to Oracle Solaris clients. For the nfsmapid daemon to work properly the client and server must be on the same domain. Select the location that has the highest precedence when the nfsmapid daemon searches for a domain name.

- A. the nfsmapid_domain parameter in the mapid SMF service.
- B. the nfsmapid_domain parameter in the /etc/default/nfs file
- C. the domain name in the /etc/default/domainname file, if it exists.
- D. a_nfsv4idmapdomain TXT record found by the configured domain name servers

Correct Answer: C

QUESTION 14

Your company wants to incorporate a legacy script that runs once during the boot cycle as an SMF service. What appropriate setting for the duration attribute in the startd property group for this service?

- A. transient
- B. contract
- C. wait



D. boot

Correct Answer: B

QUESTION 15

Which option describes how to revert a service back to a previous version?

- A. Issue the svccfg delcust command.
- B. Issue the revetsnap command.
- C. Issue the restore_repository command.
- D. Issue the svccfg revert command.

Correct Answer: A

[1Z0-822 PDF Dumps](#)

[1Z0-822 VCE Dumps](#)

[1Z0-822 Practice Test](#)