



Java Enterprise Edition 5 Web Component Developer Certified Professional Exam

# Pass Oracle 1Z0-858 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/1z0-858.html

# 100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

Instant Download After Purchase

- 100% Money Back Guarantee
- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**

A JSP page contains a taglib directive whose uri attribute has the value dbtags. Which XML element within the web application deployment descriptor defines the associated TLD?

- A. dbtags/WEB-INF/tlds/dbtags.tld
- B. dbtags/WEB-INF/tlds/dbtags.tld
- C. dbtags/WEB-INF/tlds/dbtags.tld
- D. dbtags/WEB-INF/tlds/dbtags.tld

Correct Answer: D

#### **QUESTION 2**

In a JSP-centric shopping cart application, you need to move a client\\'s home address of the Customer object into the shipping address of the Order object. The address data is stored in a value object class called Address with properties for: street address, city, province, country, and postal code. Which two JSP code snippets can be used to accomplish this goal? (Choose two.)

Α.
В.
C.
D.
Ε.
F.
Correct Answer: BE

#### **QUESTION 3**

A custom tag is defined to take three attributes. Which two correctly invoke the tag within a JSP page? (Choose two.)

A. B. C. D. E.



F.

G. foobarbaz

Correct Answer: AG

#### **QUESTION 4**

A web component accesses a local EJB session bean with a component interface of com.example.Account with a home interface of com.example.AccountHome and a JNDI reference of ejb/ Account. Which makes the local EJB component accessible to the web components in the web application deployment descriptor?

A. ejb/AccountSessioncom.example.AccountHomecom.example.Account

- B. ejb/AccountSessioncom.example.AccountHomecom.example.Account
- C. ejb/AccountSessioncom.example.AccountHomecom.example.Account
- D. ejb/AccountSessioncom.example.AccountHomecom.example.Account

Correct Answer: C

# **QUESTION 5**

You are building a dating web site. The client\\'s date of birth is collected along with lots of other information. The Person class has a derived method, getAge():int, which returns the person\\'s age calculated from the date of birth and today\\'s date. In one of your JSPs you need to print a special message to clients within the age group of 25 through 35. Which two EL code snippets will return true for this condition? (Choose two.)

- A. \${client.age in [25,35]}
- B. \${client.age between [25,35]}
- C. \${client.age between 25 and 35}
- D. \${client.age = 25}
- E. \${client.age le 35 and client.age ge 25}
- F. \${not client.age > 35 and and client.age

Correct Answer: DE

# **QUESTION 6**

Which two statements about tag files are true? (Choose two.)

A. Classic tag handlers and tag files CANNOT reside in the same tag library.



B. A file named foo.tag, located in /WEB-INF/tags/bar, is recognized as a tag file by the container.

C. A file named foo.tag, bundled in a JAR file but NOT defined in a TLD, triggers a container translation error.

D. A file named foo.tag, located in a web application\\'s root directory, is recognized as a tag file by the container.

E. If files foo1.tag and foo2.tag both reside in /WEB-INF/tags/bar, the container will consider them part of the same tag library.

Correct Answer: BE

# **QUESTION 7**

You have been contracted to create a web site for a free dating service. One feature is the ability for one client to send a message to another client, which is displayed in the latter client\\'s private page. Your contract explicitly states that security is a high priority. Therefore, you need to prevent cross-site hacking in which one user inserts JavaScript code that is then rendered and invoked when another user views that content. Which two JSTL code snippets will prevent cross-site hacking in the scenario above? (Choose two.)

A. \${message}

Β.

C.

D. \${message}

Ε.

Correct Answer: BC

# **QUESTION 8**

Which two statements are true about the security-related tags in a valid Java EE deployment descriptor? (Choose two.)

A. Every tag must have at least one tag.

- B. A tag can have many tags.
- C. A given tag can apply to only one tag.
- D. A given tag can contain from zero to many tags.

E. It is possible to construct a valid tag such that, for a given resource, no user roles can access that resource.

Correct Answer: BE

#### **QUESTION 9**

A developer chooses to avoid using SingleThreadModel but wants to ensure that data is updated in a thread-safe manner. Which two can support this design goal? (Choose two.)



- A. Store the data in a local variable.
- B. Store the data in an instance variable.
- C. Store the data in the HttpSession object.
- D. Store the data in the ServletContext object.
- E. Store the data in the ServletRequest object.

Correct Answer: AE

# **QUESTION 10**

A developer for the company web site has been told that users may turn off cookie support in their browsers. What must the developer do to ensure that these customers can still use the web application?

A. The developer must ensure that every URL is properly encoded using the appropriate URL rewriting APIs.

B. The developer must provide an alternate mechanism for managing sessions and abandon the HttpSession mechanism entirely.

C. The developer can ignore this issue. Web containers are required to support automatic URL rewriting when cookies are not supported.

D. The developer must add the string ?id= to the end of every URL to ensure that the conversation with the browser can continue.

Correct Answer: A

# **QUESTION 11**

Given the element from the web application deployment descriptor:

/main/page1.jsp true

and given that /main/page1.jsp contains:

What is the result?

Α.

B. **12** 

C. The JSP fails to execute.

D.

Correct Answer: C



# **QUESTION 12**

Which two about WAR files are true? (Choose two.)

A. WAR files must be located in the web application library directory.

B. WAR files must contain the web application deployment descriptor.

C. WAR files must be created by using archive tools designed specifically for that purpose.

D. The web container must serve the content of any META-INF directory located in a WAR file.

E. The web container must allow access to resources in JARs in the web application library directory.

Correct Answer: BE

#### **QUESTION 13**

Which JSTL code snippet can be used to perform URL rewriting?

A. \_ B. \_ C. \_ D. \_

Correct Answer: C

# **QUESTION 14**

You have built a collection of custom tags for your web application. The TLD file is located in the file: / WEB-INF/myTags.xml. You refer to these tags in your JSPs using the symbolic name: myTags. Which deployment descriptor element must you use to make this link between the symbolic name and the TLD file name?

A. myTags/WEB-INF/myTags.xml

- B. myTags/WEB-INF/myTags.xml
- C. myTags/WEB-INF/myTags.xml
- D. myTags/WEB-INF/myTags.xml

Correct Answer: D

#### **QUESTION 15**

Click the Exhibit button.

The attribute "name" has a value of "Foo,"



What is the result if this tag handler\\'s tag is invoked?

```
5. public class MyTagHandler extends
TaySupport {
     public int doStartTag() throws
 6.
JspException {
        try {
 7
 8.
          Writer out =
pageContext.getResponse().getTriter();
 9.
          String name =
pageContext.findAttribute("name");
10.
          out.print(name),
        } catch(Exception ex) { /* handle
11.
exception */ }
12.
        return SKIP_BODY;
13.
      }
14
      public int doAfterBody() throws
15.
JspException {
16.
        try {
          Writer out =
17.
pageContext.getResponse().getWriter();
18. out.print("done");
        } catch(Exception ex) { /* handle
19.
exception */ }
20.
       return EVAL_PAGE;
      }
21.
42. }
```

# A. Foo

B. done

- C. Foodone
- D. An exception is thrown at runtime.
- E. No output is produced from this code.
- F. Compilation fails because of an error in this code.

Correct Answer: A

Latest 1Z0-858 Dumps

1Z0-858 Practice Test

1Z0-858 Exam Questions