



1Y0-253^{Q&As}

Implementing Citrix NetScaler 10.5 for App and Desktop Solutions

Pass Citrix 1Y0-253 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1y0-253.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two items are needed to import an SSL certificate? (Choose two.)

- A. A public key
- B. A private key
- C. A root certificate
- D. A server certificate
- E. An intermediate certificate

Correct Answer: BD

QUESTION 2

Scenario: A number of administrators received the following error when they attempted to connect to the Configuration Utility using a secured HTTPS connection:

The site's security certificate is not trusted!

One of the administrators installed a certificate from a trusted Certificate Authority on the NetScaler and is planning to configure the Configuration Utility to use this certificate.

Which NetScaler command must the administrator run at the command-line interface to configure the Configuration Utility with the new certificate?

- A. set ssl service
- B. set ssl vserver
- C. bind ssl service
- D. bind ssl vserver

Correct Answer: C

QUESTION 3

Which command-line interface command could an administrator use to display communication between the LDAP server and the NetScaler system?

- A. cat jetcjkrb5.conf
- B. cat jetcjkrb5.keytab



- C. cat jtmpjaaad.debug
- D. cat jvarjlogjaaad.debug
- E. tail -f jvarjlogjaaad.debug

Correct Answer: C

QUESTION 4

Scenario: A Citrix Administrator needs to restrict access to sensitive financial applications. The applications should be accessible within the internal network, but NOT accessible externally through the NetScaler Gateway.

What should the administrator configure to accomplish this requirement?

- A. AAA group
- B. Traffic policy
- C. Authorization policy
- D. SmartAccess policy

Correct Answer: D

QUESTION 5

A Citrix Administrator would like to use TCP Profiles to optimize NetScaler Gateway for ICA Access without affecting other load balanced traffic.

The administrator should use the and bind it . (Choose the correct option to complete the sentence.)

- A. nstcp default profile; globally
- B. nstcp default XA XD profile; globally
- C. nstcp default profile; to the NetScaler Gateway virtual server
- D. nstcp default XA XD profile; to the NetScaler Gateway virtual server

Correct Answer: D

QUESTION 6

Which two things occur after adding a Subnet IP (SNIP) to a NetScaler which already has a Mapped IP (MIP)? (Choose



two.)

- A. The NetScaler IP (NSIP) is no longer required.
- B. A SNIP will be used in preference to a MIP.
- C. Adding a SNIP adds an entry to the routing table.
- D. Client machines can use the MIP instead of the virtual IP (vIP).

Correct Answer: BC

QUESTION 7

Which two IP addresses are required for a new NetScaler Gateway installation when using the First-Time Setup Wizard? (Choose two.)

- A. Client IP (CIP)
- B. virtual IP (vIP)
- C. Subnet IP (SNIP)
- D. NetScaler IP (NSIP)

Correct Answer: AB

QUESTION 8

What is required to configure a NetScaler Gateway cluster?

- A. Striped IP addresses
- B. Strict option is enabled
- C. Sticky option is enabled
- D. Enterprise or Platinum license

Correct Answer: C

QUESTION 9

A Citrix Administrator needs to ensure that published applications are available to users through StoreFront.

Which monitor type should the administrator use to ensure that services are available?

- A. HTTP



- B. HTTP-ECv
- C. STOREFRONT
- D. CITRIX-WEB-INTERFACE

Correct Answer: C

QUESTION 10

Scenario: A Citrix Administrator has configured Outlook Web Access by means of a Citrix NetScaler AAA virtual server.

Users complain that they need to re-authenticate after 30 minutes of inactivity. Users work all day from Outlook Web Access.

Which configuration change should an administrator make to ensure the session is available the entire workday?

- A. Session time-out in 480 (minutes).
- B. Enable Persistent Cookie validity in 480 (minutes).
- C. Set Client Idle Time-out to 10800 (seconds) on the Outlook Web Access virtual server.
- D. Set Client Idle Time-out to 10800 (seconds) on the Outlook Web Access Service (group).

Correct Answer: B

QUESTION 11

External users should only be allowed to access an application from devices with a specific registry setting.

What should an administrator configure on the NetScaler to restrict access to the application?

- A. LDAP
- B. L3 Mode
- C. SSLjvPN
- D. Endpoint Analysis

Correct Answer: D

QUESTION 12



A Citrix Administrator needs to configure a single virtual server to accept TCP traffic on ports 80, 443 and ports between 10000 and 19999.

Which protocol type should the administrator use to accomplish this task?

- A. ANY
- B. UDP
- C. SSL TCP
- D. SSL PUSH

Correct Answer: A

QUESTION 13

In which directory can a Citrix Administrator locate the SSL certificates, certificate keys and root CA files?

- A. jvarjnslog
- B. jvarjns gui
- C. jnsconfigjssl
- D. jvarjnetscaler

Correct Answer: C

QUESTION 14

While logged on to the NetScaler Configuration Utility, a Citrix Administrator notices that CPU utilization is higher than expected.

What should the administrator configure to receive notification of this event in the future, when the administrator is NOT logged on?

- A. Auditing
- B. SNMP Trap
- C. SNMP view
- D. AppFlow Logging

Correct Answer: B

QUESTION 15



What is required to configure SSL Offloading on a virtual server?

- A. Public Key
- B. Client Certificate
- C. Certificate-Key Pair
- D. Certificate Authority

Correct Answer: C

[Latest 1Y0-253 Dumps](#)

[1Y0-253 VCE Dumps](#)

[1Y0-253 Exam Questions](#)