



# 1Y0-371<sup>Q&As</sup>

Designing, Deploying and Managing Citrix XenMobile 10 Enterprise Solutions

**Pass home 1Y0-371 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1y0-371.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by home  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

A Citrix Engineer needs to push Exchange ActiveSync credentials to the native iOS email client for mobile devices using one policy for all users in an organization.

Which macro expression should the engineer use to automatically populate the users' email addresses?

- A. {user.mail}
- B. %user.mail%
- C. {device.mail}
- D. %device.mail%

Correct Answer: A

---

### QUESTION 2

Scenario: A Citrix Engineer is enrolling iOS devices. After the certificate and profile installation, users are unable to access the Work Store.

What are two possible causes of this behavior? (Choose two.)

- A. The maximum number of allowed users has been met.
- B. The XenMobile Enterprise license does NOT exist.
- C. The NetScaler Universal Access licenses do NOT exist.
- D. The maximum number of devices for each user has been met.

Correct Answer: AC

---

### QUESTION 3

A Citrix Engineer must determine the placement of a XenMobile Device Manager server within a XenMobile deployment that consists of NetScaler.

Which two placement options are possible? (Choose two.)

- A. DMZ using Caching on the NetScaler
- B. DMZ using SSL Bridge on the NetScaler
- C. LAN using SSL Offloading on the NetScaler
- D. LAN using Clientless VPN on the NetScaler

Correct Answer: BC

---

**QUESTION 4**

Scenario: A Citrix Engineer must provide remote users with access to their corporate e-mail from their mobile devices.

The engineer must ensure remote users' mobile devices meet the following requirements:

-

Mobile devices require a PIN for corporate email.

-

Mobile devices cannot be jailbroken.

-

Mobile devices must be enrolled to XenMobile Device Manager.

-Only iOS devices will have access to corporate email.

Which component should the engineer include in the solution to enforce the requirements outlined in the scenario?

- A. WorxMail
- B. App Controller
- C. TouchDown mail client
- D. XenMobile NetScaler Connector

Correct Answer: D

---

**QUESTION 5**

Scenario: A Citrix Engineer is getting ready to deploy a XenMobile pilot environment to several users in the Sales department. The engineer assigned to the project has provided some users with logon instructions and a URL for the NetScaler Gateway. The engineer has configured LDAP for SSO with SAMAccountName. Several users are reporting that they are unable to log on.

Which file could the engineer check on the NetScaler to help troubleshoot the issue?

- A. aaad.debug
- B. ns.log
- C. auth.log
- D. newnslog

Correct Answer: A

---



### QUESTION 6

Scenario: A company with 29,000 enrolled users recently acquired another company with 8,000 users. All new users also will need access to Enterprise applications. Each server's specifications include four vCPUs and 16 GB of RAM.

What is the minimum amount of XenMobile cluster nodes required to support this environment?

- A. One
- B. Two
- C. Three
- D. Four

Correct Answer: D

---

### QUESTION 7

A Citrix Engineer integrated a XenMobile Server with StoreFront and now users are unable to enumerate any of their XenApp applications.

Which step must the engineer take to resolve this issue?

- A. Re-enter the correct relative path from the StoreFront services site on the XenMobile Server.
- B. Wrap Receiver with the MDX Toolkit and push the client to the device.
- C. Terminate active ICA sessions on the NetScaler.
- D. Add the XenMobile Server to the list of Delivery Controllers on the StoreFront Server.

Correct Answer: A

---

### QUESTION 8

Scenario: A Citrix Engineer is deploying a XenMobile Proof of Concept (POC) environment. The engineer imports the XenMobile Management Server onto the hypervisor and performs the initial configuration using the console. The engineer also enables FIPS mode during the initial configuration.

Which URL should the engineer use to continue the configuration in the XenMobile Console if the engineer assigns an IP address of format x.x.x.y to the XenMobile Server?

- A. <https://x.x.x.y:443>
- B. <https://x.x.x.y:8443>
- C. <https://x.x.x.y:4443>
- D. <https://x.x.x.y:9443>

Correct Answer: B

---



### QUESTION 9

Which two configurations could be changed only by reinstalling the XenMobile Server using the command-line interface? (Choose two.)

- A. Default Gateway
- B. XenMobile hostname
- C. Primary DNS server
- D. IP address
- E. Upgrade option

Correct Answer: BE

---

### QUESTION 10

Scenario: A customer would like to configure a single NetScaler Gateway that facilitates access to XenMobile and XenApp/XenDesktop resources from iOS and Android mobile devices. The customer also plans for users to access XenApp and XenDesktop resources by using a web browser from other endpoints.

The following Session Policies and expressions have been configured on NetScaler:

-

Policy 1: REQ.HTTP.HEADER User-Agent NOTCONTAINS CitrixReceiver andand REQ.HTTP.HEADER Referer EXISTS

-

Policy 2: REQ.HTTP.HEADER User-Agent CONTAINS CitrixReceiver andand REQ.HTTP.HEADER X-Citrix-Gateway EXISTS

A Citrix Engineer is asked to create a new Session Profile for users accessing resources through web browsers on their endpoint devices.

The profile should be bound to \_\_\_\_\_ and direct users to \_\_\_\_\_. (Choose the correct set of options to complete the sentence.)

- A. Policy 1; the XenMobile Server
- B. Policy 1; StoreFront
- C. Policy 2; the XenMobile Server
- D. Policy 2; StoreFront

Correct Answer: B

---



### QUESTION 11

Scenario: A Citrix Engineer has configured a Netscaler Gateway virtual server that will be accessed externally by users through the Worx Home client. Root certificates are installed on the NetScaler. Users are having issues accessing the Netscaler Gateway remotely.

Which two reasons could be causing this issue? (Choose two.)

- A. The certificates uploaded are SHA256.
- B. The NetScaler is missing the correct intermediate certificates.
- C. The certificates are NOT linked.
- D. The NetScaler certificate is NOT uploaded to the XenMobile Server.

Correct Answer: AD

---

### QUESTION 12

Scenario: A Citrix Engineer needs to publish a custom mobile application for iOS devices from the XenMobile environment.

Security requirements for the application are as follows:

-Clipboard must be disabled.

-

Application cannot be installed on jailbroken devices.

Which action must the engineer take to meet the security requirements stated in the scenario?

- A.  
Wrap the .ipa file using the MDX Toolkit for XenMobile and configure the MDX policies.
- B.  
Upload the .ipa file to the XenMobile Device Manager and create a deployment package to install the application on the user device during device enrollment.
- C.  
Upload the .ipa file directly to App Controller and require enrollment to the XenMobile Device Manager before users can register with the App Controller.
- D.  
Publish the application for employees using the Apple App Store and require that users download the application from the Apple App Store instead of the App Controller.

Correct Answer: A

---



### QUESTION 13

Scenario: A Citrix Engineer has already backed up the XenMobile configuration database. The following is a list, in no particular order, of some of the remaining steps that the engineer must complete to apply a patch to a multi-node, clustered XenMobile Server deployment:

1.

Shut down the updated node.

2.

Repeat the above steps for each node in the cluster until all nodes have been upgraded.

3.

Fail over to secondary node.

4.

Update the running node and confirm that the service is running.

5.

Start the next node in the cluster.

6.

Shut down all but one node.

7.

Verify that all nodes are running in the cluster.

8.

Update all nodes at the same time.

9.

Restore the XenMobile configuration database.

Which six steps must the engineer take, and in which order do they need to be completed, to apply a patch to a multi-node, clustered XenMobile Server deployment?

A. 6, 4, 1, 5, 2, 7

B. 6, 8, 7, 1, 3, 9

C. 7, 8, 6, 3, 2, 9

D. 7, 6, 3, 4, 9, 2

Correct Answer: A



#### QUESTION 14

A Citrix Engineer downloaded the incorrect version of Worx Home on an Android device and is attempting to uninstall Worx Home, but attempts to uninstall have NOT been successful.

What should the engineer do to successfully uninstall Worx Home?

- A. Restart the device.
- B. Deactivate Worx Home as an administrator on the device.
- C. Unenroll the device.
- D. Remove all MDX applications from the device.

Correct Answer: C

---

#### QUESTION 15

A Citrix Engineer created an Automated Action to determine when a device has been rooted or jailbroken and needs to customize the text of the email that users receive when NOT in compliance.

How could the engineer customize the text of the email that users receive?

- A. Add text to an Ad Hoc notification.
- B. Change the Notification Server settings.
- C. Edit the corresponding Notification Template.
- D. Modify the text in the Automated Action Policy.

Correct Answer: C

[Latest 1Y0-371 Dumps](#)

[1Y0-371 VCE Dumps](#)

[1Y0-371 Study Guide](#)