



1Z0-931-21^{Q&As}

Oracle Autonomous Database Cloud 2020 Specialist

Pass Oracle 1Z0-931-21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-931-21.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An Autonomous Database (ADB) user with an instance wallet has left the company and they shared a database user id with other users when accessing ADB.

Other than changing the shared user password, what can the admin do to protect the instance?

- A. Trust the user who left to not access the database.
- B. Shutdown and restart the instance.
- C. Rotate the instance wallet and share the new wallet with the remaining users.
- D. Delete the user.

Correct Answer: C

Rotate Wallets for Autonomous Database

Wallet rotation lets you invalidate existing client certification keys for a database instance or for all Autonomous Database instances in a region.

You may want to rotate wallets for any of the following reasons:

- If your organization's policies require regular client certification key rotation.
- When a client certification key or a set of keys is suspected to be compromised.

There are two options for client certification key rotation:

- Per-database with **Instance Wallet** selected:
 - For the database whose certification key is rotated, any existing database specific instance wallets will be void. After you rotate a wallet you have to download a new wallet to connect to the database.
 - Regional wallets containing all database certification keys continue to work.
 - All user sessions are terminated for the database whose wallet is rotated. User session termination begins after wallet rotation completes, however this process does not happen immediately.
- Regional level with **Regional Wallet** selected:
 - For the region whose certification key is rotated, both regional and database specific instance wallets will be void. After you rotate a wallet you have to download new regional or instance wallets to connect to any database in the region.
 - All user sessions are terminated for the databases in the region whose wallet is rotated. User session termination begins after wallet rotation completes, however this process does not happen immediately.

QUESTION 2

Which two methods can you use to create users and grant roles in Autonomous Database services? (Choose two.)

- A. through the Oracle Cloud Infrastructure service console
- B. through SQL/Developer s
- C. using DBMS_CLOUD_ADMIN package



D. through SQLPlus

Correct Answer: BD

<https://oracle-base.com/articles/vm/oracle-cloud-autonomous-data-warehouse-adw-create-service> <https://docs.oracle.com/en/cloud/paas/autonomous-data-warehouse-cloud/user/connectsqlplus.html#GUID-A3005A6E-9ECF-40CB-8EFC-D1CFF664EC5A>

<https://docs.oracle.com/en/cloud/paas/autonomous-data-warehouse-cloud/user/connect-sqldev.html#GUID-FB611317-2999-4C8C-8A3B-B3B3D3C5B417>

<https://docs.oracle.com/en/cloud/paas/autonomous-data-warehouse-cloud/user/dbms-cloudadmin.html#GUID-D76B229E-781E-45C0-9F14-CAF30F9E6E3B>

"To create users in your database, connect to the database as the ADMIN user using any SQL client tool." <https://docs.oracle.com/en/cloud/paas/autonomous-data-warehouse-cloud/user/manage-userscreate.html#GUID-54CA837B-CD6A-4ED2-A960-5874535818CB>

QUESTION 3

Autonomous Exadata Infrastructure Maintenance

Exadata infrastructure maintenance takes place at least once each quarter and is mandatory. You can schedule a maintenance window to control the time, day of the week, and week of the month for Exadata infrastructure maintenance. Exadata infrastructure maintenance patches the Exadata infrastructure (including patching of the Exadata grid infrastructure code and operating systems updates), and do not include database patching. Oracle notifies you about upcoming Exadata infrastructure maintenance in the weeks before quarterly Exadata infrastructure patching occurs. You can also view scheduled maintenance runs in the Oracle Cloud Infrastructure console. The following tasks explain how to view scheduled and past maintenance updates, and how to edit the maintenance schedule for an Exadata infrastructure instance:

- [To configure the automatic maintenance schedule for an Autonomous Exadata Infrastructure resource](#)
- [To view the next scheduled maintenance for an Autonomous Exadata Infrastructure resource](#)
- [To view the maintenance history of an Autonomous Exadata Infrastructure resource](#)

You can use the [GetMaintenanceRun](#), [ListMaintenanceRun](#), and [UpdateAutonomousExadataInfrastructure](#) API operations to view details about scheduled and past maintenance updates, and to update the maintenance schedule of your infrastructure instance.

Which stage of the indexing pipeline divides text into tokens?

- A. SECTIONER
- B. FILTER
- C. Otokenizer
- D. LEXER



Correct Answer: D

QUESTION 4

Which two statements are true about Data Insights?

- A. You can retrieve previously executed Data Insights searches.
- B. Data Insights is available with on-premises deployments of Oracle Database.
- C. Data Insights is an additional priced option.
- D. You can search for Data Insights against a base table or business model.

Correct Answer: AD

QUESTION 5

Which option should you use to create a graph with Graph Studio?

- A. A graph license key
- B. NoSQL configuration
- C. Graph created by a special tool downloaded from oracle.com
- D. Graph analytics algorithms
- E. Tables in an Autonomous Database instance

Correct Answer: E

QUESTION 6

Which statement is true when you provision an Autonomous Database using the cloning method?

- A. After an Autonomous database is created using a clone, the network access option can be changed.
- B. A clone database source can be a running database instance.
- C. A clone database source can be from a point-in-time backup that is less than 2 hours old.
- D. When cloning an Autonomous Database, Oracle Machine Learning workspaces, projects, and notebooks of the source database are cloned to the new database.


Correct Answer: B



QUESTION 7

AUTONOMOUS DATABASE SERVICES

The underlying converged database capabilities of the Oracle Database enable the Autonomous Database to be offered in two editions that are specifically tailored to a workload following Oracle's Best Practice recommendations. Oracle Autonomous Data Warehouse (ADW) is tailored to Data Warehousing, Data Marts, Data Lakes, and Machine Learning workloads. Oracle Autonomous Transaction Processing (ATP) is tailored to On-Line Transaction Processing, Batch, reporting, IoT, application development, machine learning, and mixed workload environments.



In which four ways can Oracle Database optimally access data in Object Storage?

- A. optimized data archive using partitioned external tables
- B. optimized data archive using hybrid partitioned tables
- C. scan avoidance using block skipping when reading parquet and orc files
- D. scan avoidance using columnar pruning for columnar stores like parquet and orc
- E. scan avoidance using partitioned external tables
- F. scan avoidance using columnar pruning for .csv files

Correct Answer: ABDE

QUESTION 8

You have a requirement to create an Autonomous Transaction Processing database that can support at least 200 concurrent statements per OCPU as well as parallelism.

Which service will you need to connect to?

- A. TPURGENT
- B. TP



C. MEDIUM

D. LOW

Correct Answer: A

tpurgent: The highest priority application connection service for time critical transaction processing operations. This connectionservice supports manual parallelism.

<https://docs.oracle.com/en/cloud/paas/atp-cloud/atpug/connect-predefined.html#GUID-9747539B-FD4644F1-8FF8-F5AC650F15BE>

QUESTION 9

Which statement is correct about the Service console in an Autonomous Database?

- A. You can use Service console to enable or disable auto scaling of Autonomous DB
- B. You can use Service console to manage runaway SQL statements on Autonomous DB
- C. You can use Service console to move Autonomous DB between compartments
- D. You can use Service console to create manual backups of Autonomous database

Correct Answer: B

QUESTION 10

Data Guard is enabled for your Autonomous Database and the Lifecycle State field for the primary database indicates that it is stopped.

Which statement is true?

- A. The standby database is terminated.
- B. The standby database is also stopped.
- C. Switchover is automatically initiated.
- D. Failover is automatically initiated.

Correct Answer: B

QUESTION 11

You are the admin of an Autonomous Database (ADB) instance, and a new developer has requested a new workspace in APEX.



What statement describes the step to provide the developer a new workspace in APEX?

- A. Create an IDCS user with the APEX role.
- B. Access the APEX Administration Services and create the workspace for the developer.
- C. Create a new developer account.
- D. Create a database user with the APEX role.

Correct Answer: B

<https://docs.oracle.com/en/database/oracle/application-express/19.1/htmig/creating-workspace-andadding-Oracle-AE-users.html#GUID-1040F145-452A-49D4-BCF6-A80851AFFA74> Create a New Instance Administrator Login to the INTERNAL workspace as the ADMIN user, or another existing admin user. Click the "Create User" link on the right-hand menu. For a new admin user enter mandatory items and the following. Workspace : INTERNAL Default Schema : APEX_180200 {or whatever the highest version is} User is an administrator: Yes Account Availability : Unlocked Password and Confirmation Password. Require Change of Password on First Use : Yes Click the "Create User" button.

<https://oracle-base.com/articles/misc/apex-tips-basic-apex-management>

QUESTION 12

What is the role of a Fleet Administrator in Autonomous Database (ADB) on Dedicated Infrastructure deployments?

- A. Fleet Administrator defines and gains access to the ADMIN administrative user account for the database.
- B. Fleet administrators create, monitor and manage Autonomous Exadata Infrastructure and Autonomous Container Database resources.
- C. Fleet Administrators are responsible for patching and backups of all container databases.
- D. Fleet Administrators create, monitor and manage Autonomous Databases.

Correct Answer: B

<https://docs.oracle.com/en/cloud/paas/autonomous-database/adbah/index.html#articletitle>

<https://docs.oracle.com/en/cloud/paas/autonomous-database/atpfg/index.html>

QUESTION 13

Which statement is FALSE about Oracle Data Safe?

- A. It supports only Autonomous Databases.
- B. It helps you assess the security of your cloud database configurations by analyzing database configurations.
- C. It helps you find and mask sensitive data in your database by inspecting the actual data in your database and its data dictionary.
- D. It evaluates user types, how users are authenticated, and the password policies assigned to each user.
- E. It helps you evaluate risks to data, assess user security, monitor user activity, and address data security compliance



requirements.

Correct Answer: E

QUESTION 14

You are requested to analyze a year's stock purchase data which is stored in Autonomous Data Warehouse instance. Which tool would you use to automate data exploration and create pivot tables?

- A. Business Models
- B. Data Load
- C. SQL Developer Web
- D. APEX

Correct Answer: B

About Business Models

Business models describe the business entities that are derived from data in an Oracle Autonomous Database schema or other sources linked to the database.

Business entities include tables, such as dimension tables for Time and Product values and fact tables for Sales data. Analytic views are also business entities that are derived from database tables and views. Business models contain additional metadata about those entities.

A business model is deployed to an analytic view. A business model doesn't store data but it does explain the relationships between the entities.

QUESTION 15

While Autonomous Transaction Processing and Autonomous Data Warehouse use the same Oracle database, which statement is true about the workloads?

- A. Autonomous Transaction Processing memory usage optimizes workloads for parallel joins and aggregations.
- B. Autonomous Data Warehouse workloads are optimized for mixed workloads.
- C. Autonomous Transaction Processing workloads are optimized for data warehouse, data mart, and data lake.
- D. Data that is bulk loaded, by default, uses the row format in Autonomous Transaction Processing where Autonomous Data Warehouse data format is columnar.

Correct Answer: D

<https://docs.oracle.com/en/cloud/paas/atp-cloud/atpug/autonomous-intro-atp.html#GUID-B90147B2EA04-4147-9606-0413D9CC1589>

<https://docs.oracle.com/en/cloud/paas/atp-cloud/atpug/autonomous-intro-atp.html#GUID->



B90147B2EA04-4147-9606-0413D9CC1589

[1Z0-931-21 PDF Dumps](#)

[1Z0-931-21 Exam
Questions](#)

[1Z0-931-21 Braindumps](#)