



1Z0-931-22^{Q&As}

Oracle Autonomous Database Cloud 2022 Professional

Pass Oracle 1Z0-931-22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-931-22.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

What is the role of a Fleet Administrator in Autonomous Database (ADB) on Dedicated Infrastructure deployments?

- A. Fleet Administrator defines and gains access to the ADMIN administrative user account for the database.
- B. Fleet administrators create, monitor and manage Autonomous Exadata Infrastructure and Autonomous Container Database resources.
- C. Fleet Administrators are responsible for patching and backups of all container databases.
- D. Fleet Administrators create, monitor and manage Autonomous Databases.

Correct Answer: B

<https://docs.oracle.com/en/cloud/paas/autonomous-database/adbah/index.html#articletitle>

<https://docs.oracle.com/en/cloud/paas/autonomous-database/atpfg/index.html>

QUESTION 2

Which option should you use to create a graph with Graph Studio?

- A. A graph license key
- B. NoSQL configuration
- C. Graph created by a special tool downloaded from oracle.com
- D. Graph analytics algorithms
- E. Tables in an Autonomous Database instance

Correct Answer: E

QUESTION 3

Which four file formats are supported when loading data from Cloud Storage?

- A. DOC
- B. AVRO
- C. JSON
- D. DDL
- E. Dcsv
- F. Parquet

Correct Answer: BCEF



QUESTION 4

Which set of Oracle Cloud Infrastructure metrics is available only for Autonomous Database on Dedicated Infrastructure?

- A. IOPS, Storage Space Used By Tablespace, Apply and Transport Lag
- B. CPU Utilization, Storage Utilization
- C. Query Latency, User Calls, Execute Count
- D. Transaction Count, Sessions, Running Statements

Correct Answer: B

QUESTION 5

Which three statements are true about procedures in the DBMS_CLOUD package? (Choose three.)

- A. The DBMS_CLOUD.PUT_OBJECT procedure copies a file from Cloud Object Storage to the Autonomous Data Warehouse.
- B. The DBMS_CLOUD.CREATE_CREDENTIAL procedure stores Cloud Object Storage credentials in the Autonomous Data Warehouse database.
- C. The DBMS_CLOUD.VALIDATE_EXTERNAL_TABLE procedure validates the source files for an external table, generates log information, and stores the rows that do not match the format options specified for the external table in a badfile table on Autonomous Data Warehouse.
- D. The DBMS_CLOUD.DELETE_FILE procedure removes the credentials file from the Autonomous Data Warehouse database.
- E. The DBMS_CLOUD.CREATE_EXTERNAL_TABLE procedure creates an external table on files in the cloud. You can run queries on external data from the Autonomous Data Warehouse.

Correct Answer: BCE

DELETE_FILE Procedure

This procedure removes the specified file from the specified directory on Autonomous Data Warehouse.

CREATE_CREDENTIAL Procedure

This procedure stores Cloud Object Storage credentials in the Autonomous Data Warehouse database.

Use stored credentials for data loading or for querying external data residing in the Cloud.

PUT_OBJECT Procedure

This procedure copies a file from Autonomous Data Warehouse to the Cloud Object Storage. The maximum file size allowed in this procedure is 5 gigabytes (GB).



VALIDATE_EXTERNAL_TABLE Procedure This procedure validates the source files for an external table, generates log information, and stores the rows that do not match the format options specified for the external table in a badfile table on Autonomous Data Warehouse. **CREATE_EXTERNAL_TABLE Procedure** This procedure creates an external table on files in the Cloud. This allows you to run queries on external data from Autonomous Data Warehouse.

To use Data Pump from ADB, a credential identifying the Object Storage bucket to use must be defined with a `DBMS_CLOUD.CREATE_CREDENTIAL` function. This will allow ADB to access objects that are stored in the object store, including dump files. To export an existing database to prepare for import into ADB, use the XTP command and add the `exclude` option for database functionality that is not recommended or supported in ADB. This will prevent errors during the import process. This process is not automatic. And if the logs are not moved, you will receive a warning when running the MDB that the logs are not there. In this example, we're moving the log import.log to object store with a `DBMS_CLOUD.PUT_OBJECT` command.

VALIDATE_EXTERNAL_TABLE Procedure This procedure validates the source files for an external table, generates log information, and stores the rows that do not match the format options specified for the external table in a badfile table on Autonomous Database. The overloaded form enables you to use the `operation_id` parameter. **PUT_OBJECT Procedure** This procedure copies a file from Autonomous Database to the Cloud Object Storage. The maximum file size allowed in this procedure is 5 gigabytes (GB). **DELETE FILE Procedure** This procedure removes the specified file from the specified directory on Autonomous Database. **CREATE_EXTERNAL_TABLE Procedure** This procedure creates an external table on files in the Cloud. This allows you to run queries on external data from Autonomous Database.

QUESTION 6

Which method will NOT permit you to change the database Admin Password of a Autonomous Database on Shared Infrastructure?

- A. Admin page of the Cloud Service Console
- B. OCI CLI
- C. OS command line from the database server.
- D. SQLDeveloper

Correct Answer: C

QUESTION 7

When working with an Autonomous Exadata Infrastructure supporting Autonomous Databases, where do you go to view the maintenance history of the Exadata?

- A. Under Core Infrastructure then Compute then Autonomous Exadata
- B. Under Solutions and Platform then Platform Services then Autonomous Exadata
- C. Under Database then Autonomous Transaction Processing then Autonomous Exadata
- D. Under Core Infrastructure then Autonomous Exadata

Correct Answer: C

<https://docs.oracle.com/en-us/iaas/Content/Database/Tasks/adbmanaginginfrastructure.htm#viewmaintenancehistory>
<https://docs.oracle.com/en-us/iaas/Content/Database/Tasks/adbmanaginginfrastructure.htm#viewmaintenancehistory>.




Even though the UI has changed recently, this documentation has the user go to Menu-> Database

QUESTION 8

AUTONOMOUS DATABASE SERVICES

The underlying converged database capabilities of the Oracle Database enable the Autonomous Database to be offered in two editions that are specifically tailored to a workload following Oracle's Best Practice recommendations. Oracle Autonomous Data Warehouse (ADW) is tailored to Data Warehousing, Data Marts, Data Lakes, and Machine Learning workloads. Oracle Autonomous Transaction Processing (ATP) is tailored to On-Line Transaction Processing, Batch, reporting, IoT, application development, machine learning, and mixed workload environments.



In which four ways can Oracle Database optimally access data in Object Storage?

- A. optimized data archive using partitioned external tables
- B. optimized data archive using hybrid partitioned tables
- C. scan avoidance using block skipping when reading parquet and ore files
- D. scan avoidance using columnar pruning for columnar stores like parquet and orc
- E. scan avoidance using partitioned external tables
- F. scan avoidance using columnar pruning for .csv files

Correct Answer: ABDE

QUESTION 9

Which two options are available to restore an Oracle Autonomous Database?

- A. Select the backup from which restore needs to be done.



- B. Specify the point in time (timestamp) to restore.
- C. Select the snapshot of the backup.
- D. Use Recovery Manager (RMAN) to connect to Autonomous Database and back it up.
- E. Specify the archived custom image.

Correct Answer: AB

QUESTION 10

What are three methods to load data into the Autonomous Database?

- A. Oracle GoldenGate
- B. Transportable Tablespace
- C. RMAN Restore
- D. Oracle Data Pump
- E. SQL*Loader

Correct Answer: ADE

<https://www.oracle.com/database/technologies/datawarehouse-bigdata/adb-faqs.html#ATPD>

<https://docs.oracle.com/en/cloud/paas/autonomous-data-warehouse-cloud/user/load-dataintro.html#GUID-5D2F70D8-4FA1-482C-BFB0-43441FB897F3>

QUESTION 11

While provisioning a dedicated Autonomous Container Database, which backup retention can NOT be implemented?

- A. 60 days
- B. 7 days
- C. 15 days D. 120 days

Correct Answer: D

QUESTION 12

For Fleet admins to access dedicated Exadata infrastructure, which policy should be assigned?

- A. Allow group ADB-Admins to manage autonomous-database in tenancy where target.workloadType = 'DW\'
- B. Allow group ADB-Admins to manage autonomous-database in tenancy.



C. Allow group ADB-Admins to manage autonomous-database-family in tenancy.

D. Allow group ADB-Admins to manage autonomous-database in tenancy where target.workloadType = 'OLTP'

Correct Answer: C

<https://docs.oracle.com/en-us/iaas/Content/Identity/Reference/adbpolicyreference.htm>

QUESTION 13

Where are customer-managed encryption keys stored for Autonomous Database on Dedicated Infrastructure?

A. inside the Autonomous Database wallet

B. inside the backups of the container database

C. In a separate key vault external to the Exadata Infrastructure

D. on the Exadata Infrastructure where Autonomous Database Dedicated is hosted

Correct Answer: C

QUESTION 14

A Corporation is building a web application to allow its customers to schedule service requests online. There is also a need to run operational reports at times during non-peak hours. The architecture team is debating whether such reports should be run on the OLTP database or in a separate data mart. The DBA Manager does not want to add anymore admin responsibility to the team and is looking for a database option that's low to zero maintenance, but meets their strict performance requirements as well.

Which Oracle Cloud Infrastructure database service is appropriate for this scenario?

A. Since the application needs to be highly available, it should be deployed on a Kubernetes Cluster.

B. ADW since operational reporting is a higher priority in this scenario.

C. It is best to build a separate data warehouse, and move the OLTP data on a nightly basis.

D. ATP. Using 'tpurgent' and 'high' TNS services to separate connection types.

Correct Answer: D

Autonomous Transaction Processing provides all of the performance of the market leading Oracle Database in an environment that is tuned and optimized to meet the demands of a variety of applications, including: mission-critical transaction processing, mixed transactions and analytics, IoT, and JSON document store.

As a service Autonomous Transaction Processing does not require database administration. With Autonomous Transaction Processing you do not need to configure or manage any hardware, or install any software. Autonomous Transaction Processing handles creating the database, backing up the database, patching and upgrading the database, and growing or shrinking the database.



QUESTION 15

Which three options are available to access data in an Autonomous JSONDatabase?

- A. Oracle Cloud Infrastructure console using the JSON Online Developer tool
- B. Oracle JSON Developer tool downloaded from OTN
- C. NOSQL statements using Oracle SODA drivers
- D. REST API calls to the database (not enabled by default)
- E. Regular Oracle SQL statements using a connection through the listener

Correct Answer: ACD

[Latest 1Z0-931-22 Dumps](#)

[1Z0-931-22 PDF Dumps](#)

[1Z0-931-22 Braindumps](#)