



# 1Z0-982<sup>Q&As</sup>

Oracle Enterprise Planning and Budgeting Cloud Service 2017  
Implementation Essentials

## Pass Oracle 1Z0-982 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-982.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

A group of users wants to see last year's actuals as a reference when inputting their next year forecast. Which two are recommended methods for creating this web form display? (Choose two.)

- A. Create two simple web forms ?one for last year's actuals and one for next year's forecast
- B. Create a composite web form ?one form displays last year's actuals and one form displays next year's forecast
- C. Create a navigation flow with multiple web forms displayed across vertical or horizontal tabs in a card
- D. Create one simple web form displaying the forecast and a report displaying the actuals
- E. Create a custom dashboard with a split canvas ?one area shows last year's actuals and one area shown next year's forecast

Correct Answer: CD

---

### QUESTION 2

Which two are valid commands in EPMAutomate? (Choose two.)

- A. epmautomate clearcube
- B. epmautomate copysnapshot.frominstance "Artifact Snapshot" serviceAdmin https://test- cloud-pln.pbcs.us1.oraclecloud.com A12343
- C. epmautomate downloadfile dataexport.txt
- D. epmautomate runbusinessrule RollupUSSales Period=Q1 Entity=USA

Correct Answer: CD

downloadfile

Downloads a file from an environment to the local computer. This command is used to download data, metadata, and back up snapshots for local storage. The file is downloaded into the folder from which you run the utility.

Usage: epmautomate downloadfile "[FILE\_PATH]/FILE\_NAME"

runbusinessrule

Launches a business rule or ruleset.

Usage: epmautomate runbusinessrule RULE\_NAME [PARAMETER=VALUE], where:

RULE\_NAME is the name of a business rule exactly as it is defined in the environment. PARAMETER=VALUE indicates optional runtime parameters and their values required to execute the business rule.



Example: epmautomate runbusinessrule RollupUSSales Period=Q1 Entity=USA

---

### QUESTION 3

Where would you navigate in Data Management to map source data to target scenarios?

- A. Category Mapping
- B. Target Application
- C. Import Format
- D. Data Flow Mapping

Correct Answer: B

Before you begin using FDMEE (Financial Data Quality Management Enterprise Edition), you must register the source system from which you want to import data. For Oracle Planning and Budgeting Cloud, it is a file-based source system. FDMEE creates a file-based source system automatically when you install and configure the product. You must also register the target application (for example, Planning) to which you want to load the data from one or more source systems.

Steps to take source data from a data file that we downloaded from an Enterprise Resource Planning (ERP) source ledger and load the data to a Oracle Planning and Budgeting Cloud application.

Etc.

References:

<http://www.oracle.com/webfolder/technetwork/tutorials/obe/hyp/FDMEE11.1.2.3-PBCS/DataLoading.html>

---

### QUESTION 4

What are two use cases for converting from Planning and Budgeting Cloud (PBCS) to Enterprise Planning and Budgeting Cloud (EPBCS)? (Choose two.)

- A. The ability to directly integrate with Enterprise Performance Reporting Cloud (EPRCS).
- B. The ability to leverage out of the box frameworks, like Financials and Projects.
- C. The ability to utilize a fully integrated application, with shared metadata and direct data flows between plan types.
- D. The ability to use Data Management.
- E. The ability to directly integrate with on-premise Hyperion Planning.

Correct Answer: AE



A: Enterprise Performance Reporting Cloud can be used through Integrated Sourcing from EPM and BI Applications and Content.

E: You can load Human Resources data from Oracle Human Capital Management Cloud to use in the Oracle Hyperion Workforce Planning business process of Oracle Enterprise Planning and Budgeting Cloud.

---

#### QUESTION 5

What is the correct sequence of steps for enabling each business process framework?

- A. Enable the framework, refresh the database
- B. Enable the framework, configure the framework, run post configuration tasks
- C. Configure the framework, refresh the database
- D. Run pre configuration tasks, enable the framework, configure the framework

Correct Answer: D

---

#### QUESTION 6

Which three are use cases for data maps? (Choose three.)

- A. To push data from a planning cube to a reporting cube
- B. To allow users to drill back to the data in a different cube
- C. To integrate data between custom plan types and the business frameworks
- D. To create a replicated partition between cubes
- E. To integrate data between the business frameworks

Correct Answer: ABC

Data maps are maps between a source application and a reporting application. You can map dimensions between a source application database and a reporting database to enable:

References: [https://docs.oracle.com/cloud/latest/pbcs\\_common/PFUSA/understanding\\_data\\_maps.htm#PFUSAf\\_data\\_maps\\_164](https://docs.oracle.com/cloud/latest/pbcs_common/PFUSA/understanding_data_maps.htm#PFUSAf_data_maps_164)

---

#### QUESTION 7

Which business rule is unavailable to manipulate existing employee data?

- A. Remove Existing Employee
- B. Change Job
- C. Plan Departure



D. Transfer

Correct Answer: A

---

### QUESTION 8

To staff resources onto initiatives, which custom dimension is required in the Map/Rename Dimensions section?

- A. Programs
- B. Initiatives
- C. Electives
- D. Projects

Correct Answer: D

If you are integrating Workforce or Capital with Projects, add a custom dimension called Project, the default dimension name in Projects. If you name it anything else, make sure the dimension name is the same in all business processes.

References: [https://docs.oracle.com/cloud/latest/pbcs\\_common/EPBCA/common\\_enable\\_map\\_rename\\_dimensions\\_104xf0d057d8-03.htm#EPBCA-GUID-7D681196-86D2-454E-AC4D-727EFD533AB0](https://docs.oracle.com/cloud/latest/pbcs_common/EPBCA/common_enable_map_rename_dimensions_104xf0d057d8-03.htm#EPBCA-GUID-7D681196-86D2-454E-AC4D-727EFD533AB0)

---

### QUESTION 9

Which two options are true when implementing security in Enterprise Planning and Budgeting Cloud (ePBCS)? (Choose two.)

- A. Users are restricted from applications by removing application/module security
- B. ePBCS roles can be assigned to members in all dimensions
- C. The member that is set to read that has a parent with write access to all descendants will result in an access level of read
- D. A user that is assigned read and write access to a member will result in write access

Correct Answer: BD

B: Assigning Access to Members To assign access to members:

D: The application checks access permissions at each level, first by user, then by group, based on the member's access permissions inheritance relationship. If multiple access permissions exist, the least restrictive access permission is applied (for example, Write access takes precedence over Read access).

References: [https://docs.oracle.com/cloud/latest/pbcs\\_common/PFUSA/assigning\\_access\\_to\\_members.htm](https://docs.oracle.com/cloud/latest/pbcs_common/PFUSA/assigning_access_to_members.htm)  
[https://docs.oracle.com/cloud/latest/pbcs\\_common/PFUSA/about\\_effective\\_access\\_permissions\\_to\\_shared\\_members.htm#f\\_navigate\\_workspace\\_570](https://docs.oracle.com/cloud/latest/pbcs_common/PFUSA/about_effective_access_permissions_to_shared_members.htm#f_navigate_workspace_570)

---

### QUESTION 10



When importing data into the Financials framework, which Plan Element dimension member should be selected to help keep track of the cube's data sources?

- A. OFS\_Integration
- B. OFS\_Calculated
- C. OFS\_Systems
- D. OFS\_Load

Correct Answer: D

OFS\_Load--Data value to import.

References: [https://docs.oracle.com/cloud/latest/pbcs\\_common/EPBCA/general\\_importing\\_financials\\_16x04dcf57d.htm#EPBCA-GUID-ABF5EAB0-A5D3-43CD-BA2E-72C56996AA2F](https://docs.oracle.com/cloud/latest/pbcs_common/EPBCA/general_importing_financials_16x04dcf57d.htm#EPBCA-GUID-ABF5EAB0-A5D3-43CD-BA2E-72C56996AA2F)

---

#### QUESTION 11

Which variable does NOT need to be set before executing the OWP\_Process Loaded Data business rule?

- A. andOEP\_CurYr
- B. andOEP\_CurMnth
- C. andOEP\_YearRange
- D. andOEP\_StartMnth

Correct Answer: B

---

#### QUESTION 12

An organization adds a dimension to their Enterprise Planning and Budgeting Cloud (EPBCS) Planning application. Assuming that Data Management is being utilized, which step would need to be executed?

- A. Navigate to the Import Format screen in Data Management. Select the Import Format for the EPBCS application. Run the "Refresh Members and Metadata" action to update dimensions.
- B. Navigate to the Target Application screen in Data Management, and select the EPBCS application. Run the "Refresh Members and Metadata" action to update dimensions.
- C. Navigate to the Target Application screen in Data Management, and select the EPBCS application. Run the "Refresh Metadata" action to update dimensions.
- D. Navigate to the Application Dimensions screen in Data Management. Refresh dimensions using the "Update Application" action.

Correct Answer: C

References: [https://docs.oracle.com/cd/E60665\\_01/epm-common/ERPIA/erpi\\_reg\\_target\\_app.htm#ERPIA-epmi\\_target\\_app\\_2](https://docs.oracle.com/cd/E60665_01/epm-common/ERPIA/erpi_reg_target_app.htm#ERPIA-epmi_target_app_2)

---



### QUESTION 13

When setting up a data map, which two options are available for handling unmapped dimensions? (Choose two.)

- A. Selecting multiple unmapped dimension members of the source to map to a single unmapped dimension member on the target
- B. Selecting a single unmapped dimension members of the source to map to a single unmapped dimension member on the target
- C. Selecting a single unmapped dimension members of the source to map to multiple unmapped dimension member on the target
- D. Selecting multiple unmapped dimension members of the source to map to multiple unmapped dimension member on the target

Correct Answer: AB

Mapping Unmapped Dimensions

To map unmapped dimensions in a data map:

References: Oracle Cloud, Administering Planning for Oracle Enterprise Planning and Budgeting Cloud, 12-4

---

### QUESTION 14

Which two are NOT true with a Planning and Budgeting Cloud (PBCS) application? (Choose two.)

- A. Three custom planning applications can be Initialized
- B. Four custom reporting applications can be initialized
- C. Approvals is not included
- D. Groovy calculations are available

Correct Answer: BC

B: These are planning applications, not reporting applications.

C: An approval unit is the basic unit for preparing, annotating, reviewing, and approving plan data. Approval units are combinations of scenario, version, and entity or part of an entity. You can have one scenario/version combination per approval unit. Scenarios and versions are the basis of the review cycle. Approval units submit planning data for a scenario and version.

---

### QUESTION 15

What step is NOT required to calculate Merit dollars for each Employee within the Workforce framework?

- A. Enter or Load a Merit Override Rate.



- B. Enter or Load a Merit Month by employee.
- C. Enter or Load a Performance Metric by employee.
- D. Ensure there is a Merit Rate for each Performance Metric and component definitions have been updated
- E. Execute the calculate Compensation Business Rule

Correct Answer: A

[1Z0-982 PDF Dumps](#)

[1Z0-982 VCE Dumps](#)

[1Z0-982 Exam Questions](#)