



200-001^{Q&As}

Implementing Cisco Video Network Devices (VIVND)

Pass home 200-001 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/200-001.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by home
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You have installed a C-Series endpoint in an office where DHCP is not supported. At a minimum, which four network items must be configured for the endpoint to be able to register with H.323 on a Cisco TelePresence Video Communication Server located at the external headquarters location? (Choose four.)

- A. unique IPv4 address
- B. subnet mask
- C. default gateway
- D. Cisco VCS IPv4 address
- E. Active Directory IPv4 address
- F. SMTP server IPv4 address

Correct Answer: ABCD

QUESTION 2

Refer to the exhibit.

The screenshot shows the Cisco TANDBERG Codec C60 configuration page. The top navigation bar includes tabs for Diagnostics, Configuration, Call Control, and Maintenance. The user is logged in as 'admin'. The main content area is divided into two sections: 'System Information' and 'Sign In Information'. The 'System Information' section is further divided into 'General' and 'H323' sub-sections. The 'General' section displays the following information: System name: c60.dca222.test, Software version: TC5.1.3.292001, Product: TANDBERG Codec C60, Serial number: F1AD46D00032, IP address: 172.29.24.120, MAC address: 00:50:60:0D:29:37, Valid release key: Yes, and Installed options: NaturalPresenter, MultiSite, PremiumResolution. The 'H323' section displays: Number: 52924116, ID: c60@dca222.test, Gatekeeper: (blank), Status: (blank), SIP: (blank), URI: sip:c60@dca222.test, Proxy: 172.31.222.70, and Status: Registered. The 'Sign In Information' section displays: Last successful sign in: Thu Aug 9 12:31:06 2012, Password expires in: Never, and Unsuccessful authorization attempts since last sign in: 0.

You have just finished installing a 65-inch dual profile system in a multipurpose room. After powering up the entire system, only one display is used. Using the information in the exhibit, why is the second display not displaying anything from the system?



- A. The Cisco TelePresence profile systems do not support dual display.
- B. The display is not powered on.
- C. The dual display option key has not been input into the codec.
- D. The codec has the appropriate option keys installed, so either the display is not cabled correctly, the codec is configured incorrectly, or there is no input being sent to the display.

Correct Answer: C

QUESTION 3

Which three of these are valid ways to initially configure a C-Series codec in a network where DHCP is not used? (Choose three.)

- A. Tandberg Remote Control V
- B. secure copy program
- C. CLI using a console cable
- D. touchscreen interface
- E. secure web browser
- F. Telnet

Correct Answer: ACD

QUESTION 4

Which of these involves combining visual elements from separate sources into a single image?

- A. interlacing
- B. compositing
- C. video conferencing
- D. interleaving

Correct Answer: B

QUESTION 5

Which three Cisco TelePresence multipoint media conferencing platforms can utilize Cisco Unified Communications Manager for call control? (Choose three.)



- A. Cisco TelePresence Multipoint Control Unit
- B. Cisco TelePresence System 500-32
- C. Cisco TelePresence Server
- D. Cisco TelePresence Media Bridge Server
- E. Cisco TelePresence Multipoint Switch
- F. Cisco TelePresence SX20

Correct Answer: ACE

QUESTION 6

What is the main difference between a Cisco TelePresence Multipoint Control Unit and a Cisco TelePresence Multipoint Switch?

- A. The Cisco TelePresence Multipoint Control Unit is a hardware bridge. The Cisco TelePresence Multipoint Switch is a software bridge.
- B. The Cisco TelePresence Multipoint Control Unit is a software bridge for immersive and non-immersive endpoints. The Cisco TelePresence Multipoint Switch is a hardware bridge for non-immersive endpoints.
- C. The Cisco TelePresence Multipoint Control Unit delivers automatic voice-activated switching. The Cisco TelePresence Multipoint Switch provides active presence.
- D. The Cisco TelePresence Multipoint Control Unit has a latency of less than 10 ms, whereas the Cisco TelePresence Multipoint Switch has a latency of 100 ms.

Correct Answer: A

QUESTION 7

When connecting to a pan-tilt-zoom camera to a C-Series codec, what type of cable must be used for camera control?

- A. an Ethernet crossover cable (RJ45-to-RJ45)
- B. an Ethernet cable (RJ45-to-RJ45)
- C. a serial cable (DB25-to-DB9)
- D. a VISCA cable (DB9-to-RJ45)


Correct Answer: D

QUESTION 8

An important Cisco TelePresence video multipoint call is in progress and you are getting complaints of pixilation of the video and poor audio quality on one of the involved systems. Which page would be a good place to start for




troubleshooting the issue on the affected endpoint?




A.


B.



C.



D.



B. C. D.

Correct Answer: A



QUESTION 9

Which encoder is best suited for professional, studio-quality audio and video processing?

- A. Scientific Atlanta Encoder
- B. Cisco Digital Media Encoder 1000
- C. Cisco Digital Media Encoder 2000
- D. Cisco Digital Media Encoder 3000

Correct Answer: C

QUESTION 10

Which Cisco TelePresence endpoint uses only Cisco Unified Communications Manager as its call control device?

- A. SX20
- B. Cisco TelePresence System 500-32
- C. EX90
- D. C60
- E. Video Communication Server

Correct Answer: B

QUESTION 11

Which two systems would be an appropriate solution for a traveling employee? (Choose two.)

- A. Cisco Jabber
- B. Cisco C-Series codec
- C. Cisco TelePresence EX Series
- D. Cisco Jabber Video for TelePresence
- E. Cisco TelePresence System 500
- F. Cisco IP Video Phone E20

Correct Answer: AD



QUESTION 12

Which configuration is needed in order for Cisco Jabber Video for TelePresence to initiate Multiway calls?

- A. Configure the Multiway address under Video Settings in the Cisco Jabber Video for TelePresence client.
- B. Configure the Mutliway URI address under TelePresence Management Suite > Systems > Provisioning > Users > Configuration Template.
- C. Configure the Mutliway URI address under Cisco TelePresence Video Communications Server > Applications > Cisco Jabber Video for TelePresence.
- D. The Cisco Jabber Video for TelePresence only supports Multisite calls, which is enabled by default.

Correct Answer: B

[200-001 VCE Dumps](#)

[200-001 Practice Test](#)

[200-001 Study Guide](#)



VCE & PDF

PassApply.com

<https://www.passapply.com/200-001.html>

2021 Latest passapply 200-001 PDF and VCE dumps Download

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.passapply.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 Money Back Guarantee <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 Security & Privacy <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © passapply, All Rights Reserved.