

210-015^{Q&As}

VCE Vblock System Deployment and Implementation –Virtualization

Pass VCE 210-015 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/210-015.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by VCE Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





You are on deployment, and must enable the SSH service on an ESXi host. In the vSphere client GUI under Confguraton, which submenu do you use to complete this task?

- A. security profle
- B. authentcaton services
- C. advanced setngs
- D. system resource allocaton

Correct Answer: A

QUESTION 2

Your client requires RADIUS authentcaton to protect access to vSphere networking. Which switch type would you use?

- A. vSphere standard switch
- B. vSphere distributed switch
- C. Cisco Nexus 2224
- D. Cisco Nexus 1000V
- Correct Answer: D

QUESTION 3

An ESXi host is running a licensed version of PowerPathVE. A single path to a PowerPathVEcontrolled

device is lost.

Which two statements are true? (Choose two.)

A. The tme required to restore a failed path on a heavily loaded system is less than the tme required on a lightly loaded system.

- B. Afer the path has been repaired, PowerPathVE will automatcally restore the path and resume IO down the path.
- C. The only way to restore a failed path is with the rpowermt restore CLI command.
- D. The periodic testng of live and dead paths is low priority for PowerPathVE.

Correct Answer: BD

QUESTION 4



The ESXi 5.0 servers appear to have hardware problems afer you have powered up the Vblock System

320. You want to view the log fles for the ESXi servers. What are two ways to accomplish this task? (Choose two.)

- A. Use the Technical Support Mode CLI.
- B. Use the vSphere Client.
- C. Use Powershell.
- D. Use the Service Console.

Correct Answer: AB

QUESTION 5

What must you do to enable CLI access to the ESXi host through the DCUI?

- A. Change the VLAN ID.
- B. Disable the frewall ports.
- C. Confgure the management network.
- D. Confgure the troubleshootng optons.

Correct Answer: D

QUESTION 6

Click the Exhibit buton.



General				
Guest OS:		Microsoft	Windows 7 (64	4-bit)
VM Version:		8		610
CPU:		1 vCPU		
Memory:		512 MB		
Memory Overhead:		61.75 MB		
Initialize p	owering On Insufficient r	esources.		
8			3/2013 11:24	4:51 AM
8	Insufficient r		an Carlo Solo Sol Colorados	4:51 AM

Referring to the exhibit, which two actons would allow powering on the virtual machine? (Choose two.)

- A. Increase the memory reservaton on the virtual machine.
- B. Decrease the memory reservaton on the virtual machine.
- C. Add more memory to the ESXi host.
- D. Increase the amount of memory allocated to the virtual machine.

Correct Answer: BC

QUESTION 7

You are asked to upgrade the version of the Cisco Nexus 1000V sofware on the Vblock System 320. Which component are you upgrading on the hypervisor?

- A. Service Console
- B. Virtual Supervisor Module (VSM)
- C. Virtual Ethernet Module (VEM)
- D. Virtual Network Interface Card (vNIC)

Correct Answer: C



The PowerPathVE rpowermt server cannot reach a previously licensed ESXi host. Which two statements are true? (Choose two.)

A. Multpathing functonality contnues to be available on that host and IO contnues to be load- balanced across all available paths.

B. The multpathing policy is automatcally reset to Basic Failover (BF) during the period that communicaton is not available.

C. A new PowerPathVE license will need to be applied to the ESXi host afer communicaton is restored.

D. No changes to the PowerPathVE confguraton can be made untl connectvity is restored.

Correct Answer: AD

QUESTION 9

Which three disk formats would be used on an NFS data store? (Choose three.)

- A. thin
- B. thick
- C. 2gbsparse
- D. eagerzeroedthick
- E. rdmp

Correct Answer: ABC

QUESTION 10

Your client wants space required for the virtual disk to be allocated when the virtual disk is created. Also, any data remaining on the physical device should not be erased during creaton, but be zeroed out on demand, at a later tme, on the frst write from the virtual machine. Which storage provision type would you use to meet the client\\'s requirements?

- A. thick LUN provisioning, eager zeroing
- B. thin LUN provisioning, eager zeroing
- C. thin LUN provisioning, lazy zeroing
- D. thick LUN provisioning, lazy zeroing

Correct Answer: D



A customer calls complaining that their CDDVD drive is no longer accessible on their virtual server. Afer investgatng, you notce their virtual server is configured for VMware Fault Tolerance enabled. Which conditon would cause this situaton to occur?

- A. The secondary node has Connect at power on disabled.
- B. The secondary node has Use a physical drive selected.
- C. The source ISO is not on shared storage.
- D. The auto detect opton is not selected.

Correct Answer: C

QUESTION 12

A VM on the Vblock System 320 is unable to communicate on the customer network. When examining the virtual machine, you notce it has the same port group as the other VMs on the same ESXi server. Which acton must you perform to resolve the problem?

A. You must reboot the VM.

- B. You must restart the network agents on the ESX server.
- C. You must verify that the VM\\'s network adapter is connected.
- D. You must install the Nexus 1000V agent on the virtual machine.

Correct Answer: C

QUESTION 13

You are asked to perform an in-place upgrade of an ESXi 4 server to an ESXi 5 while maintaining the

network setngs.

What are three ways to accomplish this task? (Choose three.)

- A. using vSphere Update Manager
- B. using DCUI
- C. using vSphere Auto Deploy
- D. using a scripted upgrade
- E. using an interactve upgrade from CD, DVD, or USB drive

Correct Answer: ADE



Which database platorm is supported with VMware 5.x in a Vblock System?

A. MySQL

- B. Microsof SQL Server
- C. PostgreSQL

D. IBM DB2

Correct Answer: B

QUESTION 15

What is the proper sequence when upgrading the Cisco Nexus 1000V switch module?

A. 1. Upload new VEM code to bootlash. Install new Cisco Nexus 1000V bin. Verify the upgrade using the show install all status command.

B. 1. Upload new VSM code to bootlash. Install new Cisco Nexus 1000V bin. Verify the upgrade using the show version command.

C. 1. Upload the new VSM code to a USB drive. Install new Cisco Nexus 1000V bin. Verify the upgrade using the show install all status command.

D. 1. Upload the new VEM code to a USB drive. Install a new Cisco Nexus 1000V bin. Verify the upgrade using the show version command.

Correct Answer: A

Latest 210-015 Dumps

210-015 PDF Dumps

210-015 Braindumps