



250-251^{Q&As}

Administration of HA Solutions for UNIX (VCS 5.0)

Pass Symantec 250-251 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/250-251.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Symantec
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is the default level of authorization of a new VCS user?

- A. Cluster Administrator
- B. Cluster Operator
- C. Cluster Guest
- D. Group Administrator
- E. Group Operator

Correct Answer: C

QUESTION 2

Which two types of monitoring can be performed on Oracle resources? (Select two.)

- A. detail monitoring of Oracle database status
- B. basic monitoring of Oracle processes
- C. basic monitoring of Oracle database status
- D. detail monitoring of Oracle process load
- E. detail monitoring of the Oracle netlsnr process

Correct Answer: AB

QUESTION 3

A PostOnline trigger is being tested on a three-system cluster with system named SystemA, SystemB, and SystemC. The trigger works on SystemA, but it fails to run on SystemB and SystemC. What is a possible reason for this?

- A. The PostOnline trigger is missing from SystemB and SystemC.
- B. The hattrigger script must be run on all systems to enable the PostOnline trigger.
- C. The PostOnline attribute is set to false on SystemB and SystemC.
- D. The VCS engine had an error while replicating the trigger to SystemB and SystemC.

Correct Answer: A

QUESTION 4



Given a service group where FailOverPolicy=Load, which system attribute does HAD use to determine the failover target?

- A. Capacity
- B. Load
- C. Prerequisites
- D. AvailableCapacity

Correct Answer: D

QUESTION 5

Given the following lltstat output:

LLT node information:

Node State Link Status Address

*

```
0 SystemA OPEN nic0 UP 00:03:BA:37:20:84 nic1 UP 00:03:BA:37:20:85 1 SystemB OPEN nic0 UP 00:03:BA:36:E7:B0 nic1 UP 00:03:BA:36:E7:B1
```

Which statement is true?

- A.
The heartbeat links on SystemB are configured on nic0 and nic1.
- B.
The heartbeat links on SystemA are configured on nic0 and nic1.
- C.
The heartbeat links are configured using crossover cables.
- D.
There is a low-priority heartbeat link configured.

Correct Answer: B

QUESTION 6

When preparing to install Veritas Cluster Server (VCS) on systems S1 and S2, which three methods can be used to verify software compatibility? (Select three.)

- A. check the VCS release notes for supported software
- B. run the `installvcs -precheck S1 S2` command



- C. run the installvcs -check S1 S2 command
- D. run the installvcs -compat S1 S2 command
- E. check the Symantec Enterprise Support website

Correct Answer: ABE

QUESTION 7

What is the first step when upgrading an operating system on a single node in a running multinode Veritas Cluster Server (VCS) cluster?

- A. offline service groups on the node
- B. freeze the service groups
- C. migrate parallel service groups
- D. shut down VCS on all nodes

Correct Answer: A

QUESTION 8

Two Process resources named ResourceA and ResourceB are configured in service group SG1. ResourceA is configured as a child to ResourceB and the Critical attribute of ResourceB is modified from the default value. What is the expected result of shutting down the ResourceB process outside of Veritas Cluster Server?

- A. Both ResourceA and ResourceB are faulted.
- B. ResourceA is online and ResourceB is restarted.
- C. ResourceB is faulted and the service group fails over.
- D. ResourceB is faulted and ResourceA is online.

Correct Answer: D

QUESTION 9

Which two actions must be taken to upgrade NetBackup in a service group under Veritas Cluster Server control? (Select two.)

- A. verify that the NetBackup agent supports the new version
- B. verify that the new NetBackup version is supported with haagent -verify
- C. freeze the NetBackup service group
- D. freeze the NetBackup resources




E. stop the NetBackup agent on all systems

Correct Answer: AC

QUESTION 10

Refer to the exhibit.



The group dependencies in a three-system Veritas Cluster Server cluster are shown in the exhibit. All groups are failover service groups with AutoFailover enabled and have the same SystemList and AutoStartList.

SystemList = { SystemA, SystemB, SystemC }

AutoStartList = { SystemA, SystemB, SystemC }

What happens to GroupC when GroupD faults on SystemC and is brought online elsewhere?

- A. GroupC fails over with GroupD to SystemA.
- B. GroupC faults on SystemC.
- C. GroupC remains online on SystemC.
- D. GroupC enters into an offline global state until GroupD returns to SystemC.

Correct Answer: C

QUESTION 11

The service group named SGa is currently online on system S3. All other systems are running. Consider the following partial main.cf definition:



```
Group SGa (  
  SystemList = { S1=0, S2=1, S3=2 }  
  AutoStartList = { S2, S3 }  
  FailOverPolicy = Priority  
)
```

The operator incorrectly shuts down a critical resource in the service group SGa outside of Veritas Cluster Server.

What will happen to the SGa service group?

- A. It will remain partially online on the S3 system.
- B. It will switch to the S1 system.
- C. It will switch to the S2 system.
- D. It will restart on S3 system.

Correct Answer: B

QUESTION 12

Which two components are installed when the installvcs script is executed? (Select two.)

- A. bundled agents
- B. VxVM agents
- C. Cluster File System
- D. GAB driver
- E. Cluster Volume Manager

Correct Answer: AD

QUESTION 13

Which types of monitoring can be performed on Oracle resources? (Choose two.)

- A. Detail monitoring
- B. Basic level monitoring
- C. Kernel level monitoring
- D. Specific monitoring
- E. Service monitoring

Correct Answer: AB



QUESTION 14

Which resource type attributes can be set in order to tune VCS failover characteristics? (Choose two.)

- A. AutoStart
- B. ConflInterval
- C. ConfTimeout
- D. MonitorInterval
- E. OfflineMonitorInterval

Correct Answer: BD

QUESTION 15

Which files can you use to recreate a corrupt main.cf configuration file? (Choose two.)

- A. main.cf.previous
- B. main.cmd.previous
- C. main.cmd
- D. types.cf.previous
- E. types.cf

Correct Answer: AC

[250-251 PDF Dumps](#)

[250-251 VCE Dumps](#)

[250-251 Braindumps](#)