



2V0-41.20^{Q&As}

Professional VMware NSX-T Data Center

Pass VMware 2V0-41.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/2v0-41-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two choices are use cases for Distributed Intrusion Detection? (Choose two.)

- A. Identify security vulnerabilities in the workloads.
- B. Use agentless antivirus with Guest Introspection.
- C. Quarantine workloads based on vulnerabilities.
- D. Identify risk and reputation of accessed websites.
- E. Gain insight about micro-segmentation traffic flows.

Correct Answer: AC

QUESTION 2

An NSX administrator would like to configure syslog for a KVM transport node.

Which host log files could be exported to a remote syslog server?

- A. /var/log/vmware/nsx-syslog
- B. /var/log/cfgAgent.log
- C. /var/log/nsx-audit.log
- D. /var/log/cloudnet/nsx-ccp.log

Correct Answer: A

QUESTION 3

Which log is used to see a failed NSX-T installation of a VIB package on ESXi transport nodes?

- A. /var/log/hostd.log
- B. /var/log/vmware/eam/eam.log
- C. /var/log/esxupdate.log
- D. /var/log/syslog.log

Correct Answer: D

QUESTION 4

Which profile must be attached to the ESXi cluster to prepare the host for NSX-T Data Center?



- A. Transport Node Profile
- B. Uplink Profile
- C. Switching Profile
- D. Host Profile

Correct Answer: A

QUESTION 5

Which two commands are used to query the arp-table of a logical switch? (Choose two.)

- A. get logical-switch arp-table
- B. get logical-switch arp-table
- C. get logical-switch arp-table
- D. get logical-switch arp-table
- E. get logical-switch arp-table

Correct Answer: DE

QUESTION 6

Which three protocols could an NSX administrator use to transfer log messages to a remote log server? (Choose three.)

- A. SSL
- B. HTTPS
- C. TLS
- D. UDP
- E. SSH
- F. TCP

Correct Answer: CDF

<https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/certification/vmware-2vo-41.20exam-prep-guide.pdf>

QUESTION 7



Which three teaming policy modes are supported by NSX-T Data Center? (Choose three.)

- A. Destination MAC
- B. Load Balanced Source IP
- C. Failover Order
- D. Destination Port
- E. Load Balanced Source MAC
- F. Load Balanced Source

Correct Answer: CEF

QUESTION 8

An NSX administrator wants to create a Tier-0 Gateway to support equal cost multi-path (ECMP) routing. Which failover detection protocol must be used to meet this requirement?

- A. Beacon Probing (BP)
- B. Host Standby Router Protocol (HSRP)
- C. Bidirectional Forwarding Detection (BFD)
- D. Virtual Router Redundancy Protocol (VRRP)

Correct Answer: C

QUESTION 9

How is the RouterLink port created between a Tier-1 Gateway and Tier-0 Gateway?

- A. Automatically created when Tier-1 is created.
- B. Manually create a Segment and connect to both Tier-1 and Tier-0 Gateways.
- C. Manually create a Logical Switch and connect to both Tier-1 and Tier-0 Gateways.
- D. Automatically created when Tier-1 is connected with Tier-0 from NSX UI.

Correct Answer: D

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/administration/GUID-3F163DEE-1EE64D80-BEBF-8D109FDB577C.html>

QUESTION 10

Which two choices are solutions of the NSX portfolio (Choose two.)?



- A. vRealize Automation
- B. NSX Distributed IDS/IPS
- C. vRealize Network Insight
- D. Tanzu Kubernetes Grid
- E. NSX Service Mesh

Correct Answer: BE

QUESTION 11

Which command is used to set the NSX Manager's logging-level to debug mode for troubleshooting?

- A. set service nsx-manager logging-level debug
- B. set service nsx-manager log-level debug
- C. set service manager log-level debug
- D. set service manager logging-level debug

Correct Answer: D

Explanation: <https://vdc-download.vmware.com/vmwb-repository/dcr-public/cc42e3c1-eb34-4567-a916147e79798957/8264605c-a5e1-49a8-b603-cc78621eeeab/cli.html>

QUESTION 12

Which two steps must an NSX administrator take to integrate VMware Identity Manager in NSX-T to support role-based access control? (Choose two.)

- A. Create a SAML authentication in VMware Identity Manager using the NSX Manager FQDN.
- B. Add NSX Manager as a Service Provider (SP) in VMware Identity Manager.
- C. Create an OAuth 2.0 client in VMware Identity Manager.
- D. Enter the Identity Provider (IdP) metadata URL in NSX Manager.
- E. Enter the service URL, Client Secret, and SSL thumbprint in NSX Manager.

Correct Answer: CE

QUESTION 13

Which two ports are used by a transport node to communicate with the management and control planes in NSX-T Data Center 3.0? (Choose two.)



- A. 5685
- B. 1235
- C. 5671
- D. 5678
- E. 1234

Correct Answer: BE

The NSX Manager management plane communicates with the transport nodes by using APH Server over NSX-RPC/TCP through port 1234. CCP communicates with the transport nodes by using APH Server over NSX-RPC/TCP through port 1235. Taken from NSX-T ICM 3.0 Lecture manual

QUESTION 14

Which TraceFlow traffic type should an NSX administrator use for validating connectivity between App and DB virtual machines that reside on different segments?

- A. Multicast
- B. Anycast
- C. Unicast
- D. Broadcast

Correct Answer: C

QUESTION 15

An NSX administrator has deployed an NSX Edge on a bare-metal server.

Which command registers the NSX Edge with the NSX Manager?

- A. join management-cluster username admin password thumbprint
- B. join cluster username root password thumbprint
- C. join policy-manager username root password thumbprint
- D. join management-plane username admin password thumbprint

Correct Answer: D