



300-720^{Q&As}

Securing Email with Cisco Email Security Appliance (SESA)

Pass Cisco 300-720 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/300-720.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An engineer must limit responses from the gateway that are directed to invalid email addresses. How should the LDAP server be configured to accomplish this goal?

- A. Validate the sender email address via an LDAP query during the SMTP conversation.
- B. Validate the sender email address via SMTP Call-Ahead to query an external SMTP server.
- C. Limit the number of invalid recipients per sender to stop responses after crossing the threshold.
- D. Limit the number of invalid responses per recipient to stop responses after crossing the threshold.

Correct Answer: D

QUESTION 2

An organization wants to use its existing Cisco ESA to host a new domain and enforce a separate corporate policy for that domain.

What should be done on the Cisco ESA to achieve this?

- A. Use the `smtproutes` command to configure a SMTP route for the new domain.
- B. Use the `deliveryconfig` command to configure mail delivery for the new domain.
- C. Use the `dsestconf` command to add a separate destination for the new domain.
- D. Use the `altrchost` command to add a separate gateway for the new domain.

Correct Answer: A

QUESTION 3

Refer to the exhibit.



Global Settings	
Action for attachments with MIME types/fingerprints in table above:	Skip
Maximum depth of attachment recursion to scan:	5
Maximum attachment size to scan:	5M
Attachment Metadata scan:	Enabled
Attachment scanning timeout:	30 seconds
Assume attachment matches pattern if not scanned for any reason:	No
Assume zip file to be unscannable if files in the archive cannot be read?	No
Action when message cannot be deconstructed to remove specified attachments:	Deliver
Bypass all filters in case of a content or message filter error:	Yes
Encoding to use when none is specified:	US-ASCII
Convert opaque-signed messages to clear-signed (S/MIME unpacking):	Disabled
Actions for Unscannable Messages due to decoding errors found during URL Filtering Actions:	Disabled
Action when a message is unscannable due to extraction failures:	Deliver As Is
Action when a message is unscannable due to RFC violations:	Disabled

[Edit Global Settings...](#)

What is the correct order of commands to set filter 2 to active?

- A. filters-> edit-> 2-> Active
- B. filters-> modify-> All-> Active
- C. filters-> detail-> 2-> 1
- D. filters-> set-> 2-> 1

Correct Answer: D

QUESTION 4

What must be configured to allow the Cisco ESA to encrypt an email using the Cisco Registered Envelope Service?

- A. provisioned email encryption profile
- B. message encryption from a content filter that select "Message Encryption" over TLS
- C. message encryption from the mail flow policies with "CRES" selected
- D. content filter to forward the email to the Cisco Registered Envelope server

Correct Answer: B

Reference: https://www.cisco.com/c/en/us/td/docs/security/esa/esa12-0/user_guide/b_ESA_Admin_Guide_12_0/b_ESA_Admin_Guide_chapter_010010.html

QUESTION 5



Which global setting is configured under Cisco ESA Scan Behavior?

- A. minimum attachment size to scan
- B. attachment scanning timeout
- C. actions for unscannable messages due to attachment type
- D. minimum depth of attachment recursion to scan

Correct Answer: B

Reference: <https://community.cisco.com/t5/email-security/cisco-ironport-esa-security-services-scan-behavior-impact-on-av/td-p/3923243>

QUESTION 6

Which component must be added to the content filter to trigger on failed SPF Verification or DKIM Authentication verdicts?

- A. status
- B. response
- C. parameter
- D. condition

Correct Answer: D

QUESTION 7

What is the maximum message size that can be configured for encryption on the Cisco ESA?

- A. 20 MB
- B. 25 MB
- C. 15 MB
- D. 30 MB

Correct Answer: A

Reference: <https://www.cisco.com/c/en/us/support/docs/security/email-security-appliance/117972-technote-esa-00.html>

QUESTION 8

A network administrator enabled McAfee antivirus scanning on a Cisco ESA and configured the virus scanning action of "scan for viruses only." If the scanner finds a virus in an attachment for an incoming email, what action will be applied to this message?



- A. The attachment is dropped and replaced with a "Removed Attachment" file.
- B. The email and attachment are forwarded to the network administrator.
- C. The system will attempt to repair the attachment.
- D. No repair is attempted, and the attachment is either dropped or delivered.

Correct Answer: D

QUESTION 9

Which feature must be enabled first when URL logging is configured on a Cisco ESA?

- A. antivirus
- B. antispam
- C. senderbase reputation filter
- D. virus outbreak filter

Correct Answer: D

Reference: <https://www.cisco.com/c/en/us/support/docs/security/email-security-appliance/118775-technote-esa-00.html#:~:text=In%20order%20to%20implement%20URL,CLI%20by%20the%20ESA%20administrator.>

QUESTION 10

Which two factors must be considered when message filter processing is configured? (Choose two.)

- A. message-filter order
- B. lateral processing
- C. structure of the combined packet
- D. mail policies
- E. MIME structure of the message

Correct Answer: AE

Reference: https://www.cisco.com/c/en/us/td/docs/security/esa/esa12-0/user_guide/b_ESA_Admin_Guide_12_0/b_ESA_Admin_Guide_chapter_01000.html

QUESTION 11

Which attack is mitigated by using Bounce Verification?

- A. spoof



- B. denial of service
- C. eavesdropping
- D. smurf

Correct Answer: B

Reference: <https://www.networkworld.com/article/2305394/ironport-adds-bounce-back-verification-for-e-mail.html>

QUESTION 12

What is a valid content filter action?

- A. decrypt on delivery
- B. quarantine
- C. skip antispam
- D. archive

Correct Answer: B

Reference: https://www.cisco.com/c/en/us/td/docs/security/esa/esa12-0/user_guide/b_ESA_Admin_Guide_12_0/b_ESA_Admin_Guide_chapter_01010.html#con_1158022

QUESTION 13

Which type of query must be configured when setting up the Spam Quarantine while merging notifications?

- A. Spam Quarantine Alias Routing Query
- B. Spam Quarantine Alias Consolidation Query
- C. Spam Quarantine Alias Authentication Query
- D. Spam Quarantine Alias Masquerading Query

Correct Answer: B

QUESTION 14

The CEO sent an email indicating that all emails containing a string of 123ABCDEFGHJ cannot be delivered and must be sent into quarantine for further inspection. Given the requirement, which regular expression should be used to match on that criteria?

- A. `\d{3}[A?]{9}`
- B. `{3}\d{9}[A?]`



C. \w{3}[A?]{9}

D. \D{3}[A?]{9}

Correct Answer: B

QUESTION 15

What is a category for classifying graymail?

A. Priority

B. Marketing

C. Malicious

D. Spam

Correct Answer: B

[Latest 300-720 Dumps](#)

[300-720 PDF Dumps](#)

[300-720 Braindumps](#)