

350-020^{Q&As}

CCIE SP Optical Qualification

Pass Cisco 350-020 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/350-020.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.passapply.com/350-020.html 2021 Latest passapply 350-020 PDF and VCE dumps Download

QUESTION 1					
How many bytes are dedicated to the Path Overhead in an STS-3 Frame?					
A. 3					
B. 6					
C. 9					
D. 18					
E. 24					
Correct Answer: C					
QUESTION 2					
What is a reason for using amplifiers with more than one stage?					
A. To suppress ASE noise					
B. To increase ASE noise					
C. To maintain gain					
D. To lower OSNR					
Correct Answer: D					
QUESTION 3					
What is the purpose of Dual Ring Interconnect in SONET rings?					
A. Protects signals against a node failure in a single ring					
B. Protects signals when a ring switch fails					
C. Protects signals when multiple span switches fail					
D. Protects pre-emptible traffic from being dropped when a ring switch occurs					
E. Protects signals against intermediate node failures between rings					
Correct Answer: E					


QUESTION 4

What is NOT a key differentiator that Cisco offers to customers with the MDS that our competitors cannot?

- A. VSANs
- B. FCC
- C. QoS
- D. Port channeling
- E. HSRP

Correct Answer: E

QUESTION 5



The network shown supports Synchronous Status Messaging (SSM), which byte supplied by the ADM at Site B in both directions in the section overhead is used for transporting SSM messages?

- A. S1
- B. ji
- C. K2
- D. Z1



https://www.passapply.com/350-020.html

2021 Latest passapply 350-020 PDF and VCE dumps Download

E. None of the above

Correct Answer: E

QUESTION 6

A router is set to boot from flash, but cannot find boot commands in the configuration. Also, valid files do not exist in the default flash device. The router will:

- A. Boot from ROM, since there are no valid sources
- B. Try to boot from the network, using a default filename
- C. Terminate the boot process with an error message
- D. Try to boot from the network, then boot from ROM as a backup

Correct Answer: D

QUESTION 7

What is the usual procedure taken if an unrecognized non-mandatory ISDN IE is received by a network?

- A. Final handle the call
- B. Final handle the call if 2 such IE is received
- C. Ignore only if the IE received is not CSO, otherwise final handle the call
- D. Send a Facility msg to the user notifying the user of sending unknown IEs but don\\'t final handle
- E. Ignore the IEs

Correct Answer: E

QUESTION 8


What is Fast EtherChannel?

- A. A feature to bundle multiple Ethernet point-to-point links quickly into one logical high speed link
- B. A feature to bundle multiple Fast-Ethernet point-to-point links into one logical high speed link
- C. Another name for full-duplex Fast Ethernet
- D. Another name for Gigabit Ethernet
- E. None of the above

Correct Answer: B

QUESTION 9

Click the Exhibit button.



In a customer access ring environment, what type of transport architecture is best suited for creating an OC-12 RPR ring with 4 Cisco 12000 nodes?

- A. It depends upon the traffic flow.
- B. Meshed fiber with DWDM
- C. SONET OC-12 2F. BLSR ring
- D. SONET OC-12 2F. UPSR ring
- E. Hub and spoke fiber with DWDM

Correct Answer: C

QUESTION 10

For an OC-48 signal (2.5Gb/s), what is the BER (bit error rate) if there is 1 bit error every four days?

- A. 10E-12
- B. 10E-13



https://www.passapply.com/350-020.html

2021 Latest passapply 350-020 PDF and VCE dumps Download

C. 10E-14			
D. 10E-15			
E. 10E-16			

Correct Answer: D

QUESTION 11

You have an E-series shared packet ring of size STS-3c consisting of ONS 15454 nodes. What is the maximum size point-to-point circuit that can be configured with the remaining bandwidth to the multi-card Ethernet group on the E-series cards?

- A. STS-1
- B. STS-3C
- C. STS-6C
- D. STS-12C
- E. STS-24C

Correct Answer: B

QUESTION 12

What is the frequency of an optical signal with a wavelength of 1530 nm?

- A. 196.1 THz
- B. 196.1 GHz
- C. 459 THz
- D. 459 GHz

Correct Answer: A

<u>Latest 350-020 Dumps</u> <u>350-020 Study Guide</u> <u>350-020 Braindumps</u>



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.passapply.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © passapply, All Rights Reserved.