



350-050^{Q&As}

CCIE Wireless Written

Pass Cisco 350-050 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/350-050.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two statements are true regarding the VideoStream functionality on the WLC? (Choose two.)

- A. It applies to any multicast video streams available on the network.
- B. It enables broadcasting the video stream using 802.11n HT data rates.
- C. It applies only to the configured media streams.
- D. It converts the multicast video stream into unicast to be sent directly to clients at the WLC level.
- E. It delivers reliable video multicast by having the receiver clients acknowledge the 802.11 multicast video data frames on the air.
- F. The AP replicates the multicast video frames into 802.11 unicast frames to be sent directly to wireless clients at their individual data rate.

Correct Answer: CF

QUESTION 2

Which association certifies product interoperability between different vendors so that users are not locked into a single brand of Wi-Fi products?

- A. IEEE
- B. IETF
- C. Wi-Fi Alliance
- D. FCC
- E. Wireless Networking Alliance
- F. Cisco Compatible Extensions

Correct Answer: C

QUESTION 3

Which three security threats require the Cisco Adaptive WIPS service for mitigation? (Choose three.)

- A. on/off-channel rogue
- B. spectrum intelligence
- C. man-in-the-middle attack
- D. rogue switch-port tracing



- E. zero-day attack
- F. network reconnaissance

Correct Answer: CEF

QUESTION 4

Company XYZ has a wireless network in place. Which three general guidelines should be followed to overlay a Cisco Context-Aware Mobility Solution? (Choose three.)

- A. The maximum effective AP spacing should be between 40 feet and 70 feet.
- B. There should be a minimum of two APs within range of each client.
- C. APs at the perimeter of the coverage area need to be deployed.
- D. The physical placement of APs must be collinear.
- E. Equilateral triangle placement of the APs yields better accuracy.

Correct Answer: ACE

QUESTION 5

Which two statements are not correct about client MFP? (Choose two.)

- A. Client MFP can replace infrastructure MFP if only CCXv5 clients are used.
- B. Client MFP encrypts class 3 unicast management frames using the security mechanisms defined by 802.11i.
- C. In order to use client MFP, the client must support CCXv5 and negotiate WPA2 with AES-CCMP or TKIP.
- D. The only supported method to obtain the pre-user MFP encryption keys is EAP authentication.
- E. The CCXv5 client and access points must discard broadcast class 3 management frames.

Correct Answer: AD

QUESTION 6

You are attempting to use the Auto Provisioning feature in a Cisco WCS to apply the configuration to a new WLC. Which options is not a valid method for identifying a WLC using the Auto Provisioning feature?

- A. serial number
- B. MAC address
- C. IP address
- D. hostname



Correct Answer: C

QUESTION 7

What is the function of the distance command on an autonomous 802.11 bridge?

- A. to adjust the data rate of the packet transmission
- B. to adjust the bridge timeout values to account for the time that is required for radio signals to travel from bridge to bridge
- C. to give the person reading the configuration an idea of how far apart the bridge links are
- D. to increase the time that is needed for authentication

Correct Answer: B

QUESTION 8

When a wireless client connects to an autonomous AP, which sequence of events will occur when connecting to a SSID that does not broadcast itself?

- A. probe request, probe response, association request, association response, authentication request, authentication response
- B. authentication request, authentication response, probe request, probe response, association request, association response
- C. probe request, probe response, authentication request, authentication response, association request, association response
- D. authentication request, authentication response, association request, association response, probe request, probe response

Correct Answer: C

QUESTION 9

Which type of indoor Cisco AP should you deploy to make use of spatial multiplexing?

- A. AIR-LAP1242AG
- B. AIR-BR1310G
- C. AIR-LAP1131AG
- D. AIR-LAP1252AG E. AIR-LAP1524AG

Correct Answer: D



QUESTION 10

Select and Place:

Match the following methods of performing fast roaming with the corresponding frame types used to exchange the encryption key information.

802.11i PMK caching	802.11 reassociation
802.11r fast BSS transition	802.11 authentication
Cisco Centralized Key Management	802.11 reassociation with EAPOL-key
802.11i preauthentication	802.1x EtherType 88-C7 with EAPOL-key

Correct Answer:

Match the following methods of performing fast roaming with the corresponding frame types used to exchange the encryption key information.

	Cisco Centralized Key Management
	802.11r fast BSS transition
	802.11i PMK caching
	802.11i preauthentication

QUESTION 11

Refer to the exhibit.



WLANs Entries 1 - 5 of 5

Current Filter: None [\[Change Filter\]](#) [\[Clear Filter\]](#) Create New

<input type="checkbox"/> WLAN ID	Type	Profile Name	WLAN SSID	Admin Status	Security Policies	
<input type="checkbox"/> 1	WLAN	Sales	sales	Enabled	[WPA2][Auth(802.1X)]	<input type="checkbox"/>
<input type="checkbox"/> 2	WLAN	Development	Development	Enabled	[WPA2][Auth(802.1X)]	<input type="checkbox"/>
<input type="checkbox"/> 3	WLAN	Accounting	Accounting	Enabled	[WPA2][Auth(802.1X)]	<input type="checkbox"/>
<input type="checkbox"/> 4	WLAN	Guest	Guest	Enabled	Web-Auth	<input type="checkbox"/>
<input type="checkbox"/> 5	WLAN	voice	voice	Enabled	[WPA2][Auth(802.1X)]	<input type="checkbox"/>

WLANs Entries 1 - 5 of 5

Current Filter: None [\[Change Filter\]](#) [\[Clear Filter\]](#) Create New

<input type="checkbox"/> WLAN ID	Type	Profile Name	WLAN SSID	Admin Status	Security Policies	
<input type="checkbox"/> 1	WLAN	sales	sales	Enabled	[WPA2][Auth(802.1X)]	<input type="checkbox"/>
<input type="checkbox"/> 2	WLAN	Development	Development	Enabled	[WPA2][Auth(PSK)]	<input type="checkbox"/>
<input type="checkbox"/> 3	WLAN	Guest	Guest	Enabled	Web-Auth	<input type="checkbox"/>
<input type="checkbox"/> 4	WLAN	Accounting	Accounting	Enabled	[WPA2][Auth(802.1X)]	<input type="checkbox"/>
<input type="checkbox"/> 5	WLAN	voice	voice	Enabled	[WPA2][Auth(802.1X)]	<input type="checkbox"/>

Two Cisco WLCs on a Cisco WiSM and in the same mobility group are both running 4.2.209.0 code. All the WLANs on both Cisco WLCs are configured for H-REAP local switching. Based on the configurations that are shown, which WLAN or WLANs will still be correctly mapped to a local VLAN if an H-REAP mode AP moves between the two controllers?

- A. WLANs 2, 3, 4, and 5
- B. All the WLANs
- C. WLAN 1
- D. WLANs 2 and 5
- E. WLANs 1, 2, 4, and 5
- F. WLAN 5

Correct Answer: D

QUESTION 12

You are designing a wireless infrastructure for an enterprise customer in the busy international banking district of Tokyo. All the client adapters are fairly modern, so you have turned off 802.11b speeds to reduce the size of your cells. Which channels will you choose to make optimum use of the available spectrum?

- A. 1, 5, 9, 13
- B. 1, 6, 11
- C. 1, 6, 11, 14



D. 1, 4, 7, 11, 14

E. 1, 5, 9

Correct Answer: B

[350-050 VCE Dumps](#)

[350-050 Practice Test](#)

[350-050 Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

<https://www.passapply.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © passapply, All Rights Reserved.