Exam : 3M0-331

Title : 3Com WAN Specialist Final

Exam v2.0

Version : DEMO

1.In V2.x code on a 3Com 5000 or 6000 series router, if the firewall is enabled, which packet is NOT inspected by default?

A.Non-fragments

B.First fragments

C.Non-first fragments

Correct:C

2.In V2.x code on a 3Com 5000 or 6000 series router, which is NOT provided by Application Specific Packet Filtering (ASPF)?

A.Java Blocking

B.Site and content blocking

C.Enhanced session logging

D.Support for Port to Application Mapping (PAM)

E.Defense against Denial of Service (DoS) attacks

Correct:B

3.In V2.x code on a 3Com 5000 or 6000 series router with firewall enabled, what happens when exact packet matching for fragments is enabled?

A.L3 information is recorded for all fragments

B.L3 information is recorded for first fragments

C.Non-L3 information is recorded for all fragments

D.Non-L3 information is recorded for first fragments

Correct:D

4. Which term does not describe or refer to a frame relay function or parameter?

A.DE

B.CIR

C.DLCI

D.IPCP

E.FECN

Correct:D

5. What OSI layer do routers operate at in the OSI model?

A.Session

B.Network

C.Physical

D.Data Link


E.Transport

F.Application

Correct:B

6.Click the Exhibit button. In the diagram, which additional router command is needed to correctly configure CHAP?





Authenticated party



S1/0/0

CHAP authentication

S1/0/0



[RTA] local-user RTB password simple hello [RTA] interface serial 1/0/0 [RTA-Serial1/0/0] ppp chap

user RTA
[RTA-Serial1/0/0] ppp
authentication-mode chap

[RTB] local-user RTA password simple hello [RTB] interface serial 1/0/0 [RTB-Serial1/0/0] ppp chap user RTB

A.[RTA] LCP Chap

B.[RTB] Chap enable

C.[RTA-Serial1/0/0] ppp chap user RTA

D.[RTB-Serial1/0/0] ppp chap user RTA

E.[RTB-Serial1/0/0] ppp authentication-mode chap

Correct:C

7. The PPP LCP protocol is associated with which layer of the OSI model?

A.Session

B.Physical

C.Data Link

D.Transport

E.Presentation

Correct:C

8. Which three are characteristics of a router? (Choose three.)

A.Forwards packets between networks

B.Connects only networks of similar types

C.Finds the best path from one network to another network

D.Works at Layer 4, the Transport Layer according to the OSI model

E.Connects networks into physically unified internetworks, with each network retaining its own identity

Correct: A C E

9. Which four are important considerations when planning a wide area network design? (Choose four.)

A.Current and planned throughput requirements

B.Proper WAN traffic management to prevent serious congestion C.Detailed plan for reconfiguring the WAN when expansion is required D.Disaster recovery plan that facilitates backing up key corporate data E.Determining if and how backup links will be incorporated into the WAN design

F.What is required to provide customers and partners reasonable access to your Web site

Correct: ABEF

10. Frame relay is associated with which layer of the OSI model?

A.Network

B.Session

C.Physical

D.Data link

E.Transport

Correct:D

11. Which is the default match order used for ACL rules?

A.auto

B.LIFO

C.config

D.longest match


E.determined by ?bits

Correct:C

12.Click the Exhibit button. In the configuration example, which command is needed to complete the GRE configuration?

GRE Configuration Example





A.[RTA] ike peer RTB

B.[RTB] ike peer RTA

C.[RTA] set mode ip_tunnel

D.[RTB] set mode ip tunnel

E.[RTA-Tunnel0/0] destination 1.1.1.1

Correct:E

13. What is the IPSEC security feature that can detect an illegal change to a packet's content referred to as?

A.3DES

B.Anti-replay C.Data

integrity D.Data

confidentiality E.Data

authentication

Correct:C

14. Which three are features of IP Security (IPSec)? (Choose three.)

A.Is a Layer 2 Virtual Private network (VPN) protocol

B.Is a Layer 3 Virtual Private network (VPN) protocol

C.Can transport IP, IPX, AppleTalk and other protocols

D.Supports two security modes: tunneling and transport mode

E.Requires Point-to-Point Protocol (PPP) as a transport protocol

F.Consists of three protocols: Authentication Header, Encapsulation Security Payload, and Internet Key Exchange

Correct:B D F

15. What Class D IP address range is reserved for Multicast packets?

A.224.0.0.0 through 239.0.0.0

B.222.0.0.0 through 224.255.255.255

C.224.0.0.0 through 239.255.255.255

D.224.255.255.255 through 239.255.255.255

Correct:C

16. When there are multiple IGMP-enabled routers connected to an IP subnet, which router will become the IGMP querier (IGMP-designated router)?

A.The router with the lowest Router ID

B.The router with the highest Router ID

C.The router with the lowest IP address

D.The router with the highest IP address

E.The router with the least cost route to the Internet

Correct:C

17. What is a standard way to group users for audio/video applications without overwhelming network bandwidth?

A.IP Unicasting

B.IP Multicasting

C.IP Broadcasting

D.Link Aggregation

E.Spanning Tree Protocol

Correct:B

18. Which three are characteristics of xDSL technology? (Choose three.)

A.It can transfer data at speeds up to 30 Mbps

B.It converts existing twisted pair telephone lines into high-speed data paths

C.It simultaneously provides high-speed data and Plain Old Telephone Service (POTS)

D.It uses the same packet/frame format as Ethernet, which makes it ideal for LAN to WAN access

E.The speed of an xDSL service depends on the thickness of copper wire and the distance from the telco Central Office (CO)

Correct:B C E

19. What customer-premises equipment (CPE) always connects to the local loop digital service?

A.Analog modem

B.Permanent Virtual Circuit (PVC)

C.Private Branch Exchange (PBX)

D.Channel Service Unit (CSU)/ Data Service Unit (DSU)

Correct:D

20. Which three are important Router ID considerations when using Open Shortest Path First (OSPF) routing protocol? (Choose three.)

A.The Router ID must be unique in a network

B.By default, the Router ID is the first IP address configured on a router

C.The Router ID is a 24-bit address that identifies the router within an OSPF domain

D.The Router ID is a 32-bit address that identifies the router within an OSPF domain E.The Router ID is always the number ?9?that identifies the routing protocol as OSPF Correct:ABD

Trying our product!

- ★ 100% Guaranteed Success
- ★ 100% Money Back Guarantee
- ★ 365 Days Free Update
- ★ Instant Download After Purchase
- ★ 24x7 Customer Support
- ★ Average 99.9% Success Rate
- ★ More than 69,000 Satisfied Customers Worldwide
- ★ Multi-Platform capabilities Windows, Mac, Android, iPhone, iPod, iPad, Kindle

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:





Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.