



# 4A0-M05<sup>Q&As</sup>

Nokia Cloud Packet Core

## Pass Nokia 4A0-M05 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/4a0-m05.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

Which of the following statements describing the instantiation of a VM in OpenStack is CORRECT?

- A. Instantiation of a VM is always initiated through the Horizon GUI.
- B. The Neutron L3 agent uses libvirt on the hypervisor to instantiate and tear down VMs.
- C. A Radius server is used to verify whether a user has the required privileges to instantiate a VM.
- D. The Nova scheduler selects the host on which the VM is to be instantiated.

Correct Answer: B

---

#### QUESTION 2

Which of the following statements about CMG VNF scaling is TRUE?

- A. OAM-VM can be scaled out in steps of a single VM for CMG LB mode deployment
- B. LB-VM can be scaled out in steps of a single VM for CMG LB-less mode deployment
- C. MG-VM can be scaled out in steps of an MG-VM pair for CMG LB mode deployment
- D. LB-VM and MG-VM must be scaled simultaneously to achieve a successful CMG deployment

Correct Answer: D

---

#### QUESTION 3

Which of the following is a function of CMG LB-VM?

- A. Generates periodic KPI/KCI XML reports
- B. Terminates external control plane logical interfaces
- C. Performs policy and charging enforcement function
- D. Provides management interfaces to NSP

Correct Answer: C

---

#### QUESTION 4

Which of the following is a function of an SPS Diameter IOH VM?

- A. Provides logs and alarms to management
- B. Terminates signaling connections to the network



- C. Terminates HTTP and LDAP connections
- D. Manages configuration of other VMs in the VNF

Correct Answer: B

---

#### QUESTION 5

Which of the following statements regarding the CMM OAM network is FALSE?

- A. It is used for CMM management.
- B. It is connected to NECC VMs.
- C. It is connected to CPPS VMs.
- D. It requires a customer provided subnet address.

Correct Answer: B

---

#### QUESTION 6

Which of the following describes the 2N model for VM redundancy?

- A. There is one active VM and one standby VM that takes over if the active VM fails.
- B. There are N active VMs and a pool of standby VMs that can take over if one or more active VMs fail.
- C. There are N active VMs, each one paired with a standby VM that takes over if its active VM fails.
- D. There are 2N active VMs deployed to support a service that needs N active VMs, with extra capacity in case one or more VMs fail.

Correct Answer: C

---

#### QUESTION 7

Based on the exhibit output, which of the following statements is TRUE?



```
=A:CMG2-Pod1# show vm-function
```

```
=====
```

```
VM Function Summary
```

```
=====
```

VM Id	Id	Provisioned Type	Admin State	Operational State
		Equiped Type (if different)		
1	1	m20-v	up	up
	2	isa-ip-reas-v isa-ms-v	up	up
3	1	isa-mg-v isa-ms-v	up	up
	2	(not provisioned) isa-ms-v	up	unprovisioned

```
=====
```

- A. This CMG has one LB VM and one MG VM.
- B. This CMG has one LB VM and two MG VMs.
- C. This CMG has two LB VM and one MG VM.
- D. This CMG has two LB VM and two MG VMs.

Correct Answer: A

### QUESTION 8

Which of the following statements regarding CMM internal network is FALSE?

- A. It is a layer 2 network.
- B. It is connected to all CMM VMs.
- C. It is used for communication between CMM VMs.
- D. It requires a customer provided subnet address.

Correct Answer: D

### QUESTION 9

Which of the following is NOT a component of the CMM virtual network function?

- A. Load Balancer (LB)
- B. Packet Processing Service (PAPS)



C. Network Element Cluster Controller (NECC)

D. Database Service (DBS)

Correct Answer: A

---

#### QUESTION 10

Which of the following statements about the data switch fabric (DSF) network in CMG is TRUE?

A. It is a VNF external Layer 3 network

B. It must be VirtIO based

C. It carries signaling messages between MG-VMs and LB-VMs in LB mode

D. It carries data plane traffic between MG-VMs and LB-VMs in LB-less mode

Correct Answer: C

[4A0-M05 VCE Dumps](#)

[4A0-M05 Exam Questions](#)

[4A0-M05 Braindumps](#)