



# 500-006<sup>Q&As</sup>

Implementing Cisco TelePresence Video Solution

## Pass Cisco 500-006 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/500-006.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

What does it mean when an endpoint is Multiway-enabled?

- A. Endpoints can transfer calls from one endpoint to another.
- B. Endpoints can make simultaneous SIP and H.323 calls.
- C. Endpoints can deliver three or more streams of video.
- D. Endpoints can escalate calls to an MCU.

Correct Answer: D

---

#### QUESTION 2

Which Cisco TelePresence C Series Codec command will move the on-screen display to monitor output 4?

- A. configuration video osd output: 4
- B. xconfiguration video osd output: 4
- C. command video osd output: 4
- D. xcommand video osd output: 4

Correct Answer: B

---

#### QUESTION 3

Which menu on the Cisco TelePresence VCS should you refer to in order to verify that an endpoint has registered?

- A. Application
- B. Status
- C. Security
- D. Configuration

Correct Answer: B

---

#### QUESTION 4

Which three methods can an engineer use to upgrade the software on the Cisco TelePresence MCU? (Choose three.)

- A. web interface
- B. FTP



- C. flash drive
- D. SSH
- E. serial interface
- F. RMA the unit
- G. Telnet

Correct Answer: ABC

---

#### QUESTION 5

What is required for Cisco TelePresence Server to communicate with Cisco WebEx, using the PSTN?

- A. Cisco TelePresence MCU 5300
- B. Cisco 3420 ISDN Gateway
- C. third-party interop key
- D. Web Conferencing feature key

Correct Answer: C

---

#### QUESTION 6

Which persistent setting other than system name, E.164 alias, and H.323 ID is configurable for a personal video system?

- A. SIP URI
- B. MAC address
- C. serial number
- D. IP address

Correct Answer: A

---

#### QUESTION 7

When configuring a conference alias for a meeting type template, which role should be applied?

- A. Video User
- B. Chairman
- C. Administrator



D. Participant

E. Attendee

Correct Answer: D

---

#### QUESTION 8

What two protocols are used in firewall traversal? (Choose two).

A. SIP

B. H.239

C. H.460.18 and 19

D. Assent

E. H.264

Correct Answer: CD

---

#### QUESTION 9

What does the hop count setting on the firewall traversal configuration limit on the Cisco TelePresence VCS?

A. The number of Cisco TelePresence VCSs that a call can travel through.

B. The number of firewalls that a call can travel through.

C. The number of routers that a call can travel through.

D. The number of switches that a call can travel through.

Correct Answer: A

---

#### QUESTION 10

After you change the IP address of a Cisco TelePresence Codec C90, you are unable to use Telnet or a browser to connect to that address. However, you are able to use ping to connect to the new address. What are the two possible causes? (Choose two.)

A. The configuration failed and there is another device with the same address that responds to the ping.

B. The codec disabled the Telnet and HTTP services after the IP address change.

C. The codec needs to reboot after the IP address change in order to bind the services to the new address.

D. The gatekeeper configuration failed and you need to set up the gatekeeper address and the discovery type again.

Correct Answer: AC

---



#### QUESTION 11

Endpoints can be placed into different Cisco TelePresence VCS (X5 or above) subzones according to which of the following?

- A. aliases or IP addresses
- B. aliases and MAC addresses
- C. IP addresses only
- D. aliases, MAC addresses, and IP addresses

Correct Answer: A

---

#### QUESTION 12

A Cisco 5310 MCU is being configured as an ad hoc conference bridge in Cisco Unified Communications Manager. Which two configuration steps must be completed for this to function correctly? (Choose two.)

- A. Install the Cisco Unified Communications Manager feature key on the MCU.
- B. Create a SIP trunk from Cisco Unified Communications Manager to the MCU.
- C. Enable Media Port Reservation on the MCU.
- D. Disable H.323 and enable SIP on the MCU.

Correct Answer: CD

[Latest 500-006 Dumps](#)

[500-006 PDF Dumps](#)

[500-006 Exam Questions](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

100% Guaranteed Success  
100% Money Back Guarantee  
365 Days Free Update  
Instant Download After Purchase  
24x7 Customer Support  
Average 99.9% Success Rate  
More than 800,000 Satisfied Customers Worldwide  
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.passapply.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.  
To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.  
All trademarks are the property of their respective owners.  
Copyright © passapply, All Rights Reserved.