



500-451^{Q&As}

Enterprise Networks Specialization

Pass Cisco 500-451 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/500-451.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which set of Converged Access components is related to "physical" entities?

- A. mobility agent, mobility controller, mobility oracle
- B. mobility controller, mobility groups, switch peer group
- C. mobility groups, switch peer group
- D. mobility oracle, switch peer group, mobility domain

Correct Answer: A

QUESTION 2

Which option is performed exclusively by the mobility agent?

- A. key distribution to all mobility controllers
- B. 802.11 device location calculation
- C. CAPWAP tunnels termination
- D. central radio resource management tasks

Correct Answer: C

QUESTION 3

In the Converged Access solution, how does the controller display the access point name when there is no existing configuration for the AP?

- A. AP+IP address dotted decimal, for example, AP10.10.1.1
- B. AP+Ethernet MAC Address, for example, AP44d3:ca42.4337
- C. AP+IP address in hex, for example, AP0A.0A.01.01
- D. AP+Base Radio MAC Address, for example, AP18.33.9d.f1.40.50

Correct Answer: B

QUESTION 4

When a user gets redirected to the device registration portal, which important information field is prepopulated by ISE?

- A. user\'s username



- B. user\'\'s first and last name
- C. device ID with IP address
- D. device ID with MAC address

Correct Answer: D

QUESTION 5

What is the best way to design a network to ensure that Cisco NSF operates according to specifications?

- A. Ensure that all attached neighbors are Cisco NSF-aware.
- B. Ensure that the local switch is the NSF master.
- C. Ensure that VSS NSF is enabled.
- D. Ensure that IOS ISSU is enabled.

Correct Answer: A

QUESTION 6

When managing Security Group Access in Cisco ISE 1.2, what is the description of the mapped cells matrix element?

- A. the source SGT names and the assigned 16-bit tag
- B. the destination SGT names and the assigned 16-bit tag
- C. when a source and destination pair of SGTs is not assigned any SGACLs or a status
- D. when a source and destination pair of SGTs is assigned an order of SGACLs and has a specified status

Correct Answer: D

QUESTION 7

Which option describes the benefits of a secure BYOD architecture using SGT?

- A. complex network design and lower operational costs
- B. eliminates ACL explosion and offloads filtering to ASA for rich and scalable policy rule automation
- C. complex network design and topology dependent segmentation using Security Group
- D. Segmentation using Security Group is topology dependent and offloads filtering to ASA for rich and scalable policy rule automation.

Correct Answer: B



QUESTION 8

Which option is an advantage of using Cisco Prime Infrastructure as a network management solution?

- A. single GUI interface to all Cisco network devices
- B. Prime Infrastructure can also perform data center and virtualization infrastructure management.
- C. Hybrid and cloud-based options allow for easy scaling to accommodate growth.
- D. can be licensed for wired-only or wireless-only versions

Correct Answer: A

QUESTION 9

Which installation option is available as of Prime Infrastructure 2.0?

- A. distributed
- B. web-based installation
- C. physical appliance
- D. Windows installer

Correct Answer: C

QUESTION 10

If customers want to automate and simplify the deployment of one or more new Cisco Catalyst switches, which feature should they use?

- A. Cisco Smart Install
- B. Cisco Smart Deploy
- C. Cisco Auto Deploy
- D. Cisco Auto Config

Correct Answer: A