



# 500-901<sup>Q&As</sup>

Cisco Data Center Unified Computing Infrastructure Design

## Pass Cisco 500-901 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/500-901.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

The HX Data Platform architectures uses which two data optimization features? (Choose two.)

- A. Non-disruptive RAID recovery
- B. Inline data compression
- C. Post-process data compression
- D. Cluster-wide garbage collection
- E. Inline data deduplication
- F. Post-process data deduplication

Correct Answer: BE

---

### QUESTION 2

Which three options can a virtual switch do? (Choose three.)

- A. VLAN tagging is done in UCS Manager
- B. Virtual Machines with a trunk port imposes the VLAN tag
- C. Impose the VLAN tag allocation
- D. Set IP Class-of-Service bits
- E. Allow physical switch to impose the VLAN tag

Correct Answer: ABD

---

### QUESTION 3

ACME technologies is deploying a large number of similar UCS blade servers and want to be able to change servers policies at a later time on all blades.

What type of the Cisco UCS design is recommended?

- A. Initial template based service profiles
- B. Updating template based service profile
- C. Updating non-template based service profiles
- D. Initial non-template based service profiles

Correct Answer: B

---



#### QUESTION 4

Which unique identity resources requires Stateless computing?

- A. UUIDs, MAC Addresses and WWNs
- B. VLANS, VSANS, Hypervisors and IP Addresses
- C. Virtual IP Addresses
- D. Service Profiles and Application Policies

Correct Answer: A

---

#### QUESTION 5

Which statement is true regarding vNIC Templates and LAN Connectivity Policy?

- A. Network identities for LAN connectivity policy must be pool derived
- B. We can add VLANs to the vNIC template at any time
- C. WE do not need MAC address pool for vNIC Templates
- D. vNIC templates must be created first and then used as a part of the LAN Connectivity Policy

Correct Answer: D

---

#### QUESTION 6

What is contained in Service Profiles?

- A. Management and server configurations
- B. Identity and state information for a logical server
- C. Application specific service requirements
- D. State information for a physical server

Correct Answer: B

---

#### QUESTION 7

When can you use UCS Director to provision Service Profile template?

- A. For initial Service Profile template
- B. Always



- C. Never
- D. Only for updating Service Profile template

Correct Answer: A

---

#### QUESTION 8

Where can World Wide Node Name be defined?

- A. In neither vHBA template nor SAN connectivity policy
- B. In vHBA template only
- C. In SAN connectivity policy only
- D. In both, vHBA template or SAN connectivity policy

Correct Answer: B

---

#### QUESTION 9

Depending on the tab context in a Cisco UCS Manager, what three objects are contained in an Organization? (Choose three.)

- A. Identity Pools
- B. Roles
- C. Privileges
- D. Policies
- E. Service Profiles
- F. Locales

Correct Answer: ADE

---

#### QUESTION 10

You are creating a Boot Policy to have your Cisco UCS Server boot from SAN. What option shows the correct process?

- A. Include a vHBA in the Boot Order list, provide a Boot LUN ID, and Provide the WWPN address for the Boot Target
- B. Include a vHBA in the Boot Order list, provide a SAN ID, and provide the WWPN address for the Boot Target
- C. Include two vHBAs in the Boot Order list (vHBA-A and vHBA-B for redundancy), provide a Boot LUN ID for each vHBA, and provide the WWPN address for the Boot Target
- D. Include two vHBAs in the Boot Order list (vHBA-A and vHBA-B for redundancy), provide a SAN ID, and provide the WWPN address for the Boot Target



Correct Answer: A

[Latest 500-901 Dumps](#)

[500-901 PDF Dumps](#)

[500-901 Braindumps](#)