



642-999^{Q&As}

Implementing Cisco Data Center Unified Computing

Pass Cisco 642-999 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/642-999.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which option describes the possible result of a customer configuring a server pool that contains Cisco UCS B200 M2 and B250 M2 blades?

- A. A service profile cannot migrate automatically from one blade to another blade within the server pool due to hardware failure.
- B. You must decommission a blade server for the associated service profile to migrate to another blade in the server pool successfully.
- C. You must uncheck the Restrict Migration box in the service profile to allow service profile migration between blades in the server pool.
- D. After service profile migration, the server fails in boot from SAN due to differences in PCI device IDs.

Correct Answer: D

QUESTION 2

Under which condition can you select the option to "remove" a blade server from within the Cisco UCS Manager?

- A. The server has been decommissioned before physical removal.
- B. The server has been sent a diagnostic interrupt.
- C. The server has been physically removed before decommission.
- D. The server has been powered down.

Correct Answer: C

QUESTION 3

Which statement about Cisco Integrated Management Controller secure mode is true?

- A. After you enable it, you cannot disable it.
- B. After you enable it, you cannot downgrade the Cisco Integrated Management Controller firmware.
- C. It verifies the OS before allowing it to boot.
- D. The server must reboot to apply.

Correct Answer: A

QUESTION 4

Which two of the listed BIOS options are required for VM-FEX in high performance mode? (Choose two.)



- A. RSS
- B. interrupt coherency
- C. virtualization technology
- D. cache validation
- E. ATS support

Correct Answer: CE

QUESTION 5

Refer to the exhibit.



An admin is configuring VLANs on a Cisco UCS B-Series vNIC. Which two statements about the traffic coming from the operating system with this configuration are true? (Choose two.)

- A. The VLAN must be configured with ID 832 within the operating system.
- B. No VLAN tag should be added in the operating system.
- C. If traffic comes in untagged on this vNIC, it is placed in VLAN 832.
- D. This configuration is not supported when hypervisors are used.
- E. The uplink ports of the fabric interconnect have the native VLAN set to ID 832.

Correct Answer: BC

QUESTION 6



When configuring roles in the Cisco UCS C-Series, which role should be assigned for a person who must be allowed to power on the server and install a hypervisor using virtual media, but not allowed to configure other Cisco Integrated Management Controller settings?

- A. read-only
- B. user
- C. VM admin
- D. admin

Correct Answer: B

QUESTION 7

Refer to the exhibit.

Table 1 1 - Fabric uplink interface active	All the HIF ports are pinned to the active uplink interface
Table 2 2 - Fabric uplink interfaces active	HIF Ports : 1,2,3,4 to uplink interface 1 HIF Ports: 5,6,7,8 to uplink interface 2
Table 3 4 - Fabric uplink interfaces active	HIF Ports: 1,8 to uplink interface 1 HIF Ports: 2,3 to uplink interface 2 HIF Ports: 6,7 to uplink interface 3 HIF Ports: 4,5 to uplink interface 4
Table 4 8 - Fabric uplink interfaces active	HIV Port: 1 to uplink interface 1 HIV Port: 2 to uplink interface 2 HIV Port: 3 to uplink interface 3 HIV Port: 4 to uplink interface 4 HIV Port: 5 to uplink interface 5 HIV Port: 6 to uplink interface 6 HIV Port: 7 to uplink interface 7 HIV Port: 8 to uplink interface 8

Which tables correctly map the HIF ports to active FEX NIF ports on a Cisco UCS 2208X IOM in discrete pinning mode?

- A. Table 2 and Table 4
- B. Table 1 and Table 4
- C. Table 2 and Table 3
- D. Table 1 and Table 2
- E. Table 3 and Table 4



Correct Answer: B

Reference:

http://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ts/guide/UCSTroubleshooting/UCSTroubleshooting_chapter_01001.html

QUESTION 8

How does a dynamic vNIC get allocated?

- A. Dynamic vNICs are assigned to VMs in VMware vCenter.
- B. Dynamic vNICs can only be bound to the service profile through an updating template.
- C. Dynamic vNICs are bound directly to a service profile.
- D. Dynamic vNICs are assigned by binding a port profile to the service profile.

Correct Answer: C

QUESTION 9

Which two are true with respect to the switching modes on the Cisco Unified Computing System 62XX Fabric Interconnect? (Choose two.)

- A. End-host mode presents a link to a northbound uplink switch as a host trunk with loop detection that is provided by STP.
- B. For northbound traffic, server MAC addresses are statically pinned to an uplink; the return path is controlled by the unified fabric switches.
- C. A fabric interconnect port in Ethernet switching mode appears to the uplink switch as a host with many MAC addresses.
- D. Server-to-server traffic on a common VLAN are locally switched by the fabric interconnect and not the northbound switches.
- E. A MAC forwarding table is not used to forward traffic to the uplink switch.
- F. A MAC address forwarding table is maintained for server-to-server communications across VLANs.

Correct Answer: DE

QUESTION 10

Which two policies can specify that a port channel be configured between the fabric extender and fabric interconnect? (Choose two.)

- A. chassis or fabric extender discovery policy



- B. rack server discovery policy
- C. rack management connection policy
- D. server inheritance policies
- E. autoconfig policies
- F. chassis connectivity policy

Correct Answer: AF

Reference:

http://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/sw/gui/config/guide/20/b_UCSM_GUI_Configuration_Guide_2_0/b_UCSM_GUI_Configuration_Guide_2_0_chapter_01100.html

QUESTION 11

When using VM-FEX, the new VMs are not connected, but existing VMs are unaffected. Which option describes the most likely cause?

- A. Binding is set to ephemeral on the DVS, but it must be set to static.
- B. Dynamic NICs have been exhausted.
- C. Hostd on the host has stopped responding to Cisco UCS Manager.
- D. The adapter has failed.

Correct Answer: B

QUESTION 12

What is the purpose of the maximum ports that are filed in the port profile?

- A. determines the maximum number of uplinks that VMs can use
- B. determines the maximum number of VMs that can use the DVS
- C. determines the maximum number of DVSs that can use the port profile
- D. determines the maximum number of dynamic vNICS on the DVS

Correct Answer: D

[642-999 PDF Dumps](#)

[642-999 VCE Dumps](#)

[642-999 Brindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

- 100% Guaranteed Success
- 100% Money Back Guarantee
- 365 Days Free Update
- Instant Download After Purchase
- 24x7 Customer Support
- Average 99.9% Success Rate
- More than 800,000 Satisfied Customers Worldwide
- Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.passapply.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © passapply, All Rights Reserved.