



648-244^{Q&As}

Designing and Implementing Cisco Unified Communications on Unified Computing Systems

Pass Cisco 648-244 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/648-244.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Select and Place:

Drag and drop the processors, memory, and storage to the correct Cisco B- or C-Series Tested Reference Configuration server.

Intel Xeon 5600	www.PassApply.com	Cisco UCS C200 server
Intel Xeon 7500		
Intel Xeon E7-2800		
Intel Xeon E7-4800		
192-GB RAM		Cisco UCS C260 server
384-GB RAM		
512-GB RAM		
1-TB RAM		
1.2-TB Storage		Cisco UCS B440 server
2.4-TB Storage		
8-TB Storage		
16-TB Storage		

Correct Answer:



Drag and drop the processors, memory, and storage to the correct Cisco B- or C-Series Tested Reference Configuration server.

Intel Xeon 7500	
384-GB RAM	
1.2-TB Storage	

Cisco UCS C200 server
8-TB Storage
192-GB RAM
Intel Xeon 5600

Cisco UCS C260 server
16-TB Storage
1-TB RAM
Intel Xeon E7-2800

Cisco UCS B440 server
2.4-TB Storage
512-GB RAM
Intel Xeon E7-4800

QUESTION 2

When designing a virtualized Cisco Unity Connection deployment, which two statements are true? (Choose two.)

- A. configure CPU affinity for Cisco Unity Connection
- B. reserve an unused core per Cisco Unity Connection virtual machine
- C. reserve an unused core per host server
- D. iLBC codec selection reduces the number of ports by 75 percent
- E. a Cisco Unity Connection cluster supports up to 40,000 users

Correct Answer: CD

QUESTION 3

Select and Place:



The configuration tab in VMware vSphere Client groups hardware- and software-specific parameters together. Drag and drop the following configuration items on the left to the correct hardware or software section on the right.

DNS and Routing		Hardware
Storage		
Power Management		
System Resource Allocation		
Health Status		Software
Host Cache Configuration		

Correct Answer:

The configuration tab in VMware vSphere Client groups hardware- and software-specific parameters together. Drag and drop the following configuration items on the left to the correct hardware or software section on the right.

		Hardware
		Power Management
		Storage
		Health Status
		Software
		DNS and Routing

	Host Cache Configuration
	System Resource Allocation

QUESTION 4

Which CLI command is used to power down a Cisco Unified Communications applications server?

- A. utils server shutdown
- B. utils system close
- C. utils system shutdown
- D. config server shutdown
- E. config system shutdown



Correct Answer: C

QUESTION 5

With a Cisco UCS C210 M2 Tested Reference Configuration server, which two supported storage solutions can be used for the operating system and applications installation? (Choose two.)

- A. DAS
- B. NAS
- C. FCoE
- D. iSCSI
- E. InfiniBand
- F. Fibre Channel

Correct Answer: AF

QUESTION 6

In a 100-user Cisco Unified Communications Manager deployment, what is the utilization of the CPU and memory during business hours in normal operation?

- A. 10 percent
- B. 17 percent
- C. 26 percent
- D. 31 percent
- E. 37 percent

Correct Answer: B

QUESTION 7

Why should you use the Cisco Unified Communications Sizing Tool in addition to your design solution that you did manually?

- A. this is not necessary if the DocWiki guidelines for virtualized Cisco Unified Communications are followed



- B. to distribute and place the virtual machines automatically in the optimized way
- C. to calculate CPU and memory utilization
- D. to select the optimized OVA template for the deployment

Correct Answer: C

QUESTION 8

How many Cisco Media Communications Servers does a deployment require to reach a return on investment when deploying Cisco B-Series servers instead of Cisco Media Communications Servers in a newly installed data center?

- A. 2
- B. 5
- C. 10
- D. 15
- E. 20

Correct Answer: E

QUESTION 9

Select and Place:



Drag and drop the following items on the left to the correct order on the right to show the high-level procedure of a publisher migration to a virtualized solution in a cluster environment.

Shut Down the Existing Cisco Unified Communications Manager Publisher	1
Use DRS to Back Up the Cisco Unified Communications Manager Publisher and All Other Cluster Nodes	2
Install a Cisco Unified Communications Manager Publisher in a Virtual Machine Including Any System Upgrades or Engineering Specials	3
Use DRS to Restore the Publisher	4
Reboot TFTP and Subscribers	5
Reboot the Publisher	6
Perform Postreplacement Tasks	7
Upload License Files and Delete All Old and Invalid License Files	8
Option	

Correct Answer:

Drag and drop the following items on the left to the correct order on the right to show the high-level procedure of a publisher migration to a virtualized solution in a cluster environment.

	Use DRS to Back Up the Cisco Unified Communications Manager Publisher and All Other Cluster Nodes
	Shut Down the Existing Cisco Unified Communications Manager Publisher
	Install a Cisco Unified Communications Manager Publisher in a Virtual Machine Including Any System Upgrades or Engineering Specials
	Use DRS to Restore the Publisher
	Reboot TFTP and Subscribers
	Reboot the Publisher
	Upload License Files and Delete All Old and Invalid License Files
	Perform Postreplacement Tasks
Option	



QUESTION 10

Starting with which Red Hat Enterprise Linux version does Large Receive Offload (LRO) not need to be disabled anymore in VMware vSphere ESXi?

- A. 4.0
- B. 4.5
- C. 4.9
- D. 5.0

Correct Answer: D

QUESTION 11

Select and Place:

Drag and drop the lockdown mode privileges on the left to the access options for VMware vSphere ESXi 5.0 on the right. Some items may not be used.

VMware vSphere API	Ary User with Privilege
CIM	None Except vpxuser
DCUI	None Except Ticket-Based Access
VMware vSphere ESXi Shell	Root and Users with Admin Privilege
	Root Only
	None

Correct Answer:

Drag and drop the lockdown mode privileges on the left to the access options for VMware vSphere ESXi 5.0 on the right. Some items may not be used.

	Ary User with Privilege
	VMware vSphere API
	CIM
	Root and Users with Admin Privilege
	DCUI
	VMware vSphere ESXi Shell



QUESTION 12

What is the disk efficiency factor when using RAID 10?

- A. $1/2$
- B. $1/n$
- C. $1/(n/2)$
- D. $1-1/n$

Correct Answer: B

[Latest 648-244 Dumps](#)

[648-244 PDF Dumps](#)

[648-244 Exam Questions](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.passapply.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © passapply, All Rights Reserved.