Exam : 920-251

Title : nncss-alteon

Version : DEMO

1. Identify two that are Layer 4 CLI commands.
A. /cfg/slb/cur
B. /info/arp/dump
C. /stats/slb/real <real-server-number></real-server-number>
D. /stats/port/ <num> <ether if="" link=""> Answer:AC</ether></num>
2. Which two metrics are supported in Intrusion Detection System load balancing?
A. minmisses
B. leastconns
C. roundrobin
D. response Answer:AC
3. Which command changes the realserver port to 8080?
A. /cfg/slb/virt <virt number=""> /service <service number="">/ rport 8080</service></virt>
B. /cfg/slb/real <real number="">/service <service number="">/rport 8080</service></real>
C. /cfg/slb/virt <virt number="">/service <service number="">/sport 8080</service></virt>
D. /cfg/slb/group <group number="">/service <service number="">/rport 8080 Answer:A</service></group>
4. Which two can each port in use on the switch be configured to process?
A. client requests
B. ARP requests
C. server processing
D. filter requests Answer:AC
5. What three things must you do to create a bandwith management policy (allocate available bandwidth)?

- A. Receive a policy number
- B. Map IP addresses in a sufficient range
- C. Specify limits (reservation limit, soft limit, hard limit)
- D. Specify buffer limit

Answer: ACD

- 6. Select two valid characteristics of content identifiers such as URLs.
- A. be of varying lengths
- B. appear at unpredictable locations within a request
- C. be interrupted by VLAN tagging
- D. be terminated by VLAN tagging

Answer:AB

- 7. Which two statements are true with regard to the Least Connections metric?
- A. New connections are assigned to the server with the fewest active connection
- B. Weighting has no effect
- C. Maximum connection option is supported
- D. New connections are distributed in round-robin fashion Answer:AC
- 8. Select three attributes that are benefits of Global Server Load Balancing (GSLB).
- A. It takes geography and network topology into account
- B. It supports all IP protocols
- C. It does not require a DNS configuration
- D. It has no latency during the client setup

Answer: ABD

- 9. Which two of the following are benefits of using an SSL offload device?
- A. Less load on server CPUs
- B. Cookie-based persistence can be used for SSL traffic

- C. Increased performance for http traffic
- D. Stronger maximum cipher strength Answer:AB
- 10. What could cause switches to improperly redirect traffic? Select two.
- A. IP forwarding is turned ON.
- B. Filtering is not enabled on the correct port.
- C. RTS is not enabled on the correct port.
- D. Packets are being rejected at the VIP.

Answer: BC

## **Trying our product!**

- ★ 100% Guaranteed Success
- ★ 100% Money Back Guarantee
- ★ 365 Days Free Update
- ★ Instant Download After Purchase
- ★ 24x7 Customer Support
- ★ Average 99.9% Success Rate
- ★ More than 69,000 Satisfied Customers Worldwide
- ★ Multi-Platform capabilities Windows, Mac, Android, iPhone, iPod, iPad, Kindle

## **Need Help**

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:





## Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.