

Exam : **920-457**

Title : CallPilot Ris.4.0 Unified
Messaging Exam

Version : DEMO

1. A customer has CallPilot RIs. 4.0 servers located in several locations. Hackers use several methods to attack systems that are connected to the Internet. The company has requested that networking between servers have high security.

Which three should be used to ensure high network security? (Choose three.)

- A. SSL encryption
- B. AMIS networking
- C. SMTP authentication
- D. Enterprise networking
- E. VPIM networking using SMTP authentication

Answer: ACE

2. A customer plans to install a large Succession 1000M RIs. 4.0 system and two small Succession 1000M RIs. 4.0 systems at two remote sites. Each Succession system will have a CallPilot RIs. 2.x/3.0/4.0 server. They want to use

Enterprise Networking to connect all CallPilot servers on each of the Succession systems. Which report can be created in

CallPilot Reporter to best reflect the efficiency of the CallPilot server network attributes at the Main Office (MO)?

- A. Productivity Network report
- B. Network Channel Usage report
- C. Network Activity report highlighting blocked attempts
- D. Open Network Activity report highlighting blocked attempts

Answer: C

3. A customer has CallPilot RIs. 4.0 and 3.0 servers in several locations. They want to centrally administer and manage all sites with valid data. They would like to be alerted should the CallPilot network have any problems. Which application should be implemented to accomplish this?

- A. My CallPilot
- B. pcAnywhere
- C. Crystal Reports
- D. CallPilot Reporter

Answer: D

4. A customer plans to install multiple CallPilot RIs. 2.x/3.0/4.0 servers into their Private Branch Exchange (PBX) network. On the planned CallPilot server that will be located at their headquarters, they want to create several menus, and want callers to be able to access the auto attendant at any time in the menu. What is the best and least time consuming procedure for making the auto attendant available for all of the planned menus?

- A. Create an auto attendant application for each application.
- B. Copy the Thru-Dial application block into each menu application.
- C. Create a Thru-Dial application for each menu to route to the Auto-Attendant.
- D. Create one auto attendant application and import this application into all the menu applications.

Answer: D

5. A customer is planning a new multi-site CallPilot RIs. 2.x/3.0/4.0 solution. They want to use Enterprise or Voice

Profile for Internet Mail (VPIM) Networking to connect the CallPilot systems. They require that the CallPilot solution support name dialing for remote addresses. Using CallPilot Manager, which configuration should you recommend?

- A. Names Across the Network
- B. Message Delivery Configuration
- C. Message Network Service (NMS)
- D. Message Networking Configuration

Answer: A

Trying our product !


- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 Money Back Guarantee <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 Security & Privacy <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.