

**Exam** : **922-109**

**Title** : Communications Server  
1000 RIs.6.0 BARS/NARS

**Version** : Demo

1. With Communication Server 1000 RIs. 6.0, Zone Based Dialing is supported for both public and private dial and numbering plans for on-net calls. Which statements best describe Zone Based Dialing? (Choose two.)

- A. For outgoing trunk calls, CLID is converted to E.164 format when DIALPLAN is configured as PUB, for PRV type - CLID remains as is.
- B. On-net Calls are routed using each CS 1000 site dial plan database and are routed to the remote system to process.
- C. Private and Public (E.164) dial plans and features are not retained. Zone Based Dialing uses the Flexible Dial Plan information to route network-wide.
- D. A new Zone type, Numbering Zones, provides a user interface to configure the parameters for: Zone-based Parameters, Flexible Dial Plan, and Direct Inward Dial number.

Answer: A D

2. Click on the Exhibit button. Given the SDRR programming options shown in the exhibit, which SDRR programming would allow a user at to be able to dial 1-900-867-3333, but not successfully dial any other 1-900 based number?

Table 1	Table 2	Table 3	Table 4
SPN 1900	SPN 1900	SPN 1900	SPN 1900
RLI 3	RLI 3	RLI 3	RLI 3
DENY 1	DENY 1	DENY ALL	DENY
DENY 2	DENY 2		
DENY 3	DENY 3		
DENY 4	DENY 4		
DENY 5	DENY 5		
DENY 6	DENY 6		
DENY 7	DENY 7		
DENY 8	DENY 8		
DENY 9	DENY 9		
DENY 0	DENY 0		
ALLOW 8673333	ALLOW 3333	ALLOW 8673333	ALLOW

- A. Table 1
- B. Table 2
- C. Table 3
- D. Table 4

Answer: A

3. Click on the Exhibit buttons. Given the customer's programmed database shown in the exhibits and where AC1 = 9, which RLI will the call complete when a station user dials 9-814-666-3434?

JR>_!;	'\C1
XPA	1912
RLI	4
SDRR	NO.'IE
ITEI	NO.'VE
lliPA	1914
RLI	3
SDRR	NOm:
ITEI	NONE
)iP>.	1718
RLI	4
SDRR	:A0:'VE
ITEI	:A0:'VE
).PA	1717
RLI	9
DEV<!	39680
DEHi!	39681
ODD	5344000
NPA	1814
RLI	4
SDRR	NON I
ITEI	XONE
)ii'>.	1609
RLI	2
DID	<b>53330</b>
ITEI	:A0 I

RLI2
NIR 0
OUT >
C:V0ON1 0.12ON3 0.1
4 ON SON 6 0.'1 70::<
IN V NU
IXf NU
IKL)
II
!
11NO
SETI
ERLO
MR I
OUR 1
CIJO OX I O:'\OX 3
2.f
40)1S'ON 6 0.'1 70)1
EN'NV
K
JU
Q
<-NO
NR2
VUTO

j!t:C1  
 )  
 1000UN1 V< /V 'vt'  
 4ON SON 6ON 70.'11  
 CNVNV  
 It NU  
  
 It.'IK 1  
 ROUTt. 1  
  
 1 ..xv:-.o  
 ll:.. NV  
 ll< j  
 IIIX IU  
  
 UHI NO  
 CH:( NV  
  
 Id1  
 II<VU!U  
 1000VN1 Vi''' VI >Vi'  
 4ON SON 6ON 70.'if  
  
 .. 11 ON 10-12 ON



- A.RLI 2
- B.RLI 3
- C.RLI 4
- D.RLI 9
- E.call will not complete as dialed

Answer:E

4.Click on the Exhibit button. A customer's dialing requirements, listed below, require that all station users assigned an NCOS of 3 and Class of Service of Conditionally Toll Denied (CTD) be able to place toll calls from the United States to Australia. Australia Country Code: 61 NCOS of 3 has an FRL of 3 Expensive Routers are not being used With reference to the exhibit, which table will allow all station users to be able to place these toll calls?

TABLE A	TABLE B	TABLE C	TABLE D
SPN 61	SPN 61	SPN 61	SPN 61
RLI 2	RLI 3	RLI 4	RLI 5
RLI 2	RLI 3	RLI 4	RLI 5
ENTR 0	ENTR 0	ENTR 0	ENTR 0
ROUT 3	ROUT 3	ROUT 4	ROUT 3
TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON	TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON	TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON	TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON
CNV NO	CNV NO	CNV NO	CNV NO
EXP NO	EXP NO	EXP NO	EXP NO
FRL 5	FRL 2	FRL 5	FRL 5
ENTR 1	ENTR 1		ENTR 1
ROUTE 1	ROUTE 1		ROUTE 1
TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON	TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON		TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON
CNV NO	CNV NO		CNV NO
EXP NO	EXP NO		EXP NO
FRL 6	FRL 6		FRL 4

- A.Provisioning Table A
- B.Provisioning Table B
- C.Provisioning Table C
- D.Provisioning Table D

Answer:B

5.Click on the Exhibit button. Consider a customer's dialing plan and programming shown in the exhibit. Assuming all required Route List Indexes have been programmed, why will the station user's dialed call of 6-544-3333 not complete?

TRAI	AC1
NPA	1912
RLI	4
SDRR	NO.'<E
ITEI	NO.'-E
NPA	1914
RLI	3
SDRR	NO.'E
ITEI	NONE
NPA	1718
RLI	4
SDRR	NO.'<E
ITEI	NO.'E
NPA	1717
RLI	9
DENY	39680
DENY	39681
DDD	5344000
NPA	1814
RLI	4
SDRR	NO.'<E
ITEI	NO.'<E
NPA	1609
RLI	2
DID	<b>53330</b>
ITEI	NONE

TRAN	AC2
NXX	232
RLI	1
SDRR	NONE
ITEI	NO.'E
NXX	234
RLI	0
SDRR	NO.'E
ITEI	NO.'<E
NXX	237
RLI	1
SDRR	NONE
ITEI	NO.'E
NXX	<b>345</b>
RLI	0
SDRR	NONE
ITEI	NO.'E
NXX	421
RLI	1
SDRR	NO.'<E
ITEI	NONE

0	Attendant
1	SPRE Code
20>0<-29>0<	Trunk Access Codes
13>00<	DID DNs
4>00<	Non-DID DNs
5	
6	AC2
7	
8	
9	AC1

- A.AC1 Access Code was not dialed
- B.NXX 544 is not provisioned in the customer
- C.3333 is Denied under the SDRR programming
- D.AC2 Access Code was not dialed

Answer: B

# Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <b>One Year Free Update</b> <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <b>Money Back Guarantee</b> <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <b>Security &amp; Privacy</b> <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

## Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.