



9A0-327^{Q&As}

Adobe CQ 5.5 Component Developer ACE Exam

Pass Adobe 9A0-327 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/9A0-327.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You want to add a new tab to the page properties dialog. What should you do?

- A. Copy the page properties dialog from the foundation/page component, add a new tab node specifying the cq:Panel node to render the new tab.
- B. In the component definition add a property to set the path to the foundation/page properties dialog and another property to set the new tab definition.
- C. You cannot override the page properties dialog.
- D. Create only the tab cq:Panel node and add a property resourceType pointing to the foundation/page properties dialog.

Correct Answer: A

QUESTION 2

Given the CQ Dispatcher configuration in the /filter section:

```
/filter { /0001 { /glob "*" /type "deny" } /0002 { /glob "*" /content/geometrixx[.]*" /type "allow" } /0003 { /glob "*" /content/geometrixx/company[.]*" /type "deny" } /0004 { /glob "*" /type "allow" } }
```

Which rule will be applied to the request: /content/geometrixx/company/news.html?

- A. Request denied, because of rule 0001. The first rule that matches the request will be applied.
- B. Request served, because of rule 0002. The configuration can only be applied to the second level path.
- C. Request denied, because of rule 0003. The configuration with the closest match will be applied.
- D. Request accepted, because of rule 0004. The last configuration that matches the request will be applied.

Correct Answer: D

QUESTION 3

How do you get the current rendering mode within a CQ component script?

- A. `slingRequest.getWCMMode();`
- B. `WCMMode.fromRequest(request);`
- C. `JCRUtil.fromRequest(request);`
- D. `componentContext.getWCMMode();`



Correct Answer: B

QUESTION 4

You want to install bundles through CRX only in the author instance. Which folder name can you use for that purpose?

- A. All folders under the install folder.
- B. All folders under the install folder that are named author.
- C. All folders named install.author.
- D. The folder runmodes.author.

Correct Answer: C

QUESTION 5

How do you define the error message that should be displayed when the regex widget validation results in an error?

- A. After the regular expression property in the cq:Widget element, add a new property, name it regex and enter the error message in quotes.
- B. Add a property to the cq:Widget element, name it regexText and enter the error message.
- C. Create a node under the cq:Widget element, name it options, then create a property called errorMessage and enter the error message.
- D. Create a node under the cqWidget element and name it errorMessage. Create a property called text and enter the error message.

Correct Answer: B

QUESTION 6

What are the two attributes of an Event in an OSGi Event Admin Service?

- A. Title and options.
- B. Topic and Properties.
- C. Publisher and Subscriber.
- D. Listener and Filters.

Correct Answer: D



QUESTION 7

How do you disable WebDAV access on the publish instance?

- A. Remove the WebDAV bundle from the Apache Felix Web OSGI console
- B. In the CRX User Management Console disable the WebDAV user group
- C. Comment according servlet mappings in web.xml and stop the WebDAV bundle in the Apache Felix Web OSGi console
- D. Start CQ with `java -jar cq-publish-4503.jar -nobrowser -nowebdav`

Correct Answer: C

QUESTION 8

What is the most significant difference between the Edit and the Design mode?

- A. Sidekick is expanded and minimized respectively
- B. In Design mode authors can enter content to modify the design of the page
- C. Content edited in Edit mode is saved to the current page, content edited in Design mode is saved to the design settings assigned to the current page
- D. The Edit mode is mainly used by regular authors while the Design mode is mainly used by super authors

Correct Answer: C

QUESTION 9

Which statement correctly describes the OSGi installer service?

- A. It is a provider that searches for nodes of type `slings:osgiConfig`.
- B. It is a service that scans the CRX repository for artifacts and provides them to the JCR installer.
- C. It is a central service for handling installs, updates and uninstalls of artifacts.
- D. It is a service searching the CRX repository for folders named `install`.

Correct Answer: C

QUESTION 10



You have a component "A" that has a dialog and four JSP scripts: main.jsp, script1.jsp, script2.jsp and script3.jsp. The script main.jsp includes the other three scripts. Now you implement component "B", which is very similar to component "A", but with a different script2.jsp script. Component "B" declares "A" as its resourceSuperType. What is the best way to implement script2.jsp for Component "B"?

- A. Copy all the dialog nodes from "A" to the component folder "B" and write script2.jsp
- B. Write script2.jsp and copy main.jsp, which includes script2.jsp, from component "A" to "B".
- C. Since the dialog will be inherited, copy only all the jsp files from component "A" to "B" and write a new script2.jsp.
- D. Only write a new script2.jsp.

Correct Answer: D

QUESTION 11

Which kind of HTTP requests are logged by default in the Recent Requests tab of the Apache Felix Web Console?

- A. Requests made to CQ pages.
- B. Requests related to the Apache Felix Web OSGi Console.
- C. Requests made to the installed bundles that are used by CQ pages.
- D. All the requests made to CQ instances.

Correct Answer: D

QUESTION 12

In your CQ Component script you want to read a property value which has been created with a design dialog. How can you get the value?

- A. `String data = properties.get(propertyName, "");`
- B. `String data = currentNode.getStyleProperty(propertyName, "");`
- C. `String data = currentPage.getStyleProperty(propertyName, "");`
- D. `String data = currentStyle.get(propertyName, "");`

Correct Answer: D



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.passapply.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 One Year Free Update <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 Money Back Guarantee <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 Security & Privacy <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © passapply, All Rights Reserved.