

Vendor: IBM

Exam Code: C2020-622

Exam Name: IBM Cognos 10 BI Administrator

Version: Demo

Question No: 1

After the installation of IBM Cognos BI, what must be done to ensure that only select users have unrestricted access to Public Folders in IBM Cognos Connection?

- A. Add the Anonymous user to the Directory Administrators role.
- **B.** Remove the Everyone group from the Server Administrators role.
- **C.** Remove the Everyone group from the System Administrators role.
- **D.** Remove the All Authenticated Users group from the Directory Administrators role.

Answer: C

Question No: 2

A user wants to be able to view the contents of a container entry, such as a package or a folder, and view general properties of the containeritself without having full access to the content. Which permission does the administrator assign to the user?

- A. Read
- B. Write
- C. Traverse
- D. Set Policy

Answer: C

Question No: 3

To be able to access and modify any object within the portal, regardless of any security policies set for the object, the administrator must be a member of which built-in role?

- A. Server Administrators
- **B.** Report Administrators
- C. System Administrators
- **D.** Directory Administrators

Answer: C

Question No: 4

What permission is needed to view and change the permissions of a IBM Cognos BI object?

- A. Read
- B. Set Policy
- C. Traverse
- D. Execute

Answer: B

Question No:5

To administer the contents of namespaces, the administrator must be a member of which predefinedrole?

- A. Report Administrators
- **B.** Server Administrators
- C. Directory Administrators
- **D.** System Administrators

Answer: C

Question No: 6

When a namespace is no longer used for authentication, what must the administrator do to permanently remove itfrom the content store?

- **A.** Delete the namespace in IBM Cognos Administration, and then delete it in Cognos Configuration.
- **B.** Delete the namespace in IBM Cognos Configuration only.
- **C.** Delete the namespace in IBM Cognos Configuration, and then delete itin IBM Cognos Administration.
- **D.** Delete the namespace in IBM Cognos Administration only.

Answer: C

Question No:7

Below is a partial diagram of the processing that occurs when a user submits a request for authentication through the log on page in their browser.



Which of the following components represents X?

- A. Content store
- B. IBM Cognos Access Manager
- C. Query database
- **D.** Authentication provider database

Answer: B

Question No:8

When an administrator sets up package-based drill-through, what does the scope represent?

- A. The format of the drill-through target report.
- **B.** The source report or analysis for the drill-through.
- **C.** The target report in the drill definition that is shown to the user.
- **D.** The Run options for the target report.

Answer: C

Question No:9

In IBM Cognos Connection, how can an administrator specify different prompt values and run options for a report without modifying the report itself?

- **A.** Schedule a report.
- **B.** Create a report view.
- **C.** Produce a report output.
- **D.** Burst a report.

Answer: B

Question No: 10

An administrator wants to email a report to a recipient; however, this recipient is not part of the Cognos security system. What can the administrator create in IBM Cognos Administration?

- A. Recipient
- B. User
- C. Role
- D. Contact

Answer: D

Question No: 11

Where must an administrator set up package-based drill-through?

- A. Analysis Studio
- **B.** IBM Cognos Connection
- C. Framework Manager
- **D.** IBM Cognos Configuration

Answer: C

Question No: 12

An administrator wants to show the folder hierarchy of IBM Cognos Connection in a portlet. Which portlet must the administrator use?

- A. IBM Cognos Viewer
- B. IBM Cognos Search
- C. IBM Cognos Navigator
- **D.** IBM Cognos Extended Applications

Answer: C

Question No: 13

An administrator creates a shortcut that points to an invoice report. What happens if the invoice report is renamed?

- **A.** The shortcut contains the original name and can be used to view the latest output before the report was renamed.
- **B.** The shortcut contains the original name and no longer works because the link to the report is broken.
- **C.** IBM Cognos Connection automatically updates the report name in the shortcut, and the shortcut remains fully functional.
- **D.** IBM Cognos Connection automatically deletes the shortcut.

Answer: B

Question No: 14

Before sending a report by email, where must the administrator specify the connection to the mail server?

- A. IBM Cognos Connection
- **B.** IBM Cognos Administration
- C. Framework Manager
- D. IBMCognos Configuration

Answer: D

Question No: 15

Why would an administrator want to copy a user profile?

- **A.** The user was deleted using a third-party authentication provider.
- **B.** The administrator wants to copy trusted credentials for multiple users.
- **C.** The user has changed names and the administrator is setting up an account in the new name.
- D. The user requires enhanced security permissions before logging on to IBM Cognos BI

for the first time.

Answer: D

Question No: 16

An administrator has set up drill-through access in a package to run the target Query Studio report. By default, what happens when a user clicks the drill-through link?

- A. The report runs in IBM Cognos Viewer.
- **B.** The most recent report output is shown.
- **C.** The report runs and opens for editing in Query Studio.
- **D.** The user is prompted to run or edit the report.

Answer: C

Question No: 17

A user must be able to only view the contents of the Americas Inventory folder. What permissions must be granted to the user for the folder?

- A. Write
- B. Execute
- C. Traverse
- D. View

Answer: C

Question No: 18

What is true about servlets and services?

- **A.** The Content Manager and dispatcher servlets run within the Java servlet container configured for IBM Cognos BI.
- **B.** If a servicefails, users get email notification.
- **C.** The report service and batch report service run within the Java servlet container.
- **D.** The report service and batch report service are Java-based applications.

Answer: A

Question No: 19

There is a load balancing infrastructure set up in a IBM Cognos BI environment. In order to disable the IBM Cognos BI internal load balancing mechanism, what value must be selected for the Load Balancing Mode setting?

- A. Custom balancing
- B. Cluster compatible
- **C.** Weighted roundrobin
- D. Server-side processing

Answer: C

Question No: 20

When the default active Content Manager fails, which of the following occurs?

- **A.** The system automatically activates all standby Content Managers, and spreads the load of requests based onthe Weighted Round Robin load balancing mode.
- **B.** The system automatically activates all standby Content Managers and spreads the load of requests across them all.
- **C.** The system automatically switches to a standby Content Manager, and requests are directed to it.
- **D.** Users are prompted to rerun failed requests on the initial Content Manager once it is back on line.

Answer: C

Trying our product!

- ★ 100% Guaranteed Success
- ★ 100% Money Back Guarantee
- ★ 365 Days Free Update
- ★ Instant Download After Purchase
- ★ 24x7 Customer Support
- ★ Average 99.9% Success Rate
- ★ More than 69,000 Satisfied Customers Worldwide
- ★ Multi-Platform capabilities Windows, Mac, Android, iPhone, iPod, iPad, Kindle

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2015, All Rights Reserved.