



DC0-200^{Q&As}

Certified Server Professional Exam

Pass Dell DC0-200 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/dc0-200.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Dell Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which OpenManage component is installed on the managed system to allow SNMP alerts to be sent to the management station?

- A. Server Assistant
- B. IT Assistant
- C. Server Administrator
- D. Remote Access Controller

Correct Answer: C

QUESTION 2

What are three types of NIC teaming? (Choose three.)

- A. Load Balancing
- B. Fault Tolerance
- C. Generic Trunking
- D. Cluster Teaming

Correct Answer: AB

QUESTION 3

Which two are provided by riser boards? (Choose two.)

- A. redundant power conditioning and distribution for power redundant systems
- B. a place to connect up to 16 DIMMs in 4U and larger systems
- C. processor mounting parallel to the system board in 2U, quad processor systems
- D. PCI slots parallel to the system board in 1U and 2U systems

Correct Answer: BD

QUESTION 4

In Array Manager, what is the definition of a virtual disk?

- A. abstract entity made up of array disks and/or array segments
- B. one physical hard drive inside a storage subsystem
- C. physical fibre storage subsystem



D. physical SCSI storage subsystem

Correct Answer: A

QUESTION 5

Which benefit does Link Aggregation provide, as used by Intel NICs in PowerEdge servers?

- A. allows multiple adapters to share the network load, preventing one adapter from being overloaded
- B. combines multiple adapters into one channel, providing greater bandwidth for network traffic
- C. assures that if one adapter fails, the server remains available to the network
- D. provides load-balanced fault tolerance to the network

Correct Answer: B

QUESTION 6

If there is a loss of power redundancy on your PowerEdge server, in which three ways can Dell OpenManage IT Assistant report this? (Choose three.)

- A. Dell IT Assistant sends an alert to Dell OpenManage Server Administrator.
- B. The status panel for that system indicates which power supply failed.
- C. An SNMP trap can be logged in the OpenManage IT Assistant.
- D. Systems Status is marked as "Warning" in OpenManage IT Assistant.

Correct Answer: BCD

QUESTION 7

You want half of the six hard drives in your server to be on a separate SCSI bus. How would you achieve this?

- A. turn on the Split Backplane option in the PERC BIOS
- B. split the backplane to a 2x4 backplane
- C. add an additional processor to the server
- D. split the backplane to a 1x3 backplane

Correct Answer: B

QUESTION 8



A disk in a RAID 5 array has failed. Using Array Manager, which statement is true about rebuilding the data onto a replacement drive if a PERC 3/DC is in use?

- A. The replacement disk must be initialized before insertion.
- B. The rebuild operation will start automatically upon insertion of the replacement disk.
- C. The rebuild operation will start only after it is manually initiated.
- D. The replacement disk must be initialized after insertion.

Correct Answer: B

QUESTION 9

Which is the appropriate method to change or migrate from RAID-5 to RAID-0 using Array Manager with an Adaptec PERC?

- A. Reconfigure
- B. Rearrange Virtual Disk
- C. Switch RAID Type
- D. Rebuild Array

Correct Answer: A

QUESTION 10

Which two steps are part of configuring SNMP for OpenManage products on the managed node? (Choose two.)

- A. configure the contact and location in the Agent tab of the SNMP service
- B. configure SNMP community names
- C. configure a trap destination on systems relying on SNMP as their communication protocol
- D. configure SNMP security for all community names to READ ONLY

Correct Answer: BC

QUESTION 11

You select the RAID Configuration Utility from the Utility Partition menu. This takes you to the .

- A. PERC BIOS
- B. Array Manager
- C. system setup



D. CERC BIOS

Correct Answer: A

QUESTION 12

What does 2 +1 mean in the system specifications for the power subsystem?

- A. The server must have one power supply in order to operate and the two additional power supplies are redundant.
- B. The server has two AC inputs that are switched to a single supply to provide redundant AC sources.
- C. The server must have two power supplies in order to operate and a third power supply is the redundant supply.
- D. The server has two power supplies with one AC input fed to both, providing redundant power supplies.

Correct Answer: C

QUESTION 13

Which three statements are true for the OpenManage IT Assistant inventory page? (Choose three.)

- A. The number of columns that can be selected at any one time on the inventory page is limited to ten.
- B. The inventory page reports the status of a system.
- C. Inventory items in the inventory page for a discovered system are updated upon each discovery round.
- D. The inventory page supports printing to a printer.
- E. The inventory page is sortable by any column.

Correct Answer: CDE

QUESTION 14

What are four valid event actions in ITA? (Choose four.)

- A. a page
- B. an e-mail message
- C. a Windows event log insertion
- D. an alert popup
- E. a forward event

Correct Answer: ABCD



QUESTION 15

How many DIMMs are required for the minimum memory configuration on a server with four-way interleaving memory addressing?

- A. 1
- B. 4
- C. 8
- D. 2

Correct Answer: B

[Latest DC0-200 Dumps](#)

[DC0-200 Practice Test](#)

[DC0-200 Study Guide](#)