# E20-340$^{Q\&As}$

## Clariion solutiongs implementation

## Pass EMC E20-340 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

**https://www.passapply.com/e20-340.html**

### 100% Passing Guarantee
### 100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

**QUESTION 1**

Which hardware component is used to offload iSCSI and TCP processing from the host CPU?

A. iSCSI host bus adapter (HBA)

B. Dual NICs

C. NIC TCP Off-load Engine (TOE)

D. NIC

Correct Answer: A

**QUESTION 2**

What can be found on the first DAE in a CX4?

A. The FLARE operating environment and Vault for the array on disks 0-4

B. The STAR operating environment and Vault for the array on disks 0-3

C. The DART operating environment and Vault for the array on disks 1-5

D. The Enginuity operating environment and Vault for the array on disks 1-4

Correct Answer: D

**QUESTION 3**

Refer to the exhibit.

Which port has a fixed IP and subnet mask?

A. A

B. B

C. C

D. D

E. E

Correct Answer: A

**QUESTION 4**

What CLARiiON software controls visibility to LUNs in a CLARiiON storage system?

A. Access Logix

B. Volume Configuration Management

C. Storage group

D. PowerPath

Correct Answer: A

**QUESTION 5**

Which is a result of a LUN migration?

A. The source LUN is automatically destroyed after copy completes.

B. The destination LUN will be the same RAID group type.

C. The destination LUN will have a new unique LUN ID.

D. The source LUN will require manual trespass.

Correct Answer: A

**QUESTION 6**

An array has just experienced a complete loss of power to one of their racks, causing an SP to fail. Once power is restored, although data can still be accessed, latency in retrieving data has increased. Which setting is most likely causing this to happen?

A. Verify priority

B. Rebuild priority

C. Initial verify

D. Compression

Correct Answer: A

**QUESTION 7**

A customer is using the Emulex HBA utility to configure server connections. They want to ensure all initiators and CLARiiON storage devices will persist should a reboot or configuration change take place.

Which HBAnyware option allows this?

A. Target Mappings

B. General

C. Adapter Details

D. Driver Parameters

Correct Answer: A

---

**QUESTION 8**

Which is a valid clone ID?

A. 0200000000000000

B. 0010000000000000

C. 0000000000000020

D. 1000000000000000

Correct Answer: A

---

**QUESTION 9**

A customer has heard that the maximum number of LUNs has changed on their model of CLARiiON with the introduction of the latest code.

Which document will help them understand the implications of a code upgrade?

A. FLARE Operating Environment Release Notes

B. CLARiiON Best Practices for Fibre Channel Storage white paper

C. CLARiiON Open Systems Configuration Guide

D. CLARiiON Fibre Channel Storage Fundamentals white paper

Correct Answer: A

---

**QUESTION 10**

What are the requirements for a metaLUN stripe expansion?

a. All participating LUNs must be the same size and RAID type.

b. All participating LUNs must be owned by the same SP.

c. All participating disks in any of the LUNs must be the same type.

d. All participating disks must belong to the same disk array enclosure.

A. a and c

B. b and c

C. a and d

D. c and d

Correct Answer: A

## QUESTION 11

Which Unisphere drop-down menu item allows the user to organize LUNs?

A. Folders

B. LUNs

C. Storage Groups

D. Pools/RAID Groups

Correct Answer: A

## QUESTION 12

Which utility is recommended for the alignment of disks in a Linux environment?

A. fdisk

B. diskpart

C. diskpar

D. format

Correct Answer: A

## QUESTION 13

A customer is unable to connect to a CX4 after assigning an IP address to their iSCSI HBA. What needs to be configured in order to make a connection?

A. Initiator network parameters

B. iSCSI security

C. iSCSI.conf file

D. Initiator registration

Correct Answer: A

## QUESTION 14

What does the acronym "CHAP" refer to?

A. Challenge Handshake Authentication Protocol

B. Challenge Handshake Authorization Protocol

C. CLARiiON Handshake Authentication Protocol

D. Consistent Host Application Protocol

Correct Answer: D

## QUESTION 15

Which optional software is commonly installed to provide full high availability from a Windows host system to a CLARiiON array?

A. Adapter Firmware Upgrade

B. Emulex Configuration Utility

C. Navisphere Agent

D. PowerPath

Correct Answer: A

Latest E20-340 Dumps                E20-340 VCE Dumps                E20-340 Braindumps