



E20-517^{Q&As}

Symmetrix Solutions Specialist Exam for Storage Administrators

Pass EMC E20-517 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/e20-517.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which RDF group attribute is applicable only when the group is operating in SRDF/A mode?

- A. session_priority
- B. link_domino
- C. link_limbo
- D. auto_link_recovery

Correct Answer: A

QUESTION 2

A customer wants to create 4 copies of a LUN per day and they want to implement clones. They establish each clone session at fixed intervals of 6 hours, starting at midnight, then at 6AM, then at noon and finally at 6PM.

They are concerned that it will take too long from creating each session to the point where they can actually start using the data on the clone.

What should be done so the clones can be used as quickly as possible?

- A. The clone is immediately usable after activating the session
- B. The "Recreate" option should be used instead of the "create" option
- C. The "CopyOnAccess" option should be added to the command
- D. The "Precopy" option should be added to the command

Correct Answer: A

QUESTION 3

Which device types are supported in TimeFinder VP Snap copies?

- A. Thin to Thin
- B. Thick to Thin
- C. Thick to Thick
- D. Thin to Thick

Correct Answer: A

QUESTION 4



What duration and type of performance data can a Unisphere for VMAX XML Report contain?

- A. 4 hours of Diagnostic data
- B. 6 months of Diagnostic data
- C. 4 hours of Real Time data
- D. 24 hours of Real Time data

Correct Answer: A

QUESTION 5

What is recommended before performing a TimeFinder/Clone establish operation?

- A. Clone target devices should not be actively accessed
- B. Clone source devices should not be actively accessed
- C. Clone target devices should be write disabled
- D. Clone source devices should be write disabled

Correct Answer: A

QUESTION 6

If the default values in Unisphere for VMAX are not changed, which value will trigger a critical alert for Thin Device Usage?

- A. 15
- B. 40
- C. 80
- D. 100

Correct Answer: C

QUESTION 7

Which Symmetrix CLI commands are used for managing FAST operations?

- A. symfast and symtier
- B. symconfigure and symdev
- C. symdev and symtier



D. symfast and symdev

Correct Answer: A

QUESTION 8

What is the maximum number of pools allowed in a FAST VP tier?

- A. 1
- B. 2
- C. 3
- D. 4

Correct Answer: D

QUESTION 9

The necessary infrastructure is in place for application restart at a remote site. Four RDF links have been configured between the two Symmetrix units.

What is the primary impact to the customer of a single-hop SRDF/AR solution compared to SRDF/S?

- A. Increased RPO with SRDF/AR
- B. Increased RTO with SRDF/S
- C. Increased number of links with SRDF/AR
- D. Decreased network bandwidth is needed with SRDF/S

Correct Answer: A

QUESTION 10

A Unisphere for VMAX user must be added to see all Symmetrix arrays managed by the Unisphere server. Which three methods of authentication does Unisphere for VMAX support?

- A. Local, Windows and LDAP.
- B. Local, Domain and LDAP.
- C. Windows, LDAP and LDAP-SSL.
- D. Windows, Linux and LDAP.

Correct Answer: A



QUESTION 11

The storage on a Symmetrix VMAX is divided into four static tiers:

- TierA contains RAID 5 (3+1) Enterprise Flash Drives (EFDs)
- TierB contains 2-Way-Mir 15K RPM Fibre Channel drives
- TierC contains RAID 5 (7+1) 10K RPM Fibre Channel drives
- TierD contains RAID 6 (6+2) SATA drives

Which is a valid FAST policy?

- A. 10% TierA, 40% TierB, 20% TierC, 30% TierD
- B. 10% TierA, 50% TierB, 20% TierC
- C. 15% TierA, 50% TierB, 50% TierD
- D. 20% TierA, 30% TierB, 30% TierC, 30% TierD

Correct Answer: C

QUESTION 12

Which command can be used to backup all the masking information to a file and restore them from a backup file?

- A. symaccess
- B. symdg
- C. symcg
- D. symsg

Correct Answer: A

QUESTION 13

Refer to the exhibit.

A customer wants to implement cascaded TimeFinder/Clone.

Clone sessions between devices A B and B C have been created.

The A B Clone session has been activated.

What should be the state of the A B Clone session, before activating the B C Clone session?

- A. Copied



B. CopyInProg

C. Precopy

D. Terminated

Correct Answer: A

QUESTION 14

How much data is moved during a VLUN VP Migration of a 500 GB virtual LUN, 80% pre- allocated, and containing 382 GB of user data?

A. 382 GB

B. 394 GB

C. 400 GB

D. 500 GB

Correct Answer: A

QUESTION 15

A Unisphere for VMAX user must be able to see all VMAX arrays managed by the Unisphere server but should not be able to make any changes. In addition this user should not be able to view the permissions that have been set for other Unisphere for VMAX users.

Which role should be assigned to this user?

A. Monitor

B. PerfMonitor

C. Auditor

D. None

Correct Answer: A

[E20-517 Practice Test](#)

[E20-517 Exam Questions](#)

[E20-517 Braindumps](#)