



EW0-300^{Q&As}

Extreme Networks Specialist....

Pass Extreme Networks EW0-300 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ew0-300.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Extreme Networks Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

_____ is an ESRP option that allow(s) multiple VLANs to be controlled by a single instance.

- A. ESRP domains
- B. ESRP groups
- C. ESRP host-attach
- D. None of these

Correct Answer: A

QUESTION 2

In SLB a virtual server cannot belong to the same VLAN as the nodes in the referenced pool.

- A. True
- B. False

Correct Answer: A

QUESTION 3

What is the function of a Bootstrap Router?

- A. To inform all PIM-DM routers about the RP?.
- B. To inform all RP? About active multicast streams.
- C. To inform all PIM-SM routers about the RP?.
- D. To tunnel multicast traffic towards the Mbone.

Correct Answer: C

QUESTION 4

How does an IGMP router learns about the existence of hosts in multicast groups

- A. By receiving a response on an IGMP membership query
- B. By looking into the ARP cache
- C. There is no dynamic learning process, instead static FDB entries are used
- D. None of the above



Correct Answer: A

QUESTION 5

What is the RP-set?

- A. It is the information of which RP are available for what Multicast groups. It is sent by the BSR towards all PIM routers
- B. It is the information of which multicast groups are active. It is sent by the RP towards all PIM routers
- C. It is the information of which BSR are available for what Multicast groups. It is sent by RP towards all PIM routers
- D. It is the information, stored by all RP, needed to find the BSR,

Correct Answer: A

QUESTION 6

Re-establishment of a previously pruned network branch is not supported by DVMRP.

- A. True
- B. False

Correct Answer: B

QUESTION 7

What are the differences between a Summit 481 and a Summit 48si? Choose all that apply

- A. A Summit 48i has 2 unpopulated GBIC ports with physical redundancy and a Summit 48si has 2 mini GBIC ports
- B. A Summit 48i is 2 rack units high and a Summit 48si only 1
- C. The Summit 48si runs only on ExtremeWare 6.2.1 and higher
- D. All of these

Correct Answer: D

QUESTION 8

When a PIM-SM router wants to receive a Multicast stream, it

- A. Sends a join in the direction of the RP.
- B. Sends a Join in the direction of the BSR
- C. Sends a Join in the direction of the group-address, using the RPF-check



D. Sends out a Join on all its multicast enabled interfaces

Correct Answer: A

QUESTION 9

The maximum number of EAPS domains supported per switch and ring is?

- A. 64
- B. 32
- C. 16
- D. 8

Correct Answer: A

QUESTION 10

By default all VLANs are assigned to QoS profile QP

- A. 0
- B. 1
- C. 7
- D. 8

Correct Answer: B

QUESTION 11

The following ExtremeWare components are required on Extreme Networks switches with the ? chipset to build an SLB system. (Choose all three that apply)

- A. Nodes
- B. Pools
- C. Virtual Servers
- D. Load balance cache engines

Correct Answer: ABC

QUESTION 12



Manual replication of saved images and configurations from the master MSM64i to the slave MSM64i on the BlackDiamond 6804 is done with the synchronize command.

However execution of this command does not replicate the run-time configuration. You must use the save configuration command to store the run-time configuration first.

- A. True
- B. False

Correct Answer: A

QUESTION 13

The normal behavior of a Router is to forward Unicast packets and block broadcast traffic.

- A. True
- B. False

Correct Answer: A

QUESTION 14

Virtual links are always configured to be a necessary part of all OSPF networks using Extreme's Summit 48i switches.

- A. True
- B. False

Correct Answer: A

QUESTION 15

Which statement is true about integrated IS-IS.

- A. It is a dynamic routing protocol
- B. Used to route both IP and OSI packets
- C. Supports Pure-IP environments, Pure-OSI and dual environments
- D. All of the above

Correct Answer: D
