

Exam : **HP0-205**

Title : Supporting the Enterprise
Modular Library

Version : DEMO

1.You are at a customer site to repair an EML E-Series tape library. What is the first thing to consider before replacing any defective parts?

- A.the part replacement procedure
- B.how the fault was caused
- C.customer site procedures
- D.firmware revision levels

Correct:C

2.Which EML E-Series tape library FRU has a Command Line Interface port?

- A.interface controller card
- B.robotics controller card
- C.Interface Manager memory card
- D.Interface Manager card

Correct:D

3.Which HP software can be used to calculate the actual compression ratio of backup data?

- A.Performance Analysis Tool
- B.Library and Tape Tools
- C.I/OMETER
- D.DPMETERM

Correct:B

4.What is the most critical factor affecting performance at the disk subsystem during a backup?

- A.disk connection speed
- B.disk fragmentation
- C.tape feed speed
- D.compression ratio

Correct:B

5.An EML E-Series tape library is powered on. Before opening the library front door, _____.

- A.operable robotics must be parked
- B.the library must be powered off
- C.the Operator Control Panel must indicate "service request"
- D.cartridges must be removed from the load ports

Correct:A

6.Excessive R/W-head wear due to tape repositioning is a result of not providing the correct ____.

- A.feed speed
- B.block size
- C.file size
- D.compression ratio

Correct:A

7.Which component of the EML E-Series tape library is located in the top cPCI slot in the library base module card cage?

- A.Interface Manager memory
- B.robotics controller
- C.interface controller
- D.Interface Manager

Correct:B

8. Compared to an Ultrium 460 tape drive, the transfer rate for native data of an Ultrium 960 drive is _____.

- A. slightly lower
- B. approximately the same
- C. approximately 2 times higher
- D. more than 2.5 times higher

Correct: D

9. Which option of Command View TL is used to collect configuration information and execute a Device Analysis test on the selected device or devices for an EML E-Series tape library?

- A. backup configuration
- B. get config
- C. report event logs
- D. generate support ticket

Correct: D

10. Which file factor does NOT affect performance of tape devices in a SAN environment?

- A. extension
- B. compressibility
- C. directory depth
- D. size (larger is better)

Correct: A

Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.	 Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.	 Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.
---	---	--

Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.