Exam : HP0-791

Title: HP Procurve Convergence


Version : DEMO

1.A converged network
A.can transmit voice, video, and data over a single infrastructure
B.deploys circuit-switching instead of packet-switching
C.can serve more users than a conventional IP network
D.features an edge-oriented architecture
Correct:A
2.Ethernet and IP are the fundamental technologies for converged networks because they
Select TWO.
A.offer mature standards
B.tolerate high packet loss
C.are widely deployed
D.offer high levels of security
E.aren't disrupted by power outages
Correct: A C
3. How does the ProCurve Adaptive EDGE Architecture support convergence?
A.by enhancing edge compression of video streams
B.by ensuring that traffic is prioritized at the edge of the network
C.by translating analog signals to digital signals at the edge of the network
D.by supporting a variety of Layer 3 protocols at the edge and in the core of the network
Correct:B
4.In a converged network, what does video traffic require in comparison to voice traffic?
A.less delay
B.higher priority
C.more bandwidth
D.more expensive cabling
Correct:C
5. What is the measurable degree to which an IT staff can successfully guarantee the predictable
behavior of network services?
A.Type of Service (ToS)
B.Class of Service (CoS)
C.Quality of Service (QoS)
D 0 1 10 1 (0 0)

D.Guarantee of Service (GoS)

Correct:C

6.Click the Task button. Match the type of traffic (voice, video, or data) with the appropriate description.



Correct:

Green choice3---->Yellow Choice1

Green choice1---->Yellow Choice2

Green choice2---->Yellow Choice3

7.In comparison to streaming video traffic, voice traffic is typically more _____

A.difficult to route

B.insensitive to jitter

C.sensitive to delay

D.bandwidth-intensive

Correct:C

8. What is IP Type of Service (ToS) an example of?

A.hard QoS

B.soft QoS

C.continual QoS

D.virtual QoS

Correct:B

9.A user of a new VoIP infrastructure reports that she unintentionally speaks at the same time as the person on the other end of the line. This condition could be caused by excessive

A.jitter

B.delay

C.echo

D.packet collisions

Correct:B

10. Why does network congestion often cause more network congestion?

A.QoS settings require switches to retransmit all real-time traffic.

B.TCP applications request retransmission of dropped packets.

C.802.1p priorities are ignored after congestion reaches a user-defined threshold.

D.RSVP routers allocate more bandwidth to UDP applications.

Correct:B

Trying our product!

- ★ 100% Guaranteed Success
- ★ 100% Money Back Guarantee
- ★ 365 Days Free Update
- ★ Instant Download After Purchase
- ★ 24x7 Customer Support
- ★ Average 99.9% Success Rate
- ★ More than 69,000 Satisfied Customers Worldwide
- ★ Multi-Platform capabilities Windows, Mac, Android, iPhone, iPod, iPad, Kindle

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:





Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.