

Exam : **HP0-A22**

Title : NonStop Systems and
Technologies

Version : Demo

1.Which utility displays system resource use in block mode and bar graph form?

- A.PEEK
- B.ViewSys
- C.ViewPoint
- D.SEEVIEW

Answer:B

2.In a NonStop NS16000 series server, what is one of the functions of the LSU?

- A.disk mirroring
- B.memory reintegration
- C.system load balancing
- D.correcting memory errors

Answer:B

3.What is the default TCP/IP port number used by the OSM Service Connection when connecting to the NS-series system?

- A.7500
- B.7501
- C.9990
- D.9991

Answer:C

4.What is a key attribute of online transaction processing?

- A.Distributed processing does not work well with online transaction processing applications.
- B.The application keeps the database current at all times by recording transactions as they occur.
- C.Application complexity and high performance must be compromised to attain data integrity and data security.
- D.The system may be unable to back out those transactions that transform the database from one consistent state to another.

Answer:B

5.What is the function of Group Numbers when they are assigned to hardware components?

- A.They determine the order in which racks are added to the system.
- B.They enable disk drives to be switched from group to group easily.
- C.They correspond to the processor numbers housed within the group.
- D.They uniquely identify the IOAM and p-switch components of the system.

Answer:D

6.Which adapter in NS-series systems provides connectivity to the M8xxx disk drives?

- A.FESA
- B.G4SA
- C.FCSA
- D.SNDA

Answer:C

7.Which OSM application is used to change the IP address of the p-switch in an NS-series system?

- A.Event Viewer
- B.Low-Level Link
- C.Service Application
- D.Notification Director

Answer:B

8.In an NS-series server, what is the maximum number of Fibre Channel Disk Modules (FCDM) that can be daisy-chained together?

- A.2
- B.4
- C.6
- D.8

Answer:B

9.What do you configure to enable automatic dial-out of problem event messages to a service provider?

- A.\$0
- B.GMCSC
- C.OSM Notification Director
- D.OSM Service Connection

Answer:C

10.A ServerNet Link connects a ServerNet node to which other component in a ServerNet SAN?

- A.a TorusNet node
- B.a ServerNet router
- C.a different ServerNet group
- D.a Fibre Channel disk module

Answer:B

Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.	 Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.	 Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.
---	---	--

Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.