



JN0-130^{Q&As}

Juniper networks Certified internet specialist.e(jncis-e)

Pass Juniper JN0-130 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-130.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

When configuring an explicit path, what does the next-address entry identify?

- A. the tunnel end point
- B. the tunnel start point
- C. a specific node to be traversed
- D. the node prior to the tunnel end point

Correct Answer: A

QUESTION 2

Which configuration command places interfaces whose IP addresses are between 192.168.0.0 and 192.168.255.255 into OSPF area 0?

- A. network 192.168.0.0 255.255.0.0 area 0.0.0.0
- B. network 192.168.0.0 0.0.255.255 area 0.0.0.0
- C. area 0.0.0.0 network 192.168.0.0 255.255.0.0
- D. area 0.0.0.0 network 192.168.0.0 0.0.255.255

Correct Answer: B

QUESTION 3

What does a BGP route reflector do when reflecting a route?

- A. It prepends its cluster identifier to the route's cluster list.
- B. It prepends its own originator identifier to the route's cluster list.
- C. It replaces the route's cluster identifier with its own cluster identifier.
- D. It replaces the route's originator identifier with its originator identifier.

Correct Answer: A

QUESTION 4

Which CLI command is used to enable MPLS Fast Reroute on an ingress router?

- A. mpls fast reroute



- B. mpls fast-reroute
- C. enable mpls fast-reroute
- D. tunnel mpls fast-reroute

Correct Answer: D

QUESTION 5

During OSPF adjacency formation, in which state is a router in when an OSPF hello packet has been sent but bi-directional communication has not been achieved?

- A. Init
- B. 2Way
- C. ExStart
- D. Exchange

Correct Answer: A

QUESTION 6

Which two statements are true regarding L2TP? (Choose two.)

- A. Tunnels are initiated by the LAC.
- B. Tunnels are initiated by the LNS.
- C. By default, subscriber authentication occurs on the LNS.
- D. By default, subscriber authentication occurs on the LAC.

Correct Answer: AC

QUESTION 7

Which CLI command displays the status of a PPP over Ethernet subinterface?

- A. show pppoe interface
- B. show ppp int state up
- C. show ip interface brief
- D. show pppoe subinterface

Correct Answer: D



QUESTION 8

What are three ways an IP interface can be assigned to a virtual router in a PPP over ATM environment? (Choose three.)

- A. profile
- B. policy list
- C. domain map
- D. RADIUS VSA
- E. classifier ACL

Correct Answer: ACD

QUESTION 9

Two Level 1 routers are exchanging Hello packets with different Area IDs. What occurs between these routers?

- A. An Adjacency is formed.
- B. No IS-IS PDUs are sent
- C. An Adjacency does not form.
- D. An Adjacency forms but traffic is not forwarded.

Correct Answer: C

QUESTION 10

What are three valid LDP message types? (Choose three.)

- A. peer discovery
- B. label distribution
- C. path initialization
- D. session management
- E. connection establishment

Correct Answer: ABD

QUESTION 11



Which three are correct about L2TP tunnel selection algorithms? (Choose three.)

- A. Failover between preference levels is the default.
- B. One algorithm is failover within a preference level.
- C. Failover across all preference levels is the default.
- D. One algorithm is failover between preference levels.
- E. One algorithm is failover across all preference levels.

Correct Answer: ABD

QUESTION 12

What is the default authentication method on an OSPF interface?

- A. null password
- B. simple password
- C. message digest 5
- D. Password Authentication Protocol

Correct Answer: A

QUESTION 13

Which command prompts an ERX Edge Router to go into a loopback mode on T1 number 1 when a command is received from a remote ERX Edge Router?

- A. t1 1 remote-loopback
- B. t1 1 loopback-remote
- C. t1 1 loopback remote
- D. t1 1 remote loopback

Correct Answer: A

QUESTION 14

Which two functions can be configured on the ERX Edge Router to support MBGP? (Choose two.)

- A. address-family ipv4 unicast
- B. address-family vpnv4 unicast



C. address-family ipv4 multicast

D. address-family vpv4 multicast

Correct Answer: BC

QUESTION 15

You are trying to recover from a corrupted flash. Which configuration command configures an IP address of 192.168.1.1/24 on the SRP management interface when the ERX1400 router is at the boot## prompt?

A. ip address 192.168.1.1/24

B. ip address 192.168.1.1 subnetmask 24

C. ip address 192.168.1.1 255.255.255.0

D. ip address 192.168.1.1 mask 255.255.255.0

Correct Answer: C

[Latest JN0-130 Dumps](#)

[JN0-130 PDF Dumps](#)

[JN0-130 VCE Dumps](#)