



JN0-201^{Q&As}

Juniper networks Certified internet associate.m(jncia-m)

Pass Juniper JN0-201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-201.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A network administrator would like to verify the active alarms on interface so-0/0/0.0. Which command displays this information?

- A. show interfaces extensive
- B. show alarms
- C. show alarms extensive
- D. show interfaces terse

Correct Answer: A

QUESTION 2

Which internal boot device contains a backup copy of the JUNOS software?

- A. floppy drive
- B. PCMCIA flash
- C. internal flash drive
- D. hard drive

Correct Answer: D

QUESTION 3

What is the purpose of the OSPF link-state update packet?

- A. describes a change to the OSPF hello timer
- B. establishes and maintains neighbor relationships
- C. carries one or more link-state advertisements
- D. describes the contents of the entire link-state database

Correct Answer: C

QUESTION 4

What type of OSPF router is responsible for redistributing routes into OSPF?

- A. backbone router



- B. ABR
- C. ASBR
- D. internal router

Correct Answer: C

QUESTION 5

On what destination port in the layer 4 header does BGP listen?

- A. TCP port 179
- B. UDP port 179
- C. TCP port 169
- D. UDP port 169

Correct Answer: A

QUESTION 6

When configuring an IBGP peering session between loopback interfaces, why is the local-address option required?

- A. for TCP reachability
- B. for MD5 authentication
- C. for VLSM support
- D. for loop prevention

Correct Answer: A

QUESTION 7

If there is a BGP next hop with equal preference in inet.0 and inet.3, which version of the route will BGP use?

- A. It will randomly choose between inet.0 and inet.3.
- B. the route in inet.3
- C. the route in inet.0
- D. the route with the lower metric

Correct Answer: B



QUESTION 8

The LOCAL_PREF attribute is properly used to _____.

- A. alter the path a neighboring AS will take into your network
- B. alter the path taken within an AS toward a multihomed exit
- C. alter the path within a stub network towards the provider's network
- D. alter the path taken within an AS for internal routes

Correct Answer: B

QUESTION 9

Without using policy, the default for load balancing traffic to equal-cost destinations is to _____.

- A. load balance per layer 3 microflow across all available next hops
- B. load balance per layer 4 microflow across all available next hops
- C. load balance per packet across all available next hops
- D. randomly select one of the available next hops

Correct Answer: D

QUESTION 10

What type of hop in an ERO must be directly connected to the previous hop?

- A. partial
- B. full
- C. loose
- D. strict

Correct Answer: D

QUESTION 11

In the following output from a show bgp summary command: Peer AS InPkt OutPkt OutQ Flaps Last Up/Down ????
192.168.16.1 65412 39 40 0 0 18:41 0/0/0 What do the last three numbers of 0/0/0 indicate?

- A. Established/Received/Damped
- B. Received/Active/Damped



- C. Established/Active/Received
- D. Active/Received/Damped

Correct Answer: D

QUESTION 12

Which statement is true about static routes?

- A. Static routes are never removed from the forwarding table.
- B. By default, static routes are placed in the inet.1 routing table.
- C. Static routes are removed from the forwarding table when their next hops are no longer reachable.
- D. By default, a static route to a single destination prefix is assigned a preference value of 20.

Correct Answer: C

QUESTION 13

During initial traffic flow, which routers do dense mode multicast protocols assume want to receive multicast traffic?

- A. only routers with receivers attached
- B. all routers in the network
- C. all routers along the shortest-path tree
- D. only routers along the core based tree

Correct Answer: B

QUESTION 14

How do you get a Juniper Networks router to advertise OSPF routes to all BGP neighbors?

- A. apply an export policy under [edit protocolsospf] that matches OSPF routes and accepts them
- B. apply an import policy under [edit protocolsbgp] that matches OSPF routes and accepts them
- C. apply an import policy under [edit protocolsospf] that matches OSPF routes and accepts them
- D. apply an export policy under [edit protocolsbgp] that matches OSPF routes and accepts them

Correct Answer: D

QUESTION 15



Which RIP message type is used to ask neighbors for updates?

- A. Hello message
- B. Query message
- C. Response message
- D. Request message

Correct Answer: D

[JN0-201 VCE Dumps](#)

[JN0-201 Exam Questions](#)

[JN0-201 Braindumps](#)