



JN0-360^{Q&As}

Service Provider Routing and Switching, Specialist (JNCIS-SP)

Pass Juniper JN0-360 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/JN0-360.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Click the Exhibit button.

```
user@R2> show ospf neighbor
Address      Interface      State      ID              Pri  Dead
172.50.2.2   ge-0/0/1.0    ExStart    192.168.21.3   128  39
172.50.1.1   ge-0/0/3.0    Full       2.168.21.1     128  34
```

Referring to the exhibit, which two statements are correct about R2? (Choose two.)

- A. If R2 remains in the ExStart state, then you should verify the MTU setting on R2 and R3.
- B. R2 LSDB is synchronized with R1.
- C. If R2 remains in the ExStart state, then you should verify Physical Layer and Data Link Layer connectivity on R2 and R3.
- D. R2 LSDB is not synchronized with R1.

Correct Answer: AB

QUESTION 2

Which new field is added to the IPv6 header when compared to IPv4?

- A. version
- B. fragment offset
- C. checksum
- D. flow label

Correct Answer: D

QUESTION 3



Which two statements are correct regarding LDP-signaled VPLS instances? (Choose two.)

- A. You must enable the Layer 2 VPN signaling NLRI.
- B. You must configure the same VPLS identifier on all peers.
- C. You must define a the same site-identifier value on all peers.
- D. You must define all neighbors using their tunnel end-point IP addresses.

Correct Answer: BD

QUESTION 4

To which OSPF state does a device transition once it receives an initial hello packet?

- A. 2Way
- B. Full
- C. ExStart
- D. Exchange

Correct Answer: A

QUESTION 5

You are logged in to an MX80 and issue the command "show route protocol bgp" You see that you have received the route 10.0.4/24 from two different peers. One peer is an external peer and the other is an internal peer. The route received from the internal peer is active.

By the rules of BGP preference, what would cause the internal path for this prefix to be preferred over the external one?

- A. Internally learned prefix is preferred over an externally learned prefix
- B. The local-preference value of the internally learned prefix is higher than the externally learned peer
- C. The peer ID of the internally learned prefix is lower than that of the externally learned peer
- D. The internally learned prefix has a shorter cluster length

Correct Answer: B

QUESTION 6

Which table will a Junos-based MPLS ingress router first consult to determine the next hop for BGP routes reachable through an LSP?

- A. inet.1



B. mpls.0

C. inet.3

D. inet.0

Correct Answer: D

QUESTION 7

Click the Exhibit.



```
[edit]
user@router# show interfaces
ge-1/0/0 {
  unit 0 {
    family inet {
      address 172.18.2.1/24;
    }
  }
}
ge-1/0/1 {
  unit 0 {
    family inet {
      address 172.18.1.1/24;
    }
  }
}
lo0 {
  unit 0 {
    family inet {
      address 1.1.1.1/32;
    }
  }
}

[edit]
user@router# show protocols ospf
export policy1;
area 0.0.0.0 {
  interface ge-1/0/0.0;
  interface lo0.0;
}

[edit]
user@router# show policy-options
policy-statement policy {
  term match-direct-route {
    from {
      protocol direct;
      route-filter 172.18.1.0/24 exact;
    }
    then accept;
  }
}

[edit]
user@router# run show route

inet.0: 7 destinations, 7 routes (7 active, 0 holddown, 0 hidden)
+= Active Route,- = Last Active, ** = Both

1.1.1.1/32      *[Direct/0] 2w0d 23:45:55
                > via lo0.0
2.2.2.2/32      *[OSPF/10] 00:06:19, metric 1
                > to 172.18.2.2 via ge-1/0/0.0
172.18.1.0/24   *[Direct/0] 00:11:19
                >via ge-1/0/1.0
172.18.1.1/32   *[Local/0] 00:11:19
                Local via ge-1/0/1.0
172.18.2.0/24   [Direct/0] 00:11:19
                >via ge-1/0/0.0
172.18.2.1/32   *[Local/0] 00:11:19
                Local via ge-1/0/0.0
224.0.0.5/32   *[OSPF/10] 00:11:21, metric 1
                MultiRecv

inet6.0: 1 destinations, 1 routes (1 active, 0 holddown, 0 hidden)
+ = Active Route,- = last Active, * =Both

ff02::2/128     *[INET6/0] 13w2d 18:49:23
                MultiRecv
```



Referring to the exhibit, what is the result of applying this policy?

- A. The 172.18.1.0/24 prefix will be redistributed into OSPF as an internal route.
- B. The 172.18.1.1/32 prefix will be redistributed into OSPF as an external route.
- C. The 172.18.1.0/24 prefix will be redistributed into OSPF as an external route.
- D. The 172.18.1.1/32 prefix will be redistributed into OSPF as an internal route.

Correct Answer: C

QUESTION 8

Click the Exhibit button.

```
[edit routing-options]
user@host# show
rib-groups {
  test {
    import-rib [ inet.0 user-a.inet.0 ];
  }
}
```

Referring to the exhibit, which two statements are correct? (Choose two.)

- A. The routes in inet.0 are imported into user-a.inet.0
- B. The RIB group can be applied to OSPF.
- C. The RIB group cannot be applied to OSPF.
- D. The routes in user-a.inet.0 are imported into inet.0

Correct Answer: BD

QUESTION 9

Which three mechanisms are used by switches to build and maintain bridge tables? (Choose three.)

- A. learning
- B. rewriting
- C. flooding
- D. aging
- E. blocking

Correct Answer: ACD



QUESTION 10

Which two statements are correct about RSVP path messages? (Choose two.)

- A. They are sent by the egress router upstream.
- B. They are sent by the ingress router downstream.
- C. They are used to create an LSP.
- D. They are used to reserve resources for an LSP.

Correct Answer: BC

QUESTION 11

Which three statements are true regarding BGP local preference? (Choose three.)

- A. A higher value is preferred over a lower value
- B. A lower value is preferred over a higher value
- C. Local preference is not shared between autonomous systems
- D. Local preference can be altered by policy or configuration
- E. Local preference has a default value of 128

Correct Answer: ACD

A higher local preference value is preferred over a lower value. These values are not shared between autonomous systems, and can be altered by policy or configuration. you can use the local preference attribute to direct outbound traffic through a specific peer.

QUESTION 12

What is the TTL value for EBGP?

- A. 64
- B. 48
- C. 255
- D. 1

Correct Answer: D



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !


100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.passapply.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © passapply, All Rights Reserved.