



JN0-400^{Q&As}

EX, Associate (JNCIA-EX)

Pass Juniper JN0-400 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

<https://www.passapply.com/JN0-400.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two configuration options are valid methods for troubleshooting an EX-series switch? (Choose two.)

- A. traceoptions
- B. syslog
- C. debug
- D. monitor

Correct Answer: AB

QUESTION 2

Which three are included in the factory-default configuration? (Choose three.)

- A. familyethernet-switching for all ports
- B. LLDP
- C. user authentication
- D. SNMP
- E. RSTP

Correct Answer: ABE

QUESTION 3

What is the valid range of member-IDs in a virtual chassis?

- A. 1 through 255
- B. 0 through 9
- C. 0 through 255
- D. 1 through 10

Correct Answer: B

QUESTION 4

Which statement is correct about the single-secure mode of 802.1X?

- A. It allows any one supplicant on the interface to be authenticated; once authentication is successful, only the



successfully authenticated supplicant is allowed access at one time.

B. It allows any number of supplicants on the interface to be authenticated; only supplicants with their own successful authentication are allowed access at the same time.

C. It allows any one supplicant on the interface to be authenticated; once authentication is successful, any other devices on the same interface will gain access.

D. It does not require any supplicant on the interface; no supplicant is able to gain access.

Correct Answer: A

QUESTION 5

You want to configure the JUNOS software to run OSPF on interfaces ge-0/0/1.0 and ge-0/0/2.0 and to place these two interfaces in Area 0.

Which command(s) will accomplish this task?

A. set protocolsospf area 0 interfaces [ge-0/0/1.0 ge-0/0/2.0]

B. set protocolsospf area 0.0.0.0 interface ge-0/0/1.0 set protocols ospf area 0.0.0.0 interface ge-0/0/2.0

C. set interfaces ge-0/0/1 unit 0 familyinet ospf area 0.0.0.0 set interfaces ge-0/0/2 unit 0 family inet ospf area 0.0.0.0

D. set protocolsospf interface ge-0/0/1.0 area 0.0.0.0 set protocols ospf interface ge-0/0/2.0 area 0.0.0.0

Correct Answer: B

QUESTION 6

An EX-series switch has two routes for the same prefix: one that it received through OSPF and one that is a static route. How will the switch choose a route to use for this prefix?

A. The switch will compare route preferences and use the route with the lowest route preference.

B. The switch will compare metrics and use the route with the lowest metric.

C. The switch will compare route preferences and use the route with the highest route preference.

D. The switch will compare metrics and use the route with the highest metric.

Correct Answer: A

QUESTION 7

Which two configuration options are valid methods for troubleshooting an EX-series switch? (Choose two.)

A. monitor



- B. syslog
- C. debug
- D. traceoptions

Correct Answer: BD

QUESTION 8

Which two fields appear in an 802.1Q tag in an Ethernet header? (Choose two.)

- A. AFI/SAFI
- B. VLAN ID
- C. type/length
- D. 802.1p priority

Correct Answer: BD

QUESTION 9

When configuring a redundant trunk group (RTG) on an interface, which restriction would apply?

- A. The interface must be configured as a Layer 3 interface with an assigned IP address.
- B. The interface cannot be configured as a Layer 2 trunk.
- C. The gratuitous-ARP-reply must be disabled on the interface.
- D. Spanning Tree Protocol (STP) cannot be configured on the interface.

Correct Answer: D

QUESTION 10

Click the Exhibit button.

In the exhibit, what does the asterisk (*) indicate?

```
user@switch> show vlans orange detail
VLAN: orange, 802.1Q Tag: 101, Admin state:
Enabled
Number of interfaces: 2 (Active = 2)
  Untagged interfaces: ge-0/0/13.0*
  Tagged interfaces: ge-0/0/16.01
```



- A. The interface is configure for PoE.
- B. The interface receives untagged frames.
- C. The interface is up and active.
- D. The interface contains Layer 3 configuration.

Correct Answer: C

QUESTION 11

In EX-series switches, which attacks can the MAC limiting feature help to protect? (Choose two.)

- A. MAC spoofing
- B. ARP poisoning
- C. MAC aging
- D. MAC flooding

Correct Answer: AD

QUESTION 12

Which two fields appear in an 802.1Q tag in an Ethernet header? (Choose two.)

- A. 802.1p priority
- B. VLAN ID
- C. AFI/SAFI
- D. type/length

Correct Answer: AB

[JN0-400 VCE Dumps](#)

[JN0-400 Practice Test](#)

[JN0-400 Brindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

- 100% Guaranteed Success
- 100% Money Back Guarantee
- 365 Days Free Update
- Instant Download After Purchase
- 24x7 Customer Support
- Average 99.9% Success Rate
- More than 800,000 Satisfied Customers Worldwide
- Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.passapply.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © passapply, All Rights Reserved.