



# ACMP\_6.4<sup>Q&As</sup>

Aruba Certified Mobility Professional 6.4

## Pass Aruba ACMP\_6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.passapply.com/acmp\\_6-4.html](https://www.passapply.com/acmp_6-4.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Aruba  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

When creating a firewall rule what are valid choices for the ServicejApplication field? (Choose three)

- A. Applications
- B. Applications Category
- C. Internet Protocol
- D. Internet Category
- E. Protocol

Correct Answer: ABE

### QUESTION 2

#### Network > All WLAN Controllers

Network Controllers						
IP Address	Name	Location	Type	Model	Version	Status
<a href="#">10.1.10.100</a>	Master	Building1.floor1	master	Aruba7030	6.4.2.5_48774	up
<a href="#">10.1.20.100</a>	Local1	Building1.floor1	local	Aruba7030	6.4.2.5_48774	up
<a href="#">10.254.1.3</a>	Table3	Building1.floor1	local	Aruba3200	6.4.2.5_48774	up

Referring to the above screen capture, on which controller can you add an administrative user and assign a controller management role?

- A. Controller 10.1.10.100 only
- B. Controller 10.1.20.100 and 10.254.1.3 only
- C. All three Controllers
- D. must be done in the RADIUS server
- E. Controller 10.254.1.101 only

Correct Answer: C

### QUESTION 3



AAA Profile > employee1-aaa\_prof

Show Reference Save As Reset

Initial role	logon
MAC Authentication Default Role	guest
802.1X Authentication Default Role	employee
Download Role from CPPM	<input type="checkbox"/>
L2 Authentication Fail Through	<input type="checkbox"/>
Multiple Server Accounting	<input type="checkbox"/>
User idle timeout	<input type="checkbox"/> Enable seconds <input type="text"/>
RADIUS Interim Accounting	<input type="checkbox"/>
User derivation rules	scanner
Wired to Wireless Roaming	<input checked="" type="checkbox"/>
SIP authentication role	--NONE--
Device Type Classification	<input checked="" type="checkbox"/>
Enforce DHCP	<input type="checkbox"/>
PAN Firewall Integration	<input type="checkbox"/>

802.1X Authentication Profile > dot1x\_prof-b5i53

Show Reference Save As Reset

Basic Advanced	
Max authentication failures	0
Enforce Machine Authentication	<input checked="" type="checkbox"/>
Machine Authentication: Default Machine Role	denyall
Machine Authentication: Default User Role	guest
Reauthentication	<input type="checkbox"/>
Termination	<input type="checkbox"/>
Termination EAP-Type	<input type="checkbox"/> eap-tls <input type="checkbox"/> eap-peap
Termination Inner EAP-Type	<input type="checkbox"/> eap-mschapv2 <input type="checkbox"/> eap-gtc

The screen captures above show the 802.1X authentication profile and AAA profile settings for a VAP. If machine authentication fails and user authentication passes, which role will be assigned?

- A. employee
- B. guest
- C. denyall
- D. logon
- E. no role is assigned

Correct Answer: B



#### QUESTION 4

Which parameter(s) does a Master controller use to determine where a provisioned AP should terminate its GRE tunnel?

- A. the IP address of the AP
- B. the MAC address of the AP
- C. the IP address of the switch nearest to the AP
- D. the name and group settings of the AP
- E. the VLAN the AP is attached to

Correct Answer: D

---

#### QUESTION 5

Which settings cannot be modified directly from a local controller?

- A. Port VLAN setting
- B. Switch Time Zone
- C. Port trusted
- D. Roles
- E. SNMP Enable Trap Generation

Correct Answer: D

---

#### QUESTION 6

By default, how long will an AP scan a single channel when ARM is enabled?

- A. 80 milliseconds
- B. 90 milliseconds
- C. 100 milliseconds
- D. 110 milliseconds
- E. 200 milliseconds

Correct Answer: D

---



### QUESTION 7

A client attaches to a secure jack interface set to untrusted. But when the client tries to access the captive portal page, the following message appears, "Web Authentication is not enabled." What might be wrong?

- A. The client has the browser provisioned with proxy settings.
- B. The controller port needs to be set to trusted.
- C. A "aaa" profile needs to be selected on the Wired Access page.
- D. A Captive Portal profile needs to be assigned to the initial role.
- E. Web Authentication cannot be used in this way.

Correct Answer: D

---

### QUESTION 8

When an 802.11 client roams what device decides when to move the client to another AP?

- A. Aruba AP
- B. Aruba controller
- C. Client
- D. Radius Server
- E. Router

Correct Answer: C

---

### QUESTION 9

Which of the following metrics does the ARM feature use to calculate the optimal channel and power level for Access Points? (Choose two)

- A. RF Spectrum Index
- B. Priority Index
- C. Interference Index
- D. Coverage Index
- E. Frequency Index

Correct Answer: CD

---

### QUESTION 10



Referring to the above screen capture, if an administrator desires to change a specific AP into a Spectrum Monitor without assigning the AP to a new group, which menus could be used?

## WIZARDS

AP

Controller

Campus WLAN

Remote AP

WIP

AirWave

## NETWORK

> **Controller**

VLANs

Ports

Uplink

IP

## SECURITY

Authentication

Access Control

## WIRELESS

AP Configuration

AP Installation

## MANAGEMENT

General

Administration

Certificates

SNMP

Logging

Clock

Guest Provisioning

Captive Portal

SMTP

Bandwidth Calculator

Threshold

## ADVANCED SERVICES

Redundancy

IP Mobility

Stateful Firewall

External Services

VPN Services

Wired Access

A. Network > Controller



- B. Wireless > AP Configuration
- C. Wireless > AP Installation
- D. Advanced Services > Wireless
- E. Wizards > WIP Wizard

Correct Answer: B

---

#### QUESTION 11

Fast Failover has been implemented between Local 1 and Local 2 separated by Routers. During testing Local1 was disabled and all Campus APs backed up to Local 2 flawlessly. But the RAPs did not, they all failed.

What could be the cause?

- A. RAPs should be configured in their own AP-groups
- B. A VPN IP Pool must be configured on Local 2
- C. The RAP whitelist must be ported over to Local 2
- D. IPSec must be enabled on Local 2
- E. RAPs are not supported by Fast Failover

Correct Answer: E

---

#### QUESTION 12

IEEE 802.11r provides support for which of the following:

- A. radio measurements within a WLAN
- B. radio measurement within an ESS
- C. fast roaming within an ESS
- D. fast roaming within a BSS
- E. roaming across controllers

Correct Answer: C

---

#### QUESTION 13

Exhibit: Based on the above screen capture for Interfering APs, what can you conclude?



Discovered Access Points: AP Classification = Interfering, Active = Yes									
BSSID	Band	PHY Type	SSID	Channel	Clients	AP Classification	Encryption	Marked to Contain	
00:17:9a:2a:af:92	2.4 GHz	g	Hallissey	1	0	Interfering	Open	No	
00:1a:1e:42:5a:90	2.4 GHz	g-HT	arubaTraining	1	0	Interfering	WPA	No	
00:21:29:92:0f:16	2.4 GHz	g-HT	1990 Network	1	2	Interfering	WPA	No	
00:22:2d:73:1e:ea	2.4 GHz	g	casa2	6	0	Interfering	WPA2	No	
00:22:b0:ca:39:49	2.4 GHz	g-HT	wilcox123	1	1	Interfering	WEP	No	
00:23:54:ae:76:6e	2.4 GHz	g	WLAN	11	0	Interfering	Open	No	
00:24:6c:86:2a:82	2.4 GHz	g-HT	casa3	11	0	Interfering	WPA2	No	
00:24:6c:86:2a:88	5 GHz	a-HT40	d002e797c51f0956b5e0cb1a51bc21e	40	0	Interfering	WPA	No	
00:24:6c:86:2a:8a	5 GHz	a-HT40	casa3	40	0	Interfering	WPA2	No	
58:6d:8f:fd:f5:d2	2.4 GHz	g-HT40	Marjos	3	0	Interfering	WPA	No	
84:c9:b2:66:cb:aa	2.4 GHz	g-HT	string	1	0	Interfering	WPA	No	
98:2c:be:42:29:01	2.4 GHz	g	Tokay	1	0	Interfering	WPA2	No	

- A. The APs must be connected to the Aruba network.
- B. The APs are classified as interfering because they are all transmitting on channel 6.
- C. There must not be any evidence that the APs are attached to the wired corporate network.
- D. These APs are classified as interfering because they are not Aruba APs.
- E. They are classified as interfering because they are running in g mode.

Correct Answer: C

#### QUESTION 14

One hundred (100) additional APs were deployed in an existing network. But some APs are not able to connect to the lms-ip address, even though all of the APs belong to the same AP group.

Which of the following are NOT potential causes? (Choose two).

- A. The problem APs are not getting an IP address.
- B. The problem APs have the wrong lms-ip address setting.
- C. There is a firewall between the problem APs and the controller blocking PAPI.
- D. The controller does not support that many APs in a single AP-Group.
- E. There are not enough AP licenses to support the additional quantity of APs.

Correct Answer: BD

#### QUESTION 15





A Remote AP was properly functioning before losing its internet connection and now cannot communicate with the controller. What SSID is the AP broadcasting?

- A. The SSID in Operational mode Always and Forwarding mode Backup
- B. The SSID in Operational mode Split Tunnel and Forwarding mode Bridge
- C. The SSID in Operational mode Always and Forwarding mode Tunnel
- D. The SSID in Operational mode Standard and Forwarding mode Tunnel
- E. The SSID in Operational mode Persistent and Forwarding mode Bridge

Correct Answer: E

[ACMP\\_6.4 PDF Dumps](#)

[ACMP\\_6.4 Practice Test](#)

[ACMP\\_6.4 Study Guide](#)