



C2090-011^{Q&As}

IBM SPSS Statistics Level 1 v2

Pass IBM C2090-011 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c2090-011.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Which options are available to edit bar charts? (Choose three.)

- A. Changing patterns displayed in bars
- B. Changing the major increment on the Y axis scale
- C. Displaying data value labels
- D. Changing the variable displayed on the X axis

Correct Answer: ABC

QUESTION 2

The text file shown in the figure below is an example of a fixed format text file.

Text Import Wizard - Step 1 of 6

Welcome to the text import wizard!

This wizard will help you read data from your text file and specify information about the variables.

Does your text file match a predefined format?

☐ Yes ☒ No

Text file: C:\Certification\employee data.csv

	id	gender	bdate	educ	jobcat	salary	salbegin	jobtime	prevexp	minority
1	1	m	2/3/1952	15	3	57000	27000	98	144	0
2	2	m	5/23/1958	16	1	40200	18750	98	36	0
3	3	f	7/26/1929	12	1	21450	12000	98	381	0
4	4	f	4/15/1947	8	1	21900	13200	98	190	0

< Back Next > Finish Cancel Help

A. True



B. False

Correct Answer: B

QUESTION 3

Which statement is the correct interpretation of this crosstab table?

BELIEF IN LIFE AFTER DEATH * GENDER OF RESPONDENT Crosstabulation

			GENDER OF RESPONDENT		Total
			Female	Male	
BELIEF IN LIFE AFTER DEATH	YES	Count	541	417	958
		% within BELIEF IN LIFE AFTER DEATH	56.5%	43.5%	100.0%
		% within GENDER OF RESPONDENT	86.0%	76.9%	81.8%
	NO	Count	88	125	213
		% within BELIEF IN LIFE AFTER DEATH	41.3%	58.7%	100.0%
		% within GENDER OF RESPONDENT	14.0%	23.1%	18.2%
Total	Count	629	542	1171	
	% within BELIEF IN LIFE AFTER DEATH	53.7%	46.3%	100.0%	
	% within GENDER OF RESPONDENT	100.0%	100.0%	100.0%	

A. 56.5% of females believe in life after death.

B. 86.0% of females believe in life after death.

C. 27.5% of females believe in life after death.

D. 53.7% of females believe in life after death.

Correct Answer: B

QUESTION 4

With IBM SPSS Statistics you can assign one of three levels of measurement to a variable. Which is the correct list of all three levels?

A. Nominal - Ordinal - Interval

B. Categorical - Interval - Ratio

C. Nominal - Ordinal - Scale

D. Nominal - Interval ?Scale



Correct Answer: C

QUESTION 5

In the Variable View, if you have a series of variables that share the same category coding scheme, you can enter value labels for one variable, then copy these labels to the other variables.

- A. True
- B. False

Correct Answer: A

QUESTION 6

After studying the figure below1 select the correct statement.

	abany	age	aged	agedwed	amtests	attend	attsprts	ball
1	2	43	1	20	3	2	2	
2	1	44	0	0	3	2	2	
3	1	43	1	25	2	7	2	
4	0	45	2	0	1	1	2	
5	1	78	0	0	1	2	1	
6	1	83	2	25	1	2	2	

- A. Gss93.sav is the dataset name.
- B. DataSet2 is the dataset name.
- C. DataSet2 is the file name.
- D. DataSet2 is both the file and dataset name.

Correct Answer: B



QUESTION 7


There are two major types of errors one can make when attempting to draw conclusions about the larger population based on the information collected in the sample. For example, when performing an Independent Samples T-Test, one type of error that can occur is when there are significant differences between the groups based on a scale level dependent variable, but the test fails to detect them. Which of the following choices describe this sort of error? (Choose two.)

- A. Type i error
- B. Type ii error
- C. False negative
- D. False positive

Correct Answer: BC

QUESTION 8

Which statement is true about this box plot?





- A. The mean is 14.
- B. The standard deviation is 14 (20 minus 6).
- C. The standard deviation is 4 (16 minus 12).
- D. of the outliers are on the lower end of the distribution.

Correct Answer: D

QUESTION 9

Which chart type is appropriate for viewing the association between two scale variables?

- A. Bar chart
- B. Area chart
- C. Pie chart
- D. Scatter plot

Correct Answer: D

QUESTION 10

In the Aggregate data procedure¹ if you specify more than one Break Variable, _____ in the Break Variables list will determine case order.

- A. Variable size
- B. Variable label
- C. Variable name
- D. Variable order

Correct Answer: D

[Latest C2090-011 Dumps](#)

[C2090-011 PDF Dumps](#)

[C2090-011 Study Guide](#)