



C9510-319^{Q&As}

IBM WebSphere Application Server Developer Tools V8.5 with Liberty Profile

Pass IBM C9510-319 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c9510-319.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A developer has a Web service-enabled EnterpriseJavaBean Java archive (JAR) module within an EAR file.

Which of the following command line tools will add one or more router modules to the EAR file?

- A. Wsadmin
- B. Wsdeploy
- C. Ejbdeploy
- D. Endptenabler

Correct Answer: D

QUESTION 2

A developer has created a Liberty server in WebSphere Application Server Developer Tools forEclipse.

How can the developer start the Liberty server fromthe Servers view using a JRE different fromthe default JRE?

- A. Open the Runtime Explorer view, select the runtime and click the Properties contextsensitive menu item. Change the JRE setting under the Server category in theProperties dialog.
- B. Open the Server Configuration editor by double clicking the server configuration in the Servers view, add a JVM configuration element and specify the JRE location in theLocation field.
- C. Open the Server editor by double clicking the server in the Servers view, selectthe Runtime Environments link and change the JRE setting in the Liberty ProfileRuntime Environment dialog.
- D. Open the Server Configuration editor by double clicking the server configuration in theServers view, add a Variable configuration element with the Name field set tojava.homeand the Value field set to the location of the JRE.

Correct Answer: C

QUESTION 3

What is the environment variable that points to the location where the JDK is installed?

- A. JAR_HOME
- B. JDK_HOME
- C. JAV_HOME
- D. JAVA_HOME

Correct Answer: D



QUESTION 4

Which of the following can be changed using Web Services Explorer?

- A. Endpoint URL
- B. Policy Set Attachment
- C. Adding HTTP Headers
- D. Adding SOAP Headers
- E. Input values to the request
- F. JSR-109 Deployment Descriptors

Correct Answer: ADE

QUESTION 5

Weather Web service is configured under the WeatherBeanWeb context. From the diagram in the exhibit, what is the correct URI for TCP/IP Monitor to work?

- A. <http://localhost/WeatherBeanWeb/services/Weather>
- B. <http://localhost:9083/WeatherBean/services/Weather>
- C. <http://localhost:9090/WeatherBean/services/Weather>
- D. <http://localhost:9083/WeatherBeanWeb/services/Weather>
- E. <http://localhost:9090/WeatherBeanWeb/services/Weather>

Correct Answer: D

QUESTION 6

Which IBM Rational Application Developer V7.5 tool can be used to validate the SOAP messages against WS-I standards?

- A. TCP/IP Monitor
- B. Profiling Monitor
- C. Web Services Explorer
- D. Universal Test Client (UTC)

Correct Answer: A

QUESTION 7



Using the JavaBean in Exhibit 1, the developer runs the following: `wsgen -class path .\classes wsdl test.BookWhat` artifacts are generated when the command completes?

- A. GetIsbn.class, GetIsbnResponse.class
- B. GetIsbnRequest.class, GetIsbnResponse.class
- C. BookService.wsdl, GetIsbnRequest.class, GetIsbnResponse.class
- D. BookService_schema1.xsd, BookService.wsdl, GetIsbn.class, GetIsbnResponse.class
- E. BookService_schema1.xsd, BookService.wsdl, GetIsbnRequest.class, GetIsbnResponse.class

Correct Answer: D

QUESTION 8

While creating a new TCP/IP Monitor on IBM Rational Application Developer V7.5, if the HTTP option is selected, which one of the following is a valid statement?

- A. The TCP/IP Monitor ensures that the SOAP traffic is WS-I Compliant
- B. All the requests are sent byte for byte and the TCP/IP Monitor will not translate or modify any requests that it forwards
- C. The requests from the Web browser are modified so that the HTTP header points to the remote machine and separated if multiple requests are received in the same connection.
- D. The TCP/IP Monitor gets a handle of the SOAP envelop and if a WS-Addressing header exists, modifies the wsa:To header to specify the end point of the remote machine dynamically

Correct Answer: C

QUESTION 9

A developer is creating a new Web service from a Java bean.

Which of the following tasks CANNOT be performed using the Create Web Service Wizard in IBM Rational Application Developer V7.5?

- A. Enable MTOM support
- B. Specify custom bindings files
- C. Publish the Web service to a UDDI registry
- D. Associate the Web service project with an EAR
- E. Configure TCP/IP Monitor to monitor SOAP messages

Correct Answer: B



QUESTION 10

A developer uses the Web service client wizard in IBM Rational Application Developer. What will be different in the generated artifacts?

- A. Additional methods will be generated to invoke the Web service.
- B. A JAX-RPC handler is created to handle the response from the Web service.
- C. The `ibm_webserviceclient_bnd.xml` file specifies that the invocation is asynchronous.
- D. There is no change in the generated artifacts, only the methods called from the actual client will vary.

Correct Answer: A

QUESTION 11

Which task is supported on WebSphere Application Server Developer Tools when targeting the Liberty runtime?

- A. Start and stop a remote server
- B. Federate applications to the server
- C. Deploy RESTful Web Services (JAX-RS) applications
- D. Automatically update the target runtime when importing an application with an invalid runtime

Correct Answer: C

QUESTION 12

JSR109 defines the life cycle of a Service Implementation Bean in the Web container.

Which sequence of statements below is TRUE?

- A. 1. The Web container calls the method annotated with `javax.annotation.PostConstruct` annotation.
2.
The web container creates a new instance of the Service Implementation Bean.
3.
The web container may pool method ready instances of a Service Implementation Bean and dispatch a method request on any instance in a method ready state.
4.
For the web container with JAX-WS runtime, the method annotated `javax.annotation.PreDestroy` is called.
- B. 1. The web container creates a new instance of the Service Implementation Bean.



2.

For web containers with JAX-WS runtime, the container calls the method annotated with `javax.annotation.PostConstruct` annotation.

3.

The web container may pool method ready instances of a Service Implementation Bean and dispatch a method request on any instance in a method ready state.

4.

For the web container with JAX-WS runtime, the method annotated with `javax.annotation.PreDestroy` is called.

C. 1. The web container creates a new instance of the Service Implementation Bean.

2.

For web containers with JAX-WS runtime, the container calls the method annotated with `javax.annotation.PostConstruct` annotation.

3.

The web container may pool method ready instances of a Service Implementation Bean and dispatch a method request on any instance in a method ready state.

4.

For the web container with JAX-WS runtime, the method annotated with `javax.annotation.PrePassivate` is called.

D. 1. The Web container calls the method annotated with `javax.annotation.PostActivate` annotation.

2.

The container creates a new instance of the Service Implementation Bean.

3.

The web container may pool method ready instances of a Service Implementation Bean and dispatch a method request on any instance in a method ready state.

4.

For the web container with JAX-WS runtime, the method annotated with `javax.annotation.PrePassivate` is called.

Correct Answer: B



QUESTION 13

Which interface in SAAJ generically represents any literal part in a SOAP message?

- A. Javax.xml.soap.Text
- B. Javax.xml.soap.Node
- C. Javax.xml.soap.DetailEntry
- D. Javax.xml.soap.SOAPElement
- E. Javax.xml.soap.SOAPBodyElement

Correct Answer: D

QUESTION 14

Which of the following is NOT a valid property for configuring the WebSphere internal JMS server?

- A. Initial State
- B. Queued Port
- C. Queue Name
- D. Host Name

Correct Answer: D

QUESTION 15

A developer using WebSphere Application Server Developer Tools has written a webapplication that is shared by multiple EAR projects.

Which statement is true if the developer deletes the web application?

- A. All the references to the Web application are removed from the EAR, but only if the user selects to do that in the Delete Resources confirmation dialog.
- B. All the references to the Web application are removed from the EAR projects only if none of the projects are deployed to a Liberty server.
- C. The developer must remove the references to the web application from all the EAR projects before deleting the web application.
- D. All the references to the Web application are removed from the EAR projects by default.

Correct Answer: D



VCE & PDF

PassApply.com

<https://www.passapply.com/c9510-319.html>

2024 Latest passapply C9510-319 PDF and VCE dumps Download

[Latest C9510-319 Dumps](#)

[C9510-319 PDF Dumps](#)

[C9510-319 Braindumps](#)