



C_HANADEV_16^{Q&As}

C_HANADEV_16 : SAP Certified Development Associate - SAP HANA
2.0 SPS04

Pass SAP C_HANADEV_16 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/c_hanadev_16.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official
Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which SAP HANA extended application services, advanced model (XS advanced) tools can you use to retrieve the URL for the SAP Web IDE for SAP HANA? Note: There are 2 correct answers to this question.

- A. advanced Command Line client tool
- B. XS advanced Controller Start Screen
- C. Organization and Space Management tool
- D. Runtime tool

Correct Answer: AB

QUESTION 2

What happens if you define a database object in the persistence model and deploy it using the SAP HANA Deployment Infrastructure (HDI)?

- A. The corresponding runtime object is created in the database module of the multi-target application during runtime.
- B. The corresponding runtime object is created in the HDI container on deployment.
- C. A descriptive representation of the object is created in HDI during runtime.
- D. The HDI container is created when the design-time object is saved.

Correct Answer: D

QUESTION 3

You created several database tables in a multi-target application and need to keep their names as short as possible.

Which parameter of the .hdinamespace file do you set to ignore?

- A. subfolder
- B. mixinTypes
- C. hdbtable
- D. name

Correct Answer: A

QUESTION 4



Which module do you use to run an SQL statement against the SAP HANA database?

- A. @sap/xsenv
- B. @sap/hdbext
- C. @sap/xssec
- D. @sap/hdi

Correct Answer: B

QUESTION 5

In a calculation view, what are the different types of input mapping available in Table Function? There are 2 correct answers to this question.

- A. Formula
- B. Data Source Column
- C. Variable
- D. Constant

Correct Answer: BD

QUESTION 6

Which GIT commands are available with the SAP Web IDE for SAP HANA? Note: There are 3 correct answers to this question.

- A. Redeploy the code
- B. Clone a repository
- C. Merge changes
- D. Push code
- E. Test changes

Correct Answer: BCD

QUESTION 7

Your multi-target application will use XSJS. Which module type do you create in your application project? Please choose the correct answer.

- A. SAP HANA database



- B. HTML5
- C. Java
- D. Node.js

Correct Answer: D

QUESTION 8

You create an SAP HANA extended application services, advanced model (XS advanced) multi-target application.

What does the mta.yaml file contain?

- A. The plugin name and version for every supported file suffix
- B. The Node.js package definition with dependencies and initial run configurations
- C. The application global elements, modules, resources, properties, and parameters
- D. The application router description with the authentication methods and access routes

Correct Answer: C

QUESTION 9

You develop a Node.js application for the SAP HANA platform that executes a SQL statement in the SAP HANA database.

Which modules do you use?

Note: There are 2 correct answers to this question.

- A. @sap/xsenv
- B. @sap/hdbext
- C. @sap/node-vsi
- D. @sap/instance-manager

Correct Answer: AB

QUESTION 10

You need to consume a Node.js service in an SAPUI5 application. In which section of the mta.yaml file do you define the variable for the exposed service?



- A. In the properties section of the MTA resources
- B. In the requires section of the HTML5 module
- C. In the provides section of the Node.js module
- D. In the path section of the Node.js module

Correct Answer: A

QUESTION 11

You work on a multi-target application that uses the SAP HANA Deployment Infrastructure (HDI). Which operations can you perform in the SAP Web IDE for SAP HANA? There are 2 correct answers to this question.

- A. Create objects in the SAP HANA repository.
- B. Choose the supported SAP HANA versions.
- C. Configure the artifact namespaces.
- D. Deploy HTML5 modules to the SAP HANA database.

Correct Answer: AD

QUESTION 12

Which content can you include in a Node.js module of the multi-target application? Note: There are 3 correct answers to this question.

- A. Data services in Java
- B. Node apps
- C. XSJS apps
- D. Java apps
- E. OData services in JavaScript

Correct Answer: BCE

QUESTION 13

You develop an OData service using XSODATA. Which HTTP commands can you use to define the operations on the resources? There are 3 correct answers to this question.

- A. INSERT
- B. POST



C. GET

D. READ

Correct Answer: BC

QUESTION 14

What do you reference in a role template? Please choose the correct answer.

A. Roles

B. Routes

C. Role Collections

D. Scopes

Correct Answer: C

QUESTION 15

In which of the following objects can you use Commit and Rollback statements?

A. Table user-defined function

B. Scripted Calculation view

C. Scalar user-defined function

D. SQLScript procedure

Correct Answer: D

[C_HANADEV_16 PDF
Dumps](#)

[C_HANADEV_16 Practice
Test](#)

[C_HANADEV_16 Study
Guide](#)