

DATABRICKS-CERTIFIED-DATA-ENGINEER-ASSOCIATE^{Q&As}

Databricks Certified Data Engineer Associate Exam

Pass Databricks DATABRICKS-CERTIFIED-DATA-ENGINEER-ASSOCIATE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/databricks-certified-data-engineer-associate.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Databricks
Official Exam Center



https://www.passapply.com/databricks-certified-data-engineer-associate.htm 2024 Latest passapply DATABRICKS-CERTIFIED-DATA-ENGINEER-ASSOCIATE PDF and VCE dumps Download

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.passapply.com/databricks-certified-data-engineer-associate.htm 2024 Latest passapply DATABRICKS-CERTIFIED-DATA-ENGINEER-ASSOCIATE PDF and VCE dumps Download

QUESTION 1

A data engineer wants to create a new table containing the names of customers that live in France. They have written the following command:

```
CREATE TABLE customersInFrance

_____ AS

SELECT id,
    firstName,
    lastName,

FROM customerLocations
WHERE country = 'FRANCE';
```

A senior data engineer mentions that it is organization policy to include a table property indicating that the new table includes personally identifiable information (PII). Which of the following lines of code fills in the above blank to successfully complete the task?

- A. There is no way to indicate whether a table contains PII.
- B. "COMMENT PII"
- C. TBLPROPERTIES PII
- D. COMMENT "Contains PII"
- E. PII

Correct Answer: C

QUESTION 2

A data engineer has been using a Databricks SQL dashboard to monitor the cleanliness of the input data to an ELT job. The ELT job has its Databricks SQL query that returns the number of input records containing unexpected NULL values. The data engineer wants their entire team to be notified via a messaging webhook whenever this value reaches 100.

Which of the following approaches can the data engineer use to notify their entire team via a messaging webhook whenever the number of NULL values reaches 100?

- A. They can set up an Alert with a custom template.
- B. They can set up an Alert with a new email alert destination.
- C. They can set up an Alert with a new webhook alert destination.
- D. They can set up an Alert with one-time notifications.
- E. They can set up an Alert without notifications.

https://www.passapply.com/databricks-certified-data-engineer-associate.htm 2024 Latest passapply DATABRICKS-CERTIFIED-DATA-ENGINEER-ASSOCIATE PDF and VCE dumps Download

Correct Answer: C

QUESTION 3

Which of the following describes the storage organization of a Delta table?

- A. Delta tables are stored in a single file that contains data, history, metadata, and other attributes.
- B. Delta tables store their data in a single file and all metadata in a collection of files in a separate location.
- C. Delta tables are stored in a collection of files that contain data, history, metadata, and other attributes.
- D. Delta tables are stored in a collection of files that contain only the data stored within the table.
- E. Delta tables are stored in a single file that contains only the data stored within the table.

Correct Answer: C

QUESTION 4

A data engineer has left the organization. The data team needs to transfer ownership of the data engineer\\'s Delta tables to a new data engineer. The new data engineer is the lead engineer on the data team.

Assuming the original data engineer no longer has access, which of the following individuals must be the one to transfer ownership of the Delta tables in Data Explorer?

- A. Databricks account representative
- B. This transfer is not possible
- C. Workspace administrator
- D. New lead data engineer
- E. Original data engineer

Correct Answer: D

QUESTION 5

Which of the following code blocks will remove the rows where the value in column age is greater than 25 from the existing Delta table my_table and save the updated table?

- A. SELECT * FROM my_table WHERE age > 25;
- B. UPDATE my_table WHERE age > 25;
- C. DELETE FROM my_table WHERE age > 25;
- D. UPDATE my_table WHERE age