



DES-6321^{Q&As}

Specialist - Implementation Engineer - VxRail Appliance Exam

Pass EMC DES-6321 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/des-6321.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What software component is part of the VxRail Operations and Management Stack?

- A. VMware vCenter
- B. vRealize Automation
- C. Secure Remote Services
- D. vRealize Operations

Correct Answer: A

QUESTION 2

You have been assigned to perform a hardware installation of three G560 nodes in a 4-post rack. However, only static rails are included with this shipment.

What is the best way to proceed?

- A. Order sliding rails, since these are required for the installation
- B. You cannot proceed because these nodes cannot be installed in a 4-post rack
- C. Install cable management arms in the rack
- D. Proceed directly because these nodes can be installed in a 4-post rack

Correct Answer: D

QUESTION 3

A customer is configuring VxRail to connect to an existing, external SRS VE. Their support account is associated with the Site ID/Party ID where VxRail is installed. A validation error is issued when the customer attempts to register VxRail in SRS.

What is the possible cause for the error?

- A. Status of VxRail in Install Base is 'Shipped'
- B. Wrong IP address was used for SRS VE gateway
- C. SRS traffic goes through a proxy server
- D. Number of deployed devices on SRS gateway has exceeded the maximum

Correct Answer: B



Reference: <https://www.dell.com/community/VxRail/ESRS-on-VxRail-Manager/td-p/7147964>

QUESTION 4

A customer has three VxRail E560 nodes that have just been installed How many RP4VM licenses is the customer entitled to?

- A. 5
- B. 10
- C. 15
- D. 20

Correct Answer: C

QUESTION 5

What does vSAN use to make metadata available to each host in the VxRail cluster?

- A. Loudmouth
- B. CMMDS
- C. MLD Snooping and Querier
- D. IPv6 Multicast

Correct Answer: A

QUESTION 6

A company is in the process of configuring their Top of Rack (ToR) switches as a single rack that replicates to a secondary data center with vSphere Replication. What is a consideration for this configuration?

- A. IPv6 and IPv4 multi-cast should be layer-3 routed between data centers
- B. IPv6 and IPv4 multi-cast should span the entire network in each data center
- C. IPv6 and IPv4 multi-cast traffic does not need to leave the ToR switches D. IPv6 and IPv4 multi-cast traffic should span layer-2 between data centers

Correct Answer: B

QUESTION 7



By design, which network is required to have IPv6 Multicast enabled in order to set up a VxRail with version 4.7.100?

- A. Public management network
- B. vMotion network
- C. Private management network
- D. vSAN network

Correct Answer: C

QUESTION 8

What is the minimum number of VxRail nodes required for a vSAN storage policy with FTT = 2 and FTM set to Erasure Coding?

- A. 4
- B. 5
- C. 6
- D. 7

Correct Answer: C

QUESTION 9

A company has chosen to deploy an external vCenter/PSC. They would like to use the bundled vCenter license that comes with VxRail.

What is the correct procedure to do this?

- A. Contact EMC Licensing to have a replacement vCenter license generated. Next, license the newly created vCenter. Last, deploy VxRail with external vCenter.
- B. Contact VMware Licensing to have a replacement vCenter license generated. Next, license the newly created vCenter. Last, deploy VxRail with external vCenter.
- C. Log into VxRail Manager through SSH and extract the vCenter license key from the application properties file. Next, license the newly created vCenter. Last, deploy VxRail with external vCenter.
- D. Bundled vCenter license is only valid when vCenter is internally deployed. The company must provide their own vCenter license.

Correct Answer: D



QUESTION 10

After the installation of a VxRail cluster, the vSAN Health Check shows a hardware compatibility warning. Where can detailed information about this health check and its resolution be found?

- A. VMware Knowledge Base
- B. VxRail Manager Help
- C. Dell EMC Knowledge Base
- D. vCenter Server Help

Correct Answer: A

QUESTION 11

In addition to the VxRail YouTube video, links to what resources should the SE send to the customer, according to the VxRail PEQ Engagement Details worksheet?

- A. VxRail vCenter Server Planning Guide VxRail Network Guide
- B. VxRail QuickStart Guide VxRail Network Guide
- C. VxRail vCenter Server Planning Guide Network Validation Tool
- D. VxRail QuickStart Guide Network Validation Tool

Correct Answer: D

QUESTION 12

What is the default network traffic configuration for a VxRail node with 2 x 10 GbE ports?

- A. Management and vMotion on Uplink1 vSAN and Virtual Machines on Uplink2
- B. Management, Virtual Machines, and vSAN on Uplink1 vMotion on Uplink2
- C. Management, vMotion, and Virtual Machines on Uplink1 vSAN on Uplink2
- D. Management and Virtual Machines on Uplink1 vSAN and vMotion on Uplink2

Correct Answer: A

QUESTION 13

You have determined that you need to execute a RASR factory upgrade of a VxRail v4.7.1xx node. You download the RASR ISO from the Dell Support site. What is the correct order of steps to finish the upgrade?

Select and Place:



Map the RASR ISO as a Virtual CD/DVD	Step 1
Update firmware	Step 2
Access iDRAC and launch Virtual Console to the VxRail node	Step 3
Select "R" in the RASR menu	Step 4
Boot the node from the Virtual CD/DVD ISO	Step 5

Correct Answer:

	Access iDRAC and launch Virtual Console to the VxRail node
	Map the RASR ISO as a Virtual CD/DVD
	Boot the node from the Virtual CD/DVD ISO
	Select "R" in the RASR menu
	Update firmware

QUESTION 14

A company intends to deploy VxRail for their heavy database workloads. Which type of VxRail nodes should be recommended?

- A. E Series
- B. P Series
- C. V Series
- D. S Series

Correct Answer: B

<https://www.dell EMC.com/hu-hu/converged- infrastructure/vxrail/index.htm#collapse=>



QUESTION 15

You are in the validation phase of a VxRail deployment with two Top of Rack (ToR) switches and four V570F VxRail nodes.

Which command should you issue on each of the ToR switches to validate that Link Aggregation has not been configured for VxRail interfaces?

- A. show spanning tree
- B. show interfaces port-channel brief
- C. show vlan
- D. show running config mld

Correct Answer: D

[DES-6321 PDF Dumps](#)

[DES-6321 VCE Dumps](#)

[DES-6321 Practice Test](#)